


SPRAYOUTS

15mm ProBell® Rotary Atomizer



SETUP

- Flow Rate: 100 cc/min
- Turbine Speed: 30 kRPM
- No electrostatics
- Pattern size measured 10" from bell

Øx.x" denotes pattern size. Measurements in imperial units. For a metric version, see form 345192.


Use Inner Shaping Air to widen pattern and Outer Shaping Air to narrow pattern.

All written and visual data contained in this document are based on the latest product information available at the time of publication. Graco reserves the right to make changes at any time without notice.

SPRAYOUTS

30mm ProBell® Rotary Atomizer

Outer Shaping Air



Inner Shaping Air

SETUP

- Flow Rate: 300 cc/min
- Turbine Speed: 30 kRPM
- No electrostatics
- Pattern size measured 10" from bell

Øx.x" denotes pattern size. Measurements in imperial units. For a metric version, see form 345192.

Use Inner Shaping Air to widen pattern and Outer Shaping Air to narrow pattern.


All written and visual data contained in this document are based on the latest product information available at the time of publication. Graco reserves the right to make changes at any time without notice.

SPRAYOUTS

50mm ProBell® Rotary Atomizer



Outer Shaping Air



Inner Shaping Air

SETUP

- Flow Rate: 300 cc/min
- Turbine Speed: 30 kRPM
- No electrostatics
- Pattern size measured 10" from bell

Øx.x" denotes pattern size. Measurements in imperial units. For a metric version, see form 345192.

Use Inner Shaping Air to widen pattern and Outer Shaping Air to narrow pattern.

All written and visual data contained in this document are based on the latest product information available at the time of publication. Graco reserves the right to make changes at any time without notice.