




# PR70™

Meter, Mix and Dispense Systems - Ordering Information



PROVEN QUALITY. LEADING TECHNOLOGY.

# PR70 System Comparisons

		PR70e with LCM	PR70 with DM	PR70 with ADM	PR70v with ADM
System	Configured system?	No	Yes	Yes	Yes
Ratios	Fixed Ratio	1:1 to 12:1	1:1 to 12:1	1:1 to 12:1	NA
	Variable Ratio	NA	NA	NA	1:1 to 24:1
Shots	Number of shots	1	5	50	50
	Shots Based on Percentage of stroke	Yes	No	No	No
	Weight Based Shots	No	Yes	Yes	Yes
	Multi-stroke shots (over 100%)	No	Yes	Yes	Yes
	Shot Sequencing	No	Optional	Yes	Yes
Monitoring	Pressure Monitoring	No	Optional	Optional	Optional
	Ratio Monitoring	No	Optional	Optional	Optional
Data Controls	Local Control Module (LCM)	Yes	No	No	No
	Display Module (DM)	No	Yes	No	No
	Advanced Display Module (ADM)	No	Optional	Yes	Yes
	Gel Timer	No	Yes	Yes	Yes
	Run with Automation (PLC)	No	Yes	Yes	Yes
	USB Download	No	Optional	Yes	Yes

## Available Accessories and Configurations

Valves	1:1 MD2 Valve	Optional	Optional	Optional	Optional
	10:1 MD2 Valve	Optional	Optional	Optional	Optional
Hoses	76 cm (2.5 ft) Hoses	Accessory	Optional	Optional	Optional
	3 m (10 ft) Hoses	Accessory	Optional	Optional	Optional
	4.6 m (15 ft) Hoses	Accessory	Optional	Optional	Optional
Tanks, Accumulators, Heated Equipment, Accessories	Plastic Tanks	Accessory	Optional	Optional	Optional
	On-Board Stainless Steel Tanks	Accessory	Optional	Optional	Optional
	1-1/2 NPT Flange Kit for bulk feed	Accessory	Optional	Optional	Optional
	Off-Board Stainless Steel Tanks	Accessory	Optional	Optional	Optional
	Heated Tanks	No	Optional	Optional	Optional
	Agitation	Accessory	Optional	Optional	Optional
	Tank Level Sensors Low	No	Optional	Optional	Optional
	Tank Level Sensors High	No	No	Optional	Optional
	Accumulators	No	No	Optional	Optional
	Auto Refill	No	No	Optional	Optional
	Mixers & Shrouds	Accessory	Optional	Optional	Optional
	Valve Mounting	Accessory	Optional	Optional	Optional
	Incoming Air Shut-off & Filter	Accessory	Standard	Standard	Standard
	Heated Hoses	No	No	Optional	Optional
Recirculation	No	No	Optional	Optional	

Optional items can be selected from the configurator and are factory installed. Accessories are ordered when you order the machine, but you assemble it onto the machine at your location.

# How to order your PR70e

## STEP 1: Select your PR70e system for air motor size & valve

The four PR70e system part numbers shown below include the fixed ratio PR70e frame, feed system inlet manifold, one MD2 valve, ADM with 2m (6 foot) umbilical and basic metering pump components. Note that these system part numbers do not include any metering pumps, outlet hoses, feed reservoirs, air inlet moisture trap, foot switch, mixers, shroud etc.

System	MD2 Valve Volume Ratio	Air Motor cm (in.)	Required Line Voltage	Machine Operation Voltage	Maximum Working Pressure bar (MPa, psi)	Maximum Air Inlet Pressure bar (MPa, psi)
24S054	1:1	7.6 (3)	100-240 V, 50/60 Hz, 1 Phase - 50 Watts	24 VDC	207 (21, 3000 )	7 (0.7, 100)
24S055	10:1					
24S056	1:1	11.4 (4.5)				
24S057	10:1					

## STEP 2: Determine your pump size based on min / max shot size

Volumetric Ratio (X:1)	Pump Tube Combination Information				Power Factor	
	Large Piston (mm)	Small Piston (mm)	Minimum Shot Size (cc)	Maximum Shot Size (cc)	3 in. Air Motor	4.5 in. Air Motor
1	960	960	12.4	71	2	5
1	640	640	8.3	47.3	4	8
1	480	480	6.2	35.5	5	11
1	320	320	4.1	23.7	7	16
1	240	240	3.1	17.7	10	21
1	160	160	2.1	11.8	14	X
1	120	120	1.6	8.9	19	X
1	80	80	1	5.9	29	X
1.5	240	160	2.6	14.8	11	26
1.5	960	640	10.4	59.1	3	6
1.5	480	320	5.2	29.6	6	13
1.5	120	80	1.3	7.4	23	X
2	960	480	9.3	53.2	3	7
2	640	320	6.2	35.5	5	11
2	480	240	4.7	26.6	6	14
2	320	160	3.1	17.7	10	21
2	240	120	2.3	13.3	13	29
2	160	80	1.6	8.9	19	X
3	960	320	8.3	47.3	4	8
3	480	160	4.1	23.7	7	16
3	240	80	2.1	11.8	14	X
4	960	240	7.8	44.3	4	9
4	640	160	5.2	29.6	6	13
4	480	120	3.9	22.2	8	17
4	320	80	2.6	14.8	11	26
5.33	640	120	4.9	28.1	6	14
6	960	160	7.3	41.4	4	9
6	480	80	3.6	20.7	8	18
8	960	120	7	39.9	4	10
8	640	80	4.7	26.6	6	14
10	800	80	5.7	32.5	5	12
12	960	80	6.7	38.4	4	10

X = Pump tube combination is not recommended

**STEP 3:****Select your Piston Package based on your requirements**

The metering pump components are called the “Piston Package.” Each piston package consists of a metering tube, piston, washer screw, O-rings (as shown in the column headings below). For example, if you have a 4:1 volume mix ratio, and want a 960mm / 240mm nylon pump combination, you could order the LC1960 and LC1240 Piston Package as shown in the chart below.

**Nylon Piston, Stainless Steel Metering Tube Assemblies**

		Reference Number and Description					
Piston Size (mm)	Piston Package	601	602	603	604	605	606
		Tube, Pump	Nylon Piston	Washer	Ring, Support, Piston	Screw	O-Ring
80	LC1080	LCC080	LCB080	15M089	15K887	120933	12087
100	LC1100	LCC100	LCB100				
120	LC1120	LCC120	LCB120				
140	LC1140	LCC140	LCB140				
160	LC1160	LCC160	LCB160				
180	LC1180	LCC180	LCB180				
200	LC1200	LCC200	LCB200	15M099			
220	LC1220	LCC220	LCB220				
240	LC1240	LCC240	LCB240				
260	LC1260	LCC260	LCB260				
280	LC1280	LCC280	LCB280				
300	LC1300	LCC300	LCB300				
320	LC1320	LCC320	LCB320	15M100			
360	LC1360	LCC360	LCB360				
400	LC1400	LCC400	LCB400				
440	LC1440	LCC440	LCB440				
480	LC1480	LCC480	LCB480				
520	LC1520	LCC520	LCB520				
560	LC1560	LCC560	LCB560				
600	LC1600	LCC600	LCB600				
640	LC1640	LCC640	LCB640	15M101			
720	LC1720	LCC720	LCB720				
800	LC1800	LCC800	LCB800				
880	LC1880	LCC880	LCB880				
960	LC1960	LCC960	LCB960				
Quantity		1	1	1	1	1	2

**STEP 3:****Continued****UHMW Piston, Stainless Steel Metering Tube Assemblies**

Piston Size (mm)	Piston Package	Reference Number and Description					
		601 Tube, Pump	602 UHMW Piston	603 Washer	604 Ring, Support, Piston	605 Screw	606 O-Ring
160	LC2160	LCC160	LCA160	15M099	15K887		
180	LC2180	LCC180	LCA180				
200	LC2200	LCC200	LCA200				
220	LC2220	LCC220	LCA220				
240	LC2240	LCC240	LCA240				
260	LC2260	LCC260	LCA260				
280	LC2280	LCC280	LCA280				
300	LC2300	LCC300	LCA300	15M100	15K888	120933	120874
320	LC2320	LCC320	LCA320				
360	LC2360	LCC360	LCA360				
400	LC2400	LCC400	LCA400				
440	LC2440	LCC440	LCA440				
480	LC2480	LCC480	LCA480				
520	LC2520	LCC520	LCA520				
560	LC2560	LCC560	LCA560				
600	LC2600	LCC600	LCA600				
640	LC2640	LCC640	LCA640				
720	LC2720	LCC720	LCA720	15M101	15K890		
800	LC2800	LCC800	LCA800				
880	LC2880	LCC880	LCA880				
960	LC2960	LCC960	LCA960				
Quantity		1	1	1	1	1	2

**STEP 4:****Select your tank or open inlet flanges**

24W415 Twin 8L Polyethylene tanks with lids

24W416 Twin 8L Polyethylene tanks with lids and shut off valves

24W417 1½ in NPT open inlet flanges for both pumps

**STEP 5:****Select your hoses by length and diameter required**

Individual hoses are called the “Hose Package.” Each hose package consists of the hose with the fittings required to connect the hose to the PR70 and the MD2 valve.

For example, with 4:1 volume mix ratio material, you could select the following hose packages:

LC0813 (¾ x 120 in Hose Package)

LC0808 (3/8 x 120 in Hose Package)

Hose Package	Description	Part Number and Description			
		1401	1402	1403	1404
		Hose Assembly	90 Deg Elbow	Adapter	Bushing
LC0801	3/16 in. x 30 in.	16C501	94/0144-S/25	94/1000/98	94/0488/98
LC0802	3/16 in. x 120 in.	16C506	94/0144-S/25	94/1000/98	94/0488/98
LC0803	3/16 in. x 180 in.	16C507	94/0144-S/25	94/1000/98	94/0488/98
LC0804	1/4 in. x 30 in.	16C510	94/0148-S/25	J6900040	
LC0805	1/4 in. x 120 in.	16C515	94/0148-S/25	J6900040	
LC0806	1/4 in. x 180 in.	16C516	94/0148-S/25	J6900040	
LC0807	3/8 in. x 30 in.	16C519	94/0149-S/25	94/1007/98	
LC0808	3/8 in. x 120 in.	16C524	94/0149-S/25	94/1007/98	
LC0809	3/8 in. x 180 in.	16C525	94/0149-S/25	94/1007/98	
LC0400*	3/8 in. x 30 in.	16D261	94/0149-S/25	94/1007/98	
LC0401*	3/8 in. x 120 in.	16D266	94/0149-S/25	94/1007/98	
LC0402*	3/8 in. x 180 in.	16D267	94/0149-S/25	94/1007/98	
LC0810	1/2 in. x 30 in.	16C529	94/0150-S/25	94/1009/98	
LC0811	1/2 in. x 120 in.	16C534	94/0150-S/25	94/1009/98	
LC0812	1/2 in. x 180 in.	16C535	94/0150-S/25	94/1009/98	
LC0403*	1/2 in. x 30 in.	16D271	94/0150-S/25	16C399	
LC0404*	1/2 in. x 120 in.	16D276	94/0150-S/25	16C399	
LC0405*	1/2 in. x 180 in.	16D277	94/0150-S/25	16C399	
LC0813	3/4 in. x 120 in.	16C544	94/0153-S/25	94/1083/98	
LC0814	3/4 in. x 180 in.	16C545	94/0153-S/25	94/1083/98	
LC0406*	3/4 in. x 120 in.	16D286	94/0153-S/25	94/1083/98	
LC0407*	3/4 in. x 180 in.	16D287	94/0153-S/25	94/1083/98	
	Quantity	1	1	1	1

\* High pressure hoses (241 bar, 24 Mpa, 3500 psi)

**STEP 6:****Complete your PR70e order by selecting accessory items**

Refer to the “PR70 Accessories” page in this brochure and select the items needed to meet your requirements.


For example, you most likely will need an incoming air filter and vented ball valve (Part n° 24R707) and a foot switch (Part n° 255244).

Note that all PR70e component pricing can be found on CIS under Pricing/Price and Availability.

# PR70 Configurator

## Building the Perfect PR70 is Easy!

Customize the PR70 with the features you need. Contact your local Graco Distributor to see all the available configured options.



# Accessories

## Reservoir Atmosphere Conditioning

LC0097	Desiccant Dryer, 3/8 in NPT with adapter and cartridge
LC0098	Desiccant Dryer Refill Cartridge
LC0095*	Nitrogen Kit for 30L and 60L tank, 1 tank
LC0096*	Nitrogen Kit for 30L and 60L tank, 2 tanks

## Reservoir Vacuum Conditioning for PR70/PR70v

LC0099	Vacuum Transfer Pumps, 120V, Down to 25 Torr (Requires Vacuum Transfer Connect Kit)
LC0100	Vacuum Transfer Pumps, 240V, Down to 25 Torr (Requires Vacuum Transfer Connect Kit)
256205	Vacuum Transfer Connect Kit, Single On-Board Tank
256206	Vacuum Transfer Connect Kit, Dual On-Board Tanks (1 Vacuum pump)
256207	Vacuum Transfer Connect Kit, Single Off-Board Tank
256209	Vacuum Transfer Connect Kit, Dual Off-Board Tanks (1 Vacuum pump)
256577	Auto-refill, tank-mount valve (1), solenoid, and mounting bracket for fluid shutoff

## Cords For Electric Agitators for PR70/PR70v

(cords not included when heat controller is selected)

121055	120 VAC North American cord
121054	10A, 240V US cord
121056	10A, 240V Continental Europe cord
121057	10A, 240V U.K./Ireland cord
121058	10A, 240V Israel cord
124864	10A, 240V Australia cord
124861	10A, 240V Italy cord
124863	10A, 240V Switzerland cord
124862	10A, 240V Denmark cord
121060	10A, 240V India cord

## Supply Pumps for Auto-Refill for PR70/PR70v

82/0771-SP/25	5:1 Pail Mount Pump, Feed Package
CM7C3F	20:1 Ram Pail Pump Feed Package
82/0781-S/25	5:1 Drum Bung Pump, Feed Package
82/0782-S/25	10:1 Drum Bung Pump Feed Package
CM7C58	20:1 Ram Drum Pump Feed Package
U50184	Diaphragm Feed Pump Pail Mount with dip tube without agitation
U50185	Diaphragm Feed Pump Pail Mount with dip tube with agitation
U50186	Diaphragm Feed Pump Drum Mount with dip tube without agitation
U50187	Diaphragm Feed Pump Drum Mount with dip tube with agitation
16C534	½ in x 3m (10 ft) SS braided hose, SS Fittings
123616	Fitting, Adapter, 08JIC X 3/4NPT

## Custom Size Metering Pumps + Service Kits for PR70/PR70v

LC1-xxx	Special Nylon Metering Assemblies: where xxx is the whole number area (in mm <sup>2</sup> ). Note: Custom tubes are available only in whole mm <sup>2</sup> increments
LC2-xxx	Special UHMWPE Metering Assemblies: xxx is the whole number area (in mm <sup>2</sup> ). Note: Custom tubes are available only in whole mm <sup>2</sup> increments and xxx > 140
LCD-xxx	Replacement Special Cylinder (xxx is the area of the Cylinder, ex. LCD333)
LCF-xxx	Special Nylon Piston Rebuild Kit, contains 3 pistons (xxx is the area of the Cylinder, ex. LCF333)
LCE-xxx	Special UHMWPE Piston Rebuild Kit, contains 3 pistons (xxx is the area of the Cylinder, ex. LCE333)

## Service Kits for PR70/PR70v

255220	MD2, Convert soft seat nose to hard seat (hard seat rebuild), needle and nose
15V551	Clear membrane covers for the Advanced Display Module screens, 10 pack
15M483	Clear membrane covers for the Standard Display Module screens, 10 pack

## Service Kits for All PR70 Models

LC0008	Cord, I/O interface with footswitch port
255219	MD2, Soft seat rebuild, needle and nose
255218	MD2, Kit rebuild, back end of wet section (no needle or seat)
255217	MD2, Kit rebuild, air cylinder
16H378	Clear membrane covers for Local Display Module screens, 10 pack
LC0091	3.0 in Air Cylinder Rebuild Kit
LC0092	4.5 in Air Cylinder Rebuild Kit
LC0093	Check Valve Rebuild Kit
LC0094	Rear Pump Seal Rebuild Kit
LCC-xxx	Replacement Cylinder (xxx is the area of the Cylinder, ex. LCC960) <= 280 mm <sup>2</sup>
LCC-xxx	Replacement Cylinder (xxx is the area of the Cylinder, ex. LCC960) 300-560 mm <sup>2</sup>
LCC-xxx	Replacement Cylinder (xxx is the area of the Cylinder, ex. LCC960) >= 600 mm <sup>2</sup>
LCF-xxx	Nylon Piston Rebuild Kit (xxx is the area of the Cylinder, ex. LCF960)
LCE-xxx	UHMWPE Piston Rebuild Kit (xxx is the area of the Cylinder, ex. LCE960)

## PosiMixer™

LC0063	Mixer, 4.8 mm (3/16) x 32, 10 mixers with shroud
LC0057	Mixer, 6.5 mm (1/4) x 24, 10 mixers with shroud
LC0058	Mixer, 9.8 mm (3/8) x 24, 10 mixers with shroud
LC0059	Mixer, 9.8 mm (3/8) x 36, 10 mixers with shroud
LC0060	Mixer, 9.8 mm (3/8) Combo, 10 mixers with shroud
LC0061	Mixer, 4.8 mm (3/16) x 32 Luer Lock, 10 mixers with shroud
LC0062	Mixer, 6.5 mm (1/4) x 24 Luer Lock, 10 mixers with shroud
LC0077	Mixer, 4.8 mm (3/16) x 32, 50 mixers
LC0078	Mixer, 6.5 mm (1/4) x 24, 50 mixers
LC0079	Mixer, 9.8 mm (3/8) x 24, 50 mixers
LC0080	Mixer, 9.8 mm (3/8) x 36, 50 mixers
LC0081	Mixer, 9.8 mm (3/8) Combo, 50 mixers
LC0082	Mixer, 4.8 mm (3/16) x 32 Luer Lock, 50 mixers
LC0083	Mixer, 6.5 mm (1/4) x 24 Luer Lock, 50 mixers
LC0084	Mixer, 4.8 mm (3/16) x 32, 250 mixers
LC0085	Mixer, 6.5 mm (1/4) x 24, 250 mixers
LC0086	Mixer, 9.8 mm (3/8) x 24, 250 mixers
LC0087	Mixer, 9.8 mm (3/8) x 36, 250 mixers
LC0088	Mixer, 9.8 mm (3/8) Combo, 250 mixers
LC0089	Mixer, 4.8 mm (3/16) x 32 Luer Lock, 250 mixers
LC0090	Mixer, 6.5 mm (1/4) x 24 Luer Lock, 250 mixers

## Auto-Refill Actuation Valves for PR70/PR70v

256577	Auto-refill, tank-mount valve (1), solenoid, and mounting bracket for fluid shutoff
256659	Auto-refill, 1/4 in solenoid, feed package air motor air shutoff
256660	Auto-refill, 1/2 in solenoid, feed package air motor air shutoff
16C534	½ in x 3 m (10 ft) SS braided hose, SS fittings
123616	Fitting, Adapter, 08JIC X 3/4 NPT

## PR70e – Additional Parts

24R707	Incoming Air Filter and Vented Ball Valve
255244	Foot Switch

All written and visual data contained in this document are based on the latest product information available at the time of publication. Graco reserves the right to make changes at any time without notice.

Graco is certified ISO 9001.

GRACO BVBA Industrieterrein Oude Bunders • Slakweidestraat 31 • B-3630 Maasmechelen  
Tel: +32 (89) 770 700 • Fax: +32 (89) 770 777 • <http://www.graco.com>

©2014 Graco Inc. 349269ENEU Rev.A 11/14 Printed in Europe.

All other brand names or marks are used for identification purposes and are trademarks of their respective owners.

