

ToughTek™ Stucco and EIFS Materials Spec Sheet

Stucco and EIFS Materials Tested with ToughTek Stucco Pumps



► Piston Pump Technology

The two-ball piston pumps in ToughTek Stucco Pumps feature large internal passages that allow stucco and EIFS materials to move freely through the pump. In addition, smooth passageways are designed to prevent material pack-out and flush quickly as well.

The chart below is a list of the stucco and EIFS materials that have been tested with the Graco ToughTek S340e Stucco and EIFS Pump.



STUCCOS					
Material Manufacturer	Material Name	Product Number	Product Region	Sprayed*	Other Recommendations
QUIKRETE®	Scratch & Brown Base Coat Stucco	1139	OH	Yes	
QUIKRETE	Scratch & Brown Base Coat Stucco	1139	MN	Yes	
QUIKRETE	Scratch & Brown Fiber Reinforced Stucco	1139-78	MN	Yes	
QUIKRETE	One Coat Fiberglass Reinforced Stucco	1200	OH	Yes	
QUIKRETE	One Coat Fiberglass Reinforced Stucco	1200	Kansas City, MO	Yes	
QUIKRETE	Base Coat Stucco - Pump Grade	1139-86	TX	Yes	
QUIKRETE	Base Coat Stucco - Pump Grade	1139-86	OH	Yes	
QUIKRETE	Base Coat Stucco - Pump Grade	1139-86	MN	Yes	
QUIKRETE	Base Coat Stucco - Pump Grade	1139-86	Atlanta, GA	Yes	
SPEC MIX®	Scratch & Brown Fiber Reinforced Stucco	SU-04 (70/30 Fine/Coarse Sand)	MN	Yes	
PAREX®	Scratch & Brown	Fiber-47™ Armourwall Sanded		Yes	
PAREX	Base Coat - Fiber Reinforced	202 Armourwall Stucco Base Sanded		Yes	
Rivers del Ray	Scratch & Brown	Premier UNO (Non-Fibered)	CA	Yes	

* Testing based on pre-blended materials delivered in 80 lb bags. Materials tested with 100 ft (30 m) of hose comprised of 1.5 in dia x 75 ft (22.9 m) + 1.25 in dia x 25 ft (7.6 m) whip hose and stucco pole applicator.

ToughTek™ Stucco and EIFS Materials Spec Sheet

Stucco and EIFS Materials Tested with ToughTek Stucco Pumps



EIFS BASE COATS & ADHESIVES					
Material Manufacturer	Material Name	Product Number	Tested with Tip	Sprayed*	Other Recommendations
PAREX	121 Dry / 121 Optimum		#8	Yes	
Dryvit®	Genesis® DMS		#8	Yes	
Sto®	BTS® Xtra	80731	#8	Yes	
Sto	Primer/Adhesive-B	80731	#8	Yes	
WATER RESISTIVE BARRIERS					
Material Manufacturer	Material Name	Product Number	Tested with Tip	Sprayed*	Other Recommendations
PAREX	WeatherSeal Spray & Roll-On		#4 w/ "A" Fine Finish Tip	Yes	Check Valve Kit 25A466
Dryvit	Backstop® NT - Textured		#4 w/ "A" Fine Finish Tip	Yes	Check Valve Kit 25A466
Sto	Gold Coat®	80265	#4 w/ "A" Fine Finish Tip	Yes	Check Valve Kit 25A466
FINISH COATS					
Material Manufacturer	Material Name	Product Number	Tested with Tip	Sprayed*	Other Recommendations
QUIKRETE	Finish Coat Stucco	1201	#10	Yes	
PAREX	Sand Fine	534	#8	Yes	
PAREX	Sand Coarse	535	#8	Yes	
Sto	Stolit® 2.0 Acrylic Texture Finish	80132	#10	Yes	Minimum 1.25 in (32 mm) diameter whip hose
Sto	Medium Sand Finish	80306	#8	Yes	
Dryvit	Quarzputz®		#10	Yes	
STONE PAINTS					
Material Manufacturer	Material Name	Product Number	Tested with Tip	Sprayed*	Other Recommendations
Nippon	Stone Paint without Stone Flake	YC-N1417	#10 w/ "D" Fine Finish Tip	Yes	
Nippon	Stone Paint with Stone Flake	NP-YT2014	#10 w/ "D" Fine Finish Tip	Yes	

* Materials tested with 35 ft (10.7 m) of hose comprised of 1.25 in dia x 25 ft (7.6 m) + 1 in dia x 10 ft (3 m) whip hose and HTX applicator (EIFS Kit 25A219)