

Cultured Dairy Applications

Graco Sanitary Solutions



Common Materials

- Yogurt
- Ricotta Cheese
- Flavored Milks
- Cottage Cheese
- Sour Cream
- Curd and Whey Removal
- Cream Cheese
- Ice cream (Rework)
- Margarine
- Butter



SaniForce™ Piston Pumps and Unloaders

for moving and unloading semi-viscous to viscous materials

SaniForce Piston Pumps

- Perfect for fluid transfer of semi-viscous to viscous materials
- Quick knockdown design
- On-demand pumps constructed of 300 series stainless steel

Popular Models

- | | |
|--------|--|
| 24E840 | 6:1 drum length pump, 36,6 mm (1,44 in) inlet, buna, nylon, nitrile packings |
| 24E839 | 6:1 drum length pump, 36,6 mm (1,44 in) inlet, PTFE packings |

SaniForce Drum and Bin Unloaders

- Deliver fast and easy drum and bin evacuations
- Designed with inflatable wiper seals for increased efficiency and faster change-out of drums
- Available in diaphragm and piston pump configurations
- Safe method of transfer as the drum stays on the floor and doesn't need to be raised to dump the material.
- Clean way of working, the surroundings of the drum unloader stays clean.

Popular Models

- | | |
|--------|---|
| 24D714 | SaniForce 5:1 priming piston pump with inflatable wiper seal |
| 24D936 | SaniForce 3150 HS diaphragm pump with inflatable wiper seal |
| BESA7C | Two 5:1 double ball pumps, inflatable wiper seal will accomodate 1135 l (300 gal) plywood bin |



SaniForce 6:1
Piston Pump



SaniForce 5:1
Drum Unloader



SaniForce™ 1590 and 3150 High Sanitation for blending and packing materials

SaniForce 1590 HS and 3150 HS with 3A Certification

- Models have flow rates ranging from 340-568 l/min (90-150 gpm)
- Easy to clean with its quick knockdown design
- High sanitation surface finish at 32 Ra

Popular Models

- SBBAAA Saniforce 1590 HS - 50,8 mm (2 in) inlet/outlet with PTFE balls and EPDM overmolded diaphragms
- SA33A1 Saniforce 3150 HS - 76,2 mm (3 in) inlet/outlet with PTFE balls and EPDM/PTFE overmolded diaphragms



SaniForce 3150 HS



SaniForce 3150 3A

All written and visual data contained in this document are based on the latest product information available at the time of publication. Graco reserves the right to make changes at any time without notice.

Graco is certified ISO 9001.

GRACO BVBA Industrieterrein Oude Bunders • Slakweidestraat 31 • B-3630 Maasmechelen
Tel: +32 (89) 770 700 • Fax: +32 (89) 770 777 • E-mail: info@graco-sanitary.com • <http://www.graco-sanitary.com>

©2011 Graco BVBA 320614E Rev. A 08/11 Printed in Europe.

All other brand names or marks are used for identification purposes and are trademarks of their respective owners.

