

# GH833 OEM-set

311519A

- Te gebruiken met siercoating, verf, dakcoating en kwalitatief minder hoogwaardige coatings -

## Onderdeelnr. 249767, 253473

Maximum werkdruk 4000 psi (27,6 MPa, 275,8 bar) (werk-PSI materiaal)




### Belangrijke veiligheidsinstructies

Lees alle waarschuwingen en instructies in deze handleiding. Bewaar deze instructies.

## Technische gegevens

Verhouding verf/hydraulisch	1,45:1
Invoer door gebruiker geleverd	
• Max. hydraulische druk	2750 psi (190 bar, 19,0 MPa)
• Vereist debiet	6,25 gpm (23,6 liter/min)
Systeemuitvoer	
• Max. materiaaldruk	4000 psi (275 bar, 27,6 MPa)
• Max. doorstroming	4 gpm (15,1 liter/min)
Max. slagsnelheid	64 slagen/min
Afmetingen	
Hoogte	1003 mm (39,5 inch)
Breedte	190,5 mm (7,5 inch)
Diepte	140 mm (5,5 inch)
Gewicht	28,6 kg (63 lbs)



ti7580a

PROVEN QUALITY. LEADING TECHNOLOGY.


# Onderdelen

FN	Part No.	Description	Qty	FN	Part No.	Description	Qty
				105	117607	FITTING, elbow std thd	1
7	120226	SCREW, hex hd, flange	4	106	117609	FITTING, tee, branch, str thd	1
36	287834	KIT, pump, displacement, includes 141	1	121	116407	CLIP, hairpin	1
40	116554	WASHER, flat	1	122	15G204	NUT, retaining	1
42	15G501	SLEEVE, valve, hydr, motor	1	124	197340	COVER, coupler	1
43	15G503	STOP, valve, hydraulic motor	1	125	244819	COUPLING, assembly	1
44	15D256	SCREW, cap, sch	2	141	15H335	FITTING, nipple, 1 in. npt, includes 36	1
45	101947	BALL, bearing	2	169▲	15G877	LABEL, front	1
46	15G270	YOKE, arm, hydraulic motor	2	170	15G878	LABEL, Graco logo	1
48	105270	SCREW, shoulder, sch	4	175▲	15B063	LABEL, includes 75	1
52	287869	CYLINDER, hydraulic motor	1	163‡	15H201	SHIELD, pump	1
53	287870	KIT, piston, includes 62	1	164‡	111235	SCREW, mach, pnh	1
53a		BEARING, piston	1	165‡	120317	NUT, wing	1
53b		O-RING, piston	1				
53c		SEAL, piston, hydraulic motor	1				
59	287870	KIT, rod	1				
59a		SEAL, rod	1				
59b		BEARING, rod	1				
59c		WIPER, rod	1				
62	116084	PACKING, o-ring	2				
63	15G559	HOUSING, hydraulic motor, lower	1				
66	101970	PLUG, pipe	1				
73	15G639	ADAPTER, hydraulic motor/pump	1				
74	120202	SCREW, cap sch	3				
75	288061	CAP, hydraulic head, includes 175	1				
76	287868	PISTON, hydraulic	1				
90	120138	SCREW, cap, socket head	3				
91	120146	SPRING, compression	1				
97	287841	TUBE	1				
104	120065	FITTING, hydraulic	1				

▲ Vervangende Gevaar- en Waarschuwinglabels,  
aanduidingen en kaartjes zijn gratis verkrijgbaar.  
‡ Te gebruiken op model 253473.

## Onderdeel Omschrijving

- ① HYDRAULISCHE INLAAT, 3/4 in. - 16 UNF 2A,  
37° uitlopend mannelijk
- ② HYDRAULISCH RETOUR, 1-1/6 in. - 12 UN 2A,  
37° uitlopend mannelijk
- ③ MONTAGESLEUF, 4x, 7/16 in. - 14 UNC 2B,  
flenskop, kolomschroef, 1-3/4 in. lang  
aanbevolen (Graco-onderdeelnr 120226)
- ④ 1 in. - 11-1/2 NPT vrouwelijk
- ⑤ 1-1/2 in. - 11-1/2 NPT mannelijk



*All written and visual data contained in this document reflects the latest product information available at the time of publication.  
Graco reserves the right to make changes at any time without notice.*

**Graco Headquarters:** Minneapolis

**International Offices:** Belgium, China, Japan, Korea

**GRACO INC. P.O. BOX 1441 MINNEAPOLIS, MN 55440-1441**

[www.graco.com](http://www.graco.com)

Printed in USA 4/2006