



Prepared according to Global Harmonized System (GHS) standards

## SECTION 1

## CHEMICAL PRODUCT IDENTIFICATION

Graco Inc.  
88 11th Avenue Northeast  
Minneapolis, Minnesota 55413  
Tel: 612-623-6000  
[customerservice@graco.com](mailto:customerservice@graco.com)


Product Trade Name:

# Tip Cleaner Concentrate

CAS Number: Not Determined.  
Synonyms/Other: N/A  
Part Number(s): 865656, 865657  
Recommended Use: Alkaline liquid detergent.  
Restrictions on Use: Not determined.  
Created Date: 5/26/2015  
Preparation/Revision Date: 5/26/2015  
Emergency Phone Number: 1-800-424-9300 (CHEMTREC)

## SECTION 2

## HAZARD IDENTIFICATION

Appearance: Milky White liquid.  
Odor: Slight  
Classification: Skin corrosion / irritation category 3  
Eye damage / irritation category 2  
Acute Toxicity - oral category 4  
Acute Toxicity - dermal category 5  
Single target organ toxicant – single exposure category 2  
Target Organs: Not applicable.  
Pictogram(s):   
Signal Word: WARNING  
Hazard Statement: H302 - Harmful if swallowed  
H313 - May be harmful in contact with skin  
H316 - Causes mild skin irritation  
H319 - Causes serious eye irritation  
H371 - May cause damage to organs  
Other Hazards: Not determined.  
Prevention: P233 - Keep container tightly closed  
P260 - Do not breathe fumes mists vapors or spray  
P264 - Wash thoroughly after handling  
P270 - Do not eat, drink or smoke when using this product  
P280 - Wear protective gloves and eye protection



**Response:** P301+P312 - IF SWALLOWED: Call a physician if you feel unwell  
P330 - Rinse mouth  
P304+P341 - IF INHALED: If breathing is difficult, remove victim to fresh air and keep at rest in a position comfortable for breathing  
P305+P351+P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses if present and easy to do – continue rinsing  
P337+P313 - If eye irritation persists get medical attention  
P309+P311 - IF exposed or you feel unwell: Call a physician  
P332+P313 - If skin irritation occurs: Get medical advice

**Storage Procedures:** P405 - Store locked up

**Disposal:** P501 - Dispose of contents and container in accordance with federal, state, and local regulations

**Other:** See section 11 for complete health hazard information.

### SECTION 3 COMPOSITION OF INGREDIENTS

Component	CAS Number	Percentage (by weight)
Benzyl Alcohol	100-51-6	40-60%
2-butoxyethanol	111-76-2	1.0-3.0%
Potassium Oleate	205-590-5	0.1-1.0%

The balance of components do not contribute to the overall classification of the fluid, according to the GHS Standard.

### SECTION 4 FIRST AID MEASURES

**Eye Contact:** Avoid direct contact. Wear chemical protective gloves, if necessary. Remove source of exposure or move person to fresh air. Rinse eyes cautiously with lukewarm, gently flowing water for several minutes, while holding the eyelids open. Remove contact lenses, if present and easy to do. Take care not to rinse contaminated water into the unaffected eye or onto the face. If eye irritation persists: Get medical advice or attention.

**Skin Contact:** Avoid direct contact. Wear chemical protective clothing, if necessary. Wash skin with lukewarm, gently flowing water and mild soap until product is removed. Call a doctor if you feel unwell. If skin irritation or rash occurs: Get medical advice/attention.

**Inhalation:** Get medical advice or attention if you feel unwell or are concerned.

**Ingestion:** Rinse mouth. Call a doctor if you feel unwell.

**Other:** No additional information

### SECTION 5 FIRE FIGHTING MEASURES

**Flash Point:** 214°F (101°C) Pensky Martens Closed Cup

**Flammable limits:** Not determined.

**Extinguishing media:** Foam, carbon dioxide, dry chemical, water fog, water. Do not use a solid stream of water, since the stream will scatter and spread the fire

**Special firefighting procedures:** General directions - product will not burn without driving water from material first. Evacuate area and fight fire from a safe distance. If leak or spill has not ignited, ventilate area and use water spray to disperse gas or vapor and to protect personnel attempting to stop a leak. Use water spray to cool adjacent structures and to protect personnel. Shut off source of flow if possible (safely). Stay away from storage tank ends. Withdraw immediately in case of rising sound from venting safety device or any discoloration of storage tank due to fire. Fire fighters must wear MSHA/NIOSH approved positive pressure breathing apparatus (SCBA) with full face mask and full protective equipment.

**Unusual fire & explosion hazards:** Contact with soft metal can form hydrogen gas that is flammable and can form explosive mixtures with air.



**Byproducts of combustion:** Fires involving this product may release oxides of carbon, nitrogen and sulfur; reactive hydrocarbons and irritating vapors.

**Autoignition temperature:** 817F. High heat or direct flame is necessary to cause ignition.

**Explosion data:** Not determined. Care should always be exercised in dust/mist areas.

**Other:** Dispose of fire debris and contaminated extinguishing water in accordance with official regulations.

## SECTION 6 ACCIDENTAL RELEASE MEASURES

**Spill control procedures (land):** Immediately turn off or isolate any source of ignition (pilot lights, electrical equipment, flames, heaters, etc.). Evacuate area and ventilate. Personnel wearing proper protective equipment should contain spill immediately with inert materials (sand, earth, chemical spill pads of cotton) by forming dikes. Dikes should be placed to contain spill in a manner that will prevent material from entering sewers and waterways. Large spill, once contained, may be picked up using explosion proof, non-sparking vacuum pumps, shovels, or buckets, and disposed of in suitable containers for disposal. Clean up residue with water. If a large spill occurs notify appropriate authorities. In case of road spill or accident contact Chem-Trec (800-424-9300).

**Spill control procedures (water):** If a large spill occurs notify appropriate authorities (normally the National Response Center or Coast Guard at 800-424-8802).

**Waste disposal method:** Do not empty into drains. All disposals must comply with federal, state, and local regulations. The material, if spilled or discarded may be a regulated waste. Refer to state and local regulations. Department of Transportation (DOT) regulations may apply for transporting this material when spilled. See Section 14.

**Other:** CAUTION - If spilled material is cleaned up using a regulated solvent, the resulting waste mixture will be regulated.

## SECTION 7 HANDLING AND STORAGE

**Handling procedures:** Keep containers closed when not in use. Do not transfer to unmarked containers. Empty containers retain product residue which may exhibit hazards of material, therefore do not pressurize, cut, glaze, weld, or use for any other purposes. Return drums to reclamation centers for proper cleaning and reuse.  
Handling temperatures should not exceed 60°C (140°F) to minimize danger of burns. Open containers carefully in a well ventilated area or use appropriate respiratory protection. Wash thoroughly after handling.

**Storage procedures:** Store containers away from heat, sparks, open flame, or oxidizing materials. Extended storage at excessive temperatures may produce odorous and toxic fumes from product decomposition.

**Additional information:** No additional information.

## SECTION 8 EXPOSURE CONTROLS / PERSONAL PROTECTION

Exposure limits/standards for materials that can be formed when handling this product:

Component	CAS Number	OSHA PEL	ACGIH TLV
Benzyl Alcohol	100-51-6	-	-
2-butoxyethanol	111-76-2	50 ppm	20 ppm
Potassium Oleate	205-590-5	-	-

NOTE: Limits/standards shown for guidance only. Follow applicable regulations.

No biological limits allocated.



<b>Personal protection:</b>	Applicable mainly to persons in repeated contact situations such as packaging of product, service/maintenance, and cleanup/spill control personnel.
<b>Respiratory protection:</b>	None required if ventilation is adequate. Otherwise a respiratory protection program meeting OSHA 1910.134 and ANSI Z88.2 requirements must be followed. Where misting may occur, wear an MSHA/NIOSH approved (or equivalent) half-mask form dust/mist air purifying respirator.
<b>Eye protection:</b>	Eye protection is strongly recommended. Wear safety glasses with side shields or vented/splash proof goggles (ANSI Z87.1 or approved equivalent).
<b>Hand protection:</b>	Impervious, chemically resistant gloves such as neoprene or nitrile rubber to avoid skin sensitization and absorption.
<b>Other protection:</b>	Use of an apron and overboots of chemically impervious materials such as neoprene or nitrile rubber is recommended based on level of activity and exposure. If handling hot material use insulated protective equipment. Launder soiled clothes. Properly dispose of contaminated leather articles and other materials which cannot be decontaminated.
<b>Local control measures:</b>	Use adequate ventilation when working with material in an enclosed area. Mechanical methods such as fume hoods or area fans may be used to reduce localized vapor/mist areas. If vapor or mist is generated when the material handled, adequate ventilation in accordance with good engineering practice must be provided to maintain concentrations below the specified exposure. Eyewash stations and showers should be available in areas where this material is used and stored.
<b>Other:</b>	Consumption of food and drink should be avoided in work areas where product is present. Always wash hands and face with soap and water before eating, drinking or smoking.

## SECTION 9

## PHYSICAL AND CHEMICAL PROPERTIES

<b>Appearance:</b>	Milky White liquid.
<b>Odor:</b>	Slight
<b>Odor threshold:</b>	Not determined.
<b>pH:</b>	9.5 – 10.5
<b>Melting/Freezing point:</b>	Not determined.
<b>Initial boiling point:</b>	Approximately 400
<b>Boiling range:</b>	Not determined.
<b>Flash point:</b>	214°F (101°C)
<b>Evaporation rate:</b>	(Water = 1) : Approximately 1.8
<b>Flammability:</b>	Not determined.
<b>Upper flammable limit:</b>	Not determined.
<b>Lower flammable limit:</b>	Not determined.
<b>Vapor pressure:</b>	≤0.10 mm Hg @ 20C (68F)
<b>Vapor density:</b>	(Air = 1) : 3.7
<b>Relative density:</b>	SG: 1.015 – 1.025
<b>Solubility:</b>	forms emulsion.
<b>Partition Coefficient:</b>	Not determined.
<b>Auto-ignition temperature:</b>	817F. High heat or direct flame is necessary to cause ignition.
<b>Decomposition temperature:</b>	Not determined.
<b>Viscosity:</b>	Not determined.
<b>Other</b>	% VOC (as per CARB): <5

## SECTION 10

## STABILITY AND REACTIVITY

<b>Reactivity</b>	
<b>Chemical stability:</b>	Material is chemically stable at room temperatures and pressure.
<b>Hazardous polymerization:</b>	Will not occur.



**Conditions to avoid:**  
**Incompatibility with other materials: Decomposition products:**

Avoid high temperatures and product contamination.  
Avoid contact with acids and strong oxidizing materials.

Smoke, carbon monoxide, carbon dioxide, and other aldehydes of incomplete combustion. Oxides of carbon, nitrogen, and sulfur; reactive hydrocarbons and irritating vapors.

**Other:**

Product should be stored between 40 and 95°F.

## SECTION 11

## TOXICOLOGICAL INFORMATION

**Acute toxicity (LD50) \*See note at the bottom of the section**

<b>Oral:</b>	300 - 2000 mg/kg
<b>Dermal:</b>	2000 - 5000 mg/kg
<b>Inhalation:</b>	>20.0 mg/l
<b>Skin irritation:</b>	Causes mild skin irritation
<b>Eye irritation:</b>	Causes serious eye irritation
<b>Dermal sensitization:</b>	Not expected to have a sensitizing effect.
<b>Respiratory sensitization:</b>	Not expected to have a sensitizing effect.
<b>Aspiration Hazard:</b>	Not applicable

**Chronic Toxicity**

<b>Mutagenicity:</b>	Not suspected of causing genetic defects
<b>Carcinogenicity:</b>	Not suspected of causing cancer.
<b>Reproductive toxicity:</b>	Not expected to have adverse effects on reproduction.
<b>STOT-single exposure:</b>	May cause damage to organs.
<b>STOT-repeated exposure:</b>	Not expected to have long term adverse effects.

**Other:** \*All data in this section is based off calculations from Part 3 of the Globally Harmonized System of Classification and Labelling of Chemicals (GHS) utilizing information from the constituent components.

## SECTION 12

## ECOLOGICAL INFORMATION

**Environmental toxicity**

<b>Fish:</b>	> 100 mg/l.
<b>Invertebrates:</b>	> 100 mg/l.
<b>Aquatic plants:</b>	> 100 mg/l.
<b>Microorganism:</b>	> 100 mg/l.

**Persistence/Degradability:** This product is expected to be readily biodegradable.

**Bioaccumulation:** Not determined.

**Mobility in soil:** Not determined.

**Other:** All classifications are based on calculations in Part 4 of the Globally Harmonized System of Classification and Labelling of Chemicals (GHS) utilizing information from the constituent components.

## SECTION 13

## DISPOSAL CONSIDERATIONS

**Waste disposal:**

This product unadulterated by other materials can be classified as a non-hazardous waste. Depending on use, used product may be regulated. Dispose of in a licensed facility. Do not discharge product in to sewer system. Dispose of containers by crushing or puncturing, so as to prevent unauthorized use of used containers. Waste management should be in full compliance with federal, state, and local laws.



**Other**

The transportation, storage, treatment and disposal of RCRA waste material must be conducted in compliance with 40 CFR 262, 263, 264, 268 and 270. Chemical additions, processing or otherwise altering this material may make the waste management information presented in this SDS incomplete, inaccurate or otherwise inappropriate.

**SECTION 14**

**TRANSPORT INFORMATION**

**Land Transport (DOT):** Not Regulated  
**Proper Shipping Name:** Not Regulated  
**Land Transport (TDG):** Not determined.  
**Proper Shipping Name:** Not applicable.  
**Sea Transport (IMDG):** Not determined.  
**Proper Shipping Name:** Not applicable.  
**Air Transport (IATA):** Not determined.  
**Proper Shipping Name:** Not applicable.  
**Other:** Not applicable.

**SECTION 15**

**REGULATORY INFORMATION**

**Federal Regulation**

**WHMIS:**

Benzyl Alcohol  
B3 - Combustible material.  
D2B - Eye irritation - Toxic.  
2-Butoxyethanol  
B3 - Combustible material.  
D1A - Acute lethality - Very toxic.  
D2B - Eye and Skin irritant - Toxic.

**Clean water act/oil:**

No components of this product are listed.

**TSCA:**

All components of this material are listed in the U.S. TSCA Inventory.

**Other TSCA:**

Not applicable.

**SARA title III:**

Section 302/304 extremely hazardous substances:  
None.

Section 311, 312 hazard categorization:

Acute (immediate health effects):	YES
Chronic (delayed health effects):	NO
Fire (hazard):	NO
Reactivity (hazard):	NO
Pressure ( sudden release hazard):	NO

Section 313 toxic chemicals:

No components present are at or greater than the de minimis (minimum reportable) concentration requirements for reporting.

**CERCLA:**

For stationary/moving sources – reportable quantity (due to):  
Not regulated.

**State Regulations**

**Right-to-know**

Not determined.



**Other:**

A release of this product, as supplied, is exempt from reporting under the Comprehensive Environmental Response Compensation and Liability Act (CERCLA). However, releases may be reportable to the Nation Response Center under the Clean Water Act, 33 U.S.C. 1321(b)(3) and (5) - see head of Section 15. Failure to report may result in substantial civil and criminal penalties.

Recommend contacting the local authorities in the event of any type of spill to determine local reporting requirements and also to aid in the cleanup.

**SECTION 16 OTHER INFORMATION**

	<b>NFPA 704</b>	<b>NPCA-HMIS</b>	<b>KEY</b>
<b>HEALTH:</b>	2	2	0 = Minimal
<b>FIRE:</b>	1	1	1 = Slight
<b>REACTIVITY:</b>	0	0	2 = Moderate
<b>SPECIFIC HAZARD:</b>	None	N/A	3 = Serious
<b>PROTECTION INDEX:</b>	N/A	B	4 = Severe

Version: I

This Safety Data Sheet and the information it contains is offered to you in good faith as accurate. We have reviewed any information contained in this Data Sheet which we have received from sources outside our company. We believe that information to be correct, but cannot guarantee its accuracy or completeness. Health and safety precautions in this Data Sheet may not be adequate for all individuals and/or situations. It is the users' obligation to evaluate and use this product safely and to comply with all applicable laws and regulations. No statement made in this Data Sheet shall be construed as a permission or recommendation for the use of any product in a manner that might infringe existing patents. No warranty is made, either express or implied.

**NOTES:** NA = Not Applicable; NE = Not Established; UN = Unavailable

*All written and visual data contained in this document reflects the latest product information available at the time of publication. Graco reserves the right to make changes at any time without notice.*

**Headquarters:** Minneapolis  
**International Offices:** Belgium, Korea, Hong Kong, Japan  
**GRACO INC. P.O. BOX 1441 MINNEAPOLIS, MN 55440-1441**  
**www.graco.com**  
 PRINTED IN U.S.A.

Revisions / Comments: None.