

# ALLPRO<sup>®</sup>

**PROFESSIONAL GRADE  
SPRAY EQUIPMENT & ACCESSORIES**





**Maximize performance.  
Minimize costs.**

**NEW!**

**Quick Repair Pump™**

- Fast on-the-job pump repair
- No special tools required
- Eliminates costly downtime

**Pro-Duty Pump™**

- Chrome-plated rods and adjustable packings for extended pump life
- Lifetime warranty for pump cylinder

**Heavy-Duty Drive System**

- 2-stage gear drive delivers both reliability and precision without the use of a belt
- Lifetime warranty



**Equipment that lasts longer and costs less to own is the result of many years of continued innovation.**

**About ALLPRO Mustang® Sprayers**

ALLPRO Mustang products have been consistently reliable for the professional painting contractor. The ALLPRO Mustang product goal from day one has been to provide superior service with exceptional value.

The ALLPRO Mustang product success formula is simple:

- Design equipment that can reliably pump more gallons between recommended service intervals
- Build pumps with the longest operational life
- Have the industry's lowest cost of maintenance

The ALLPRO Mustang focus has always been on your needs. Painting professionals depend on their ALLPRO Mustang equipment every day. ALLPRO Mustang products are continuously improved to make them easier to use, more durable and less costly to maintain.

And of course, we offer a complete line of ALLPRO parts and accessories. Our knowledgeable, full-service technical department provides expert advise, and is there to help you when you need it.



**Choosing the right sprayer for the job is your most important decision.**

**RESIDENTIAL** – Light-Duty Series (pgs 3-4)

**RESIDENTIAL/LIGHT COMMERCIAL** – Professional-Duty Series (pgs 5-6)

**COMMERCIAL** – Heavy-Duty Series (pg 7)



## ELECTRIC AIRLESS PAINT SPRAYERS FOR RESIDENTIAL USE

The Light-Duty Mustang sprayers are entry-level paint sprayers. With this line of sprayers you will be able to spray a variety of interior and exterior oil and water-based coatings. These are ideal sprayers for the contractor who sprays only now and again, the homeowner who wants to paint their own house, or that one big job. These lightweight piston pumps are of a compact design, making them easy to move around the jobsite. You can also add a power roller attachment for more versatility.

### Mustang 2400



- APPLICATIONS:** Small to medium residential projects
- SPRAY:** Water and Oil-Based Coatings, 100% Acrylics, Stains and Varnishes
- USAGE:** Up to 125 gallons per year
- FEATURES:**
- Pump directly from 1 or 5-gallon paint container
  - Stand mount is: compact, lightweight and easy to transport
  - Convenient, built-in carrying handle makes moving sprayer and paint easier
  - Hardened stainless steel piston pump
  - Pressure control with user-friendly symbols for simple selection of operating modes
  - PowerPlug™ cord-end lights up to indicate good power source
- INCLUDES:** 1/4 in x 25 ft (6.4 mm x 7.5 m) hose, Mustang 5 gun and 515 FAB-Tip



### Mustang 3400



- APPLICATIONS:** Small to medium residential projects
- SPRAY:** Water and Oil-Based Coatings, 100% Acrylics, Stains and Varnishes
- USAGE:** Up to 300 gallons per year
- FEATURES:**
- Pump directly from 1 or 5-gallon paint container
  - Power-piston pump with QRP and long life
  - InstaClean™ pump filter helps remove debris, reducing tip plugs and providing a better finish
  - Convenient cart to move sprayer and paint together
  - Pressure control with user-friendly symbols for simple selection of operating modes
  - PowerPlug™ cord-end lights up to indicate good power source
- INCLUDES:** 1/4 in x 50 ft (6.4 mm x 15 m) hose, Mustang 5 gun and 517 FAB-Tip



SPECIFICATIONS	Mustang 2400	Mustang 3400
Model Type	Stand	HiBoy
Part Number	24F559	17H204
Max Tip Size	0.015 in	0.017 in
Max Output gpm / lpm	0.27 / 1.0	0.34 / 1.3
Max Working Pressure psi / bar	3,000 / 207	3,000 / 207
Max Hose Length ft / m	75 / 23	150 / 45
Unit Weight lbs / kg	21 / 10	35 / 16
Motor	1/2 HP Universal	3/4 HP DC

## QUICK REPAIR PUMP SYSTEM

Skip the downtime and extra costs of waiting for replacement parts or driving to the service center. ALLPRO keeps you productive with the Quick Repair Pump system. With a spare cartridge on hand, you can remove and replace the cartridge in four simple steps and get back to work.



1. SLIDE OPEN THE ACCESS DOOR
2. REMOVE PUMP SECTION
3. USE FRAME TO REMOVE CARTRIDGE
4. INSTALL NEW CARTRIDGE AND REPLACE PUMP

The Quick Repair Pump can be purchased through your local paint store.

## ELECTRIC AIRLESS PAINT SPRAYERS FOR RESIDENTIAL/ LIGHT COMMERCIAL USE

The Mustang 4850, 5150 and 8150 are reliable, durable sprayers that feature a compact, sturdy, well-balanced frame that protects the pump and makes it easy to carry. The heart of any airless sprayer is the pump, and the durability of the Mustang Pro-Duty paint pump, with its oversized hardened stainless steel piston and externally adjustable packings, is legendary. Combine that with a dependable, high torque, fan-cooled DC motor, and you have a sprayer that will deliver reliable performance time after time.

The Mustang 4850, 5150 and 8150 are backed with a 2-year Advantage Protection warranty and lifetime coverage for the pump cylinder, gearbox and electric motor. They are professional paint sprayers, made for everyday use; and will always be ready to work when you are.

### Mustang 4850

- APPLICATIONS:** Medium to large residential projects
- SPRAY:** Water and Oil-Based Coatings, 100% Acrylics, Multi-Color, Stains, Sealers, Varnishes and Lacquers
- USAGE:** Up to 1,500 gallons per year
- FEATURES:**
- Industrial quality high torque DC motor
  - Pro-Duty pump with chrome piston rod and lifetime pump cylinder
  - Exclusive externally adjustable packings
  - Reliable pressure control for smooth spraying
- INCLUDES:** 1/4 in x 50 ft (6.4 mm x 15 m) hose, 4-finger trigger Mustang 5 gun, conversion kit to 2-finger trigger and 517 FAB-Tip



### Mustang 5150

- APPLICATIONS:** Medium to large residential projects and light commercial buildings
- SPRAY:** Water and Oil-Based Coatings, 100% Acrylics, Stains, Sealers, Varnishes and Lacquers
- USAGE:** Up to 2,500 gallons per year
- FEATURES:**
- Precision spray control system provides smooth spraying across a wide range of pressures
  - LCD digital display
  - Industrial quality high torque TEFC DC motor
  - Pro-Duty pump with chrome piston rod and lifetime pump cylinder
  - Exclusive externally adjustable packings
- INCLUDES:** 1/4 in x 50 ft (6.4 mm x 15 m) hose, 4-finger trigger Mustang 5 gun, conversion kit to 2-finger trigger and 517 FAB-Tip

### Mustang 8150

- APPLICATIONS:** Medium to large residential projects and light commercial buildings
- SPRAY:** Water and Oil-Based Coatings, 100% Acrylics, Stains, Sealers, Varnishes and Lacquers
- USAGE:** Up to 3,200 gallons per year
- FEATURES:**
- Precision spray control system provides smooth spraying across a wide range of pressures
  - LCD digital display
  - Industrial quality high torque TEFC DC motor
  - Pro-Duty pump with chrome piston rod and lifetime pump cylinder
  - Exclusive externally adjustable packings
- INCLUDES:** 1/4 in x 50 ft (6.4 mm x 15 m) hose, 4-finger trigger Mustang 5 gun, conversion kit to 2-finger trigger and 517 FAB-Tip

SPECIFICATIONS	Mustang 4850		Mustang 5150		Mustang 8150
	Stand	HiBoy	Stand	HiBoy	
<b>Model Type</b>	Stand	HiBoy	Stand	HiBoy	HiBoy
<b>Part Number</b>	17M149	17M150	17M151	17M1526	17M154
<b>Max Tip Size</b>	0.021 in		0.023 in		0.027 in
<b>Max Output gpm / lpm</b>	0.48 / 1.8		0.54 / 2.0		0.60 / 2.3
<b>Max Working Pressure psi / bar</b>	3,300 / 227		3,300 / 227		3,300 / 227
<b>Max Hose Length ft / m</b>	300 / 90		300 / 90		300 / 90
<b>Unit Weight lbs / kg</b>	38 / 17	52 / 24	50 / 23	67 / 30	67 / 30
<b>Motor</b>	5/8 HP DC		7/8 HP TEFC DC		1.0 HP TEFC DC



## PRO-DUTY QUICK REPAIR PUMP SYSTEM

ALLPRO keeps you productive with the Pro-Duty Quick Repair Pump system. Reduce downtime and change the pump on the job — no special tools needed!



1. LOOSEN LOCKING NUT
2. LIFT DOOR AND REMOVE PUMP
3. DISCONNECT HOSES



PRO-DUTY  
QUICK REPAIR PUMP  
Pro-Duty Quick Repair Pump  
Part No. 17M991

The Pro-Duty Quick Repair Pump can be purchased through your local paint store.



## ELECTRIC AIRLESS PAINT SPRAYER FOR RESIDENTIAL/ MEDIUM COMMERCIAL & LIGHT INDUSTRIAL USE

The Mustang 11500 electric sprayer is the choice of the high-volume contractor who wants a machine with the power to support multiple guns, or the ability to consistently pump the heaviest coatings, such as epoxies and elastomerics.

The Mustang 11500 "Slow Stroker" pump offers higher capacity and longer life. Other long life features include the heavy-duty gearbox with hardened steel gears, a no-maintenance motor drive and a smooth rolling, triple chrome plated steel tube cart design with pneumatic wheels.

### Mustang 11500



- APPLICATIONS:** Large residential projects, commercial and industrial use
- SPRAY:** Water and Oil-Based Coatings, 100% Acrylics, Block Fillers, Elastomerics, Epoxies, Stains, Sealers, Varnishes and Lacquers
- USAGE:** Up to 7,500 gallons per year
- FEATURES:**
- Precision spray control system provides smooth spraying across a wide range of pressures
  - Industrial quality, high torque brushless DC motor
  - Chrome piston rod and cylinder for long life
  - Large high pressure filter
  - Ability to spray with 2-guns
- INCLUDES:** 1/4 in x 50 ft (6.4 mm x 15 m) hose, 4-finger trigger Mustang 5 gun, conversion kit to 2-finger trigger and 517 FAB-Tip



SPECIFICATIONS	Mustang 11500
Model Type	HiBoy
Part Number	17M155
Max Tip Size	0.031 in 1-gun 0.023 in 2-guns
Max Output gpm / lpm	0.95 / 3.6
Max Working Pressure psi / bar	3,300 / 227
Max Hose Length ft / m	300 / 90
Unit Weight lbs / kg	87 / 39
Power	2.0 HP Brushless DC Motor

### FAB-TIP REVERSIBLE SPRAY TIPS A169-XXX



FAN WIDTH	GRAY .009	RED .011	ORANGE .013	YELLOW .015	BLUE .017	GREEN .019	PURPLE .021	BROWN .023	BLACK .025	BLACK .027	BLACK .029	BLACK .031	BLACK .035	BLACK .045	BLACK .061
2 inch			113	115											
4 inch	209	211	213	215	217	219	221								
6 inch	309	311	313	315	317	319	321	327							
8 inch	409	411	413	415	417	419	421	423	425	427	429	431	435		
10 inch	509	511	513	515	517	519	521	523	525	527		531	535		
12 inch	609		613	615	617	619	621	623	625			631	635	645	661
16 inch													835		

### AIRLESS SPRAY GUNS

#### SPECIFICATIONS

	Mustang 5	Mustang 2
4-Finger Trigger part number	17N790 (4-finger trigger installed with ability to convert to 2-finger trigger)	N/A
4-Finger Trigger part number	N/A	246802
Max Working Pressure psi / bar	3,600 / 248	3,600 / 248
Tip & Guard Included	FAB-Tip 517	FAB-Tip 515



**FAB-Tip Hand-Tight Base/Guard** (tip not included) – A1248200  
"G" thread is 7/8 in (22 mm)




**FAB-Tip Seal** – A1248228 (5-pack)  
Easily installs without tools.


### GUN FILTERS

#### SPRAY GUNS

	30 Mesh Coarse	50 Mesh Medium	60 & 100 Mesh Medium & Fine	100 Mesh Fine	200 Mesh Extra Fine
Mustang 5	A14436-2	A14433-2		A14434-2	A14435-2
Mustang 2			248677 (2 pack)		



PRODUCT	PART NUMBER	SIZE/QTY.	DESCRIPTION
ALLPRO Airless Hose	24A257	1/4 in x 25 ft (6.4 mm x 7.5 m)	3,300 psi (22.7 MPa, 227 bar) rating Swivel couplers and spring guards on both female fitting ends, can be coupled with other airless hose
	24A258	1/4 in x 50 ft (6.4 mm x 15 m)	
	HSE3850	3/8 in x 50 ft (9.5 mm x 15 m)	
ALLPRO Whip Hose	HSE3163	3 ft x 3/16 in (0.9 m x 4.8 mm; MXF)	Whip hoses add flexibility and reduce operator fatigue
	HSE3165	5 ft x 3/16 in (1.5 m x 4.8 mm; MXF)	
Mustang Gun Hose Kits	256418	4-Finger Gun	Mustang 5 Gun with 517 FAB-Tip, Hand-Tight Base and 1/4 in x 50 ft (6.4 mm x 15 m) Airless Hose; "G" thread only
	256417	2-Finger Gun	
Angle Head	A1248247	Each	
Mini Poles	A1248233	6 in (15.2 cm)	
	A1248234	12 in (30.5 cm)	
	A1248235	18 in (45.7 cm)	
	A1248236	24 in (61.0 cm)	
	A1248333	6 in (15.2 cm) Angle Head	
	A1248334	12 in (30.5 cm) Angle Head	
	A1248335	18 in (45.7 cm) Angle Head	
	A1248336	24 in (61.0 cm) Angle Head	
Maxi Poles	A1248242	2 ft (60.9 cm)	
	A1248243	3 ft (91.4 cm)	
	A1248244	4 ft (121.9 cm)	
	A1248245	6 ft (182.9 cm)	
Pressure Rollers	A1248241	Each	Combo Gun Mustang 9 in (22.7 cm) Pressure Roller Cover 3/8 in Nap Mustang 9 in (22.7 cm) Pressure Roller Cover 1/2 in Nap Mustang 9 in (22.7 cm) Pressure Roller Cover 3/4 in Nap Long Reach Roller 3 ft (91.4 cm) 9 in (22.7 cm) "G"
	A17721	Each	
	A17722	Each	
	A17723	Each	
	A1780309G	Each	



## FLUIDS & FILTERS

Airlessco fluids and filters protect your equipment and keep them operating at peak performance. Airlessco fluids are approved for all airless spray pumps. MagiCLEAN™ safely removes paint from sprayers, hose, tips and guns. Pump Life™ protects pumps from corrosion and rust during short and long term storage. Stay Clean™ spray protectant prevents paint from sticking to equipment.



PRODUCT	PART NUMBER	SIZE/QTY.	DESCRIPTION
MagiCLEAN Starter Kit	865657	3 gal (11.3 l) MagiCLEAN, Strainer Basket, Residue Tray	Safely removes paint from sprayers, hose, tips and guns
MagiCLEAN Refill	865656	3 gal (11.3 l)	Refill bottle for MagiCLEAN Starter Kit
Pump Life Conditioner	865712 865714 865715	Display of 48-1 oz. bottles 1 qt (1 l) 1 gal (3.8 l)	Prevent internal corrosion; lubricates check balls to prevent sticking
Throat Seal Oil	867670 188392	6 oz (0.20 l) 1 qt (1 l)	Prevents paint from drying on the piston and causing damage to upper packing
Stay Clean	865705	14 oz (.4 l)	Prevent paint from sticking to sprayer
Manifold Filters	245571 244071 244067 244068 17P314 17P315 17P316	Each Each Each Each Each Each Each	40 mesh InstaClean® (fits 3400 model) 30 mesh (fits 11500 model) 60 mesh (fits 11500 model) 100 mesh (fits 11500 model) 30 mesh (fits 4850, 5150 and 8150 models) 60 mesh (fits 4850, 5150 and 8150 models) 100 mesh (fits 4850, 5150 and 8150 models)

## MISCELLANEOUS

Airlessco provides a full range of repair kits and accessories to keep your equipment operating at peak performance and save time and labor on every job.

PRODUCT	PART NUMBER	DESCRIPTION
Gun & Hose Connectors	4410 4413 4414 162485 239663	3/8 in (npt) x 3/8 in (npt) MBE 1/4 in (npt) x 1/4 in (npt) Hex Nipple MBE 1/4 in (npt) x 3/8 in (npt) MBE 3/8 in (npt) x 3/8 in (npsm) MBE 1/4 in (npt; M) x 1/4 in (npsm; F) Swivel
Gun Swivel Assembly	865707	Swivel assembly for all "G" thread spray guns
Hose Cover	865696 867610	1 roll (305 m) 6 rolls (6 x 305 M)
Quick Repair Pump Kit	17J720	Fits SP340 & SP380 models Quick Repair Pump
Replacement Pumps	17M991	Pro-Duty QRP Flange mount
Paint Hopper	17H171	6 liter capacity (1.5 gal)



## SPECIFICATIONS

Model	Mustang 2400	Mustang 3400	Mustang 4850	Mustang 5150	Mustang 8150	Mustang 11500
Part Number	24F559	17H204	17M149 Stand 17M150 HiBoy	17M151 Stand 17M152 HiBoy	17M154	17M155
Manual Number	3A3243	3A3234	3A4180	3A4187	3A4187	3A4147
Max Tip Size	0.015 in	0.017 in	0.021 in	0.023 in	0.027 in	0.031 in
Max Working psi / bar	3,000 / 207	3,000 / 207	3,300 / 227	3,300 / 227	3,300 / 227	3,300 / 227
Max Output Pressure gpm / lpm	0.27 / 1.02	0.34 / 1.3	0.48 / 1.8	0.54 / 2.0	0.60 / 2.3	0.95 / 3.6
Max Hose Length ft / m	75 / 23	150 / 45	300 / 90	300 / 90	300 / 90	300 / 90
Unit Weight lbs / kg	21 / 10	35 / 16	38 / 17 Stand 52 / 24 HiBoy	50 / 23 Stand 64 / 29 HiBoy	64 / 29	87 / 39
Motor/Engine	1/2 HP Universal	3/4 HP DC	Brushed 5/8 HP DC	Brushed 7/8 HP TEFC DC	Brushed 1.0 HP TEFC DC	Brushless 2.0 HP TEFC DC
Warranty	1-Year Standard	1-Year Standard	2-Year Advantage Protection	2-Year Advantage Protection	2-Year Advantage Protection	2-Year Advantage Protection



## ALLPRO WARRANTIES:

Graco warrants its products to be free of defects in material and workmanship. See operation manual for complete warranty information.

### 1-YEAR STANDARD WARRANTY\*

For 1 year from purchase date, we will repair any defective items to the original purchaser/user of an ALLPRO Mustang airless sprayer.

### 2-YEAR ADVANTAGE PROTECTION WARRANTY\*

For 2 years from purchase date, we will repair any defective items to the original purchaser/user of an ALLPRO Mustang airless sprayer excluding rental usage. Advantage Protection includes; lifetime repair of the electric motor and drive train, one replacement repack kit within 2 years of purchase, units with Pro-Duty Pump eligible for one replacement rod within 2 years of purchase and lifetime replacement of pump cylinder.\*

\*Registration required for replacement parts. See operation manual for complete warranty information.





**Manufactured by Graco  
for ALLPRO Corporation**  
Tampa, FL 33619

**GRACO CUSTOMER SERVICE**

20500 David Koch Avenue  
Rogers, Minnesota 55374  
Phone: 800-223-8213 / Fax: 800-228-5104

**AUTHORIZED GRACO SERVICE AGENCIES**

Contact the retailer where the unit was purchased or  
call 800-223-8213 or visit our website for the nearest  
authorized Graco Service Center.

