



# Fine Finish Solutions

Graco's Complete Line of Fine Finish Sprayers and Accessories



PROVEN QUALITY. LEADING TECHNOLOGY.



Table of Contents. . . . .	1
Welcome. . . . .	2
Fine Finishing Solutions Guide . . . . .	3-4
FinishPro™ HVLP Sprayer Technology . . . . .	5-6
HVLP EDGE™ Gun . . . . .	7-8
HVLP Accessories . . . . .	9-10
Air-Assisted Airless Technologies. . . . .	11-12
FinishPro 290. . . . .	13
AA30 Gun . . . . .	14
FinishPro 390. . . . .	15
FinishPro 395. . . . .	16
Air-Assisted Airless Accessories . . . . .	17
Airless Fine Finishing Solutions . . . . .	18
G4: Quality   Performance   Warranty   Productivity . . . . .	19
Graco Warranty. . . . .	20
Fine Finish Product Specifications . . . . .	21-22



*“There is no other  
sprayer like a GRACO”*

Welcome to a whole new world of fine finishing possibilities.

Graco manufactures the most extensive professional line of high quality finishing solutions in the market. This informational guide is designed to answer many of your questions about Graco's professional line of fine finishing equipment.

At Graco, we strive to offer a wide array of the highest quality finishing solutions around the world. From HVLP to air-assisted airless units, Graco offers labor savings and increased production to spray with confidence.

Graco sprayers are designed to exceed the professional painting contractor's standard for quality and performance. Graco is the name to turn to today and as your business grows.





# Graco has the Right Solutions for all your Fine Finish Applications

## KEY MATERIALS

Stains | Epoxies | Lacquers  
Enamels | Urethanes  
Varnishes | Latex  
Oil and Wall Paints  
Dyes | Inks

## PROJECTS

Doors | Trim | Staircases  
Small Parts | Fences  
Decks | Garage Doors  
Walls | Ceilings | Cabinets  
Shutters | Tubs | Mantels  
Lighting Fixtures | Railings

## Fine Finish Solutions

### FINISH QUALITY

HVLP

Air-Assisted Airless

Airless with Fine Finish Tips

### PRODUCTION RATE

HVLP

Air-Assisted Airless

Airless with Fine Finish Tips

Graco introduces FinishPro HVLP, FinishPro Air-Assisted Airless and Fine Finish Airless SwitchTips™ as your *total solution* for fine finishing applications. Every Graco finishing solution exceeds comparable competitive solutions in productivity and quality of finish. Each Graco product offers a unique solution for your various fine finish applications.

## GRACO FINE FINISHING SOLUTIONS GUIDE

### TECHNOLOGY

### FINISH QUALITY

### SPRAY PATTERN SIZE

### PRODUCTION RATE

**TRANSFER EFFICIENCY**  
[% OF MATERIAL SPRAYED THAT ADHERES TO THE SURFACE VS. IN THE AIR]

### TYPICAL APPLICATIONS

### FinishPro HVLP Sprayers

High Volume of Air with Low Volume of Fluid Results in Finest Quality Finish

Automotive Quality

1/8 in – 8 in Fan Width  
[0.3 cm – 20 cm]

Up to 18 oz/min

85 – 95%

Small, Detailed Work  
*Repaints, Railings, Shutters, Mantels,  
Tubs, Trim, Staircases, Cabinets*



### FinishPro Air-Assisted Airless Sprayers

Medium to High-Pressure Fluid Combined with Pressurized Air Results in Fine Quality Finish with High Production Rate

Furniture/Cabinet Quality

2 in – 12 in Fan Width  
[4 cm – 30 cm]

Up to 30 oz/min

70 – 80%

Medium – Large Surfaces  
*Doors, Trim, Cabinets, Molding, Garage Doors*



### Airless with Fine Finish SwitchTips

High-Pressure Fluid through Dual Orifice Tip Results in Quality Finish at the Highest Production Rate

Trim/Door Quality

2 in – 12 in Fan Width  
[4 cm – 30 cm]

Up to 30 oz/min

55 – 65%

Large Surfaces  
*Decks, Wood Siding, Walls, Ceilings, Garage Doors*



# Smart Technology for Flawless Spraying

## 6

**Having the Right Gun can give you  
the Competitive EDGE in today's market**

## Quick Release Needles *[patent pending]*

- ▶ Change out needles from the front of the gun with just a click
- ▶ Easy to change, easy to clean with no tools needed



**1** Remove front air cap and nozzle



**2** Slide trigger lever to release needle



**3** Pull needle out

## Integrated Flow Control

- ▶ Combines material and air flow into one simple control
- ▶ Optimized to spray the majority of fine finish applications
- ▶ Quick adjustment with 360° rotation and indicator for repeatable spray setting



## Artisan Air Valve Accessory *[optional]*

- ▶ Provides the ultimate air control for specialty, multi-spec applications
- ▶ Plugs directly into back of EDGE Gun



## Adjustable Air Cap

- ▶ 3-position rotation to change spray pattern
- ▶ Conveniently located at the front of the gun



**ROUND PATTERN**  
1/8 in – 4 in [0.3 cm – 10 cm] Diameter



**HORIZONTAL FAN**  
1 in – 8 in [2.5 cm – 20 cm] Width



**VERTICAL FAN**  
1 in – 8 in [2.5 cm – 20 cm] Width

## EasyGlide™ 2-Finger Trigger

- ▶ 75% lighter trigger pull than the competition
- ▶ 2-finger trigger design gives ultimate control while spraying

## Streamlined Gun Body

- ▶ Designed to improve overall air flow and spray performance out the gun



## Exclusive Quick Clean Check Valve

- ▶ Allows more air pressure into the material cup to spray heavier material
- ▶ Easily clean and reuse versus replace
- ▶ Located by gun to reduce clogged valves due to paint contamination



## Adjustable Siphon Tube

- ▶ Adjusts easily for up, down or sideways spraying



## HVLP EDGE Gun

DESCRIPTION	PART #
<b>HVLP EDGE Gun</b> <i>Comes complete with:</i> <ul style="list-style-type: none"> <li>• 1 qt [1 L] Cup</li> <li>• #3 Quick Release Fluid Set</li> </ul>	<b>256855</b>
<b>HVLP EDGE Gun with Artisan Control</b> <i>Comes complete with:</i> <ul style="list-style-type: none"> <li>• 1 qt [1 L] Cup</li> <li>• #3 Quick Release Fluid Set</li> </ul>	<b>256856</b>
<b>HVLP EDGE Gun</b> <i>Comes complete with:</i> <ul style="list-style-type: none"> <li>• #3 Quick Release Fluid Set</li> </ul>	<b>257092</b>

"You can *instantly* feel the pressure increase at the gun. I don't have to thin the products as much so I make less spray passes, saving time on my jobs."



Alan Jedlicki  
J & J Painting & Refinishing Inc.

## Accessories for FinishPro HVLP

### PROCOMP PACK – 256850

*Includes:* Compressor, 1 qt [0.9 L] Remote Cup, 5 ft [1.5 m] Material & Air Hose and Shoulder Strap

- ▶ Powerful compressor pack attaches to any FinishPro HVLP sprayer
- ▶ Ability to separate the gun from the material cup for spraying in any direction
- ▶ Simple installation, no tools required

### ARTISAN AIR VALVE KIT – 256927

- ▶ Provides the ultimate air control for specialty, multi-spec applications
- ▶ Plugs directly into back of EDGE Gun

### HVLP EDGE GUN EXTENSION, 12 in [3.7 m] – 256952

- ▶ Attaches directly to the HVLP EDGE Gun for extended reach and spraying hard-to-reach areas
- ▶ Ability to spray in any direction – 360° rotation

### QUICK RELEASE FLUID SETS

- ▶ For HVLP EDGE Gun
- ▶ Change out needles from the front of the gun with just a click

	Needle:	Size:	Material:
256946	#2	.032 in [0.8 mm]	Ultra fine finish with inks, dyes, non-wiping stains, automotive finishes
256947	#3	.051 in [1.3 mm]	Fine finish lacquers, stains, enamels, epoxies, urethane, varnish
256948	#4	.071 in [1.8 mm]	High output with enamels, epoxies, urethane, varnish, primers
256949	#5	.087 in [2.2 mm]	Higher output with enamels, epoxies, urethane, varnish, primers, latex, multi-spec
256950	#6	.098 in [2.5 mm]	Highest output with latex, multi-spec, oil wall paints

### HVLP CUPS, POTS & LINERS

244136	1/2 Quart [0.47 L] Cup Over Kit
244130	1 Quart [0.9 L] Cup with Lid Assembly
244131	1 Quart [0.9 L] Cup with Storage Lid
257098	1 Quart [0.9 L] Remote Cup with Lid and 5 ft [1.5 m] Material & Air Hose
240266	1 Quart [0.9 L] Universal Cup Liners [40-pack]
287819	2 Quart [1.9 L] Cup with Lid and 5 ft [1.5 m] Material & Air Hose
112491	2 Quart [1.9 L] Cup Liners [40-pack]

### FILTERS & STRAINERS

240267	Cone Material Strainers [3-pack]
240273	Automotive Air Filter
240274	Foam Pre-Filters used with Automotive Filter [5-pack]

## Accessories for FinishPro HVLP

### NEW SUPER-FLEX HOSES & FITTINGS

- ▶ Over 15% lighter weight and increased hose flexibility
- ▶ Connect hoses together for a maximum of 60 ft [18.2 m] extended length

257161	Super-Flex Whip Air Hose, 4 ft [1.2 m]
257160	Super-Flex Air Hose, 15 ft [4.6 m]
257159	Super-Flex Air Hose, 30 ft [9 m]
241423	Super-Flex Material & Air Hose Assembly with Quick Connects, 30 ft [9 m] Use with Remote Gun [not included]
240476	Material Hose, 30 ft [9 m] x 3/8 in [4.8 mm] – Use with Remote Gun [not included]
240065	Quick Disconnect Ball Valve [Air Hose to Gun]
240282	Quick Disconnect Fitting [Air Hose to Sprayer]
240069	2 Gun Y Connector [f/m/m]

### MAINTENANCE & REPAIR KITS

256960	HVLP EDGE Gun Repair Kit
256961	HVLP EDGE Gun Maintenance Kit
256951	HVLP EDGE Gun Air Cap
256956	Quick Clean Check Valve [3-pack]
256953	Cleaning Brush Kit
256954	Deluxe Cleaning Kit – <i>Includes:</i> Detailed Brushes and Picks
240265	1 Quart [0.9 L] Cup Gaskets [5-pack]
M71425	2 Quart [1.9 L] Remote Cup Gaskets [5-pack]
256959	Remote Cup Shoulder Strap
M70702	#4 Ford Viscosity Cup

## Only on a Graco FinishPro



Graco

**The Pro**

The pump is  
Graco's exp  
with piston  
FinishPro 3S  
Packings an

**The Ben**

► Allows fo  
materials



**NEW!**

## FinishPro 290

**NEW!**

## AA30 Gun

### FinishPro 290

**DESCRIPTION:** Air-Assisted Airless Sprayer

**PART NUMBER:** 256842

**MAX TIP SIZE:** .017

**MAX GPM/LPM:** 0.34/1.3

**MAX PSI/BAR:** 2600/180

**MOTOR HP:** 1/2 HP DC

**WEIGHT LBS/KG:** 68/31

*Comes complete with:*

- AA30 Air-Assisted Airless Gun
- 3/16 in [4.8 mm] x 25 ft [7.5 m] BlueMax II™ Fluid Hose
- 3/8 in [9.5 mm] x 25 ft [7.5 m] Air Hose
- RAC X - FFT210 SwitchTip
- 100 Mesh Gun Filter

Introducing the newest air-assisted airless fine finish sprayer – **FinishPro 290**. This sprayer is ideal for contractors who need a high quality finish at a higher production rate than HVLP. Spray light to heavy material right out of the pail!

#### Lightweight, Lo-Boy Cart Design

- ▶ Retractable handle allows for easy movement and compact storage
- ▶ Durable, low profile cart is light enough for one person handling

#### Quiet, On-Board Air Compressor

- ▶ Graco designed and manufactured
- ▶ Compact size and performance are optimized for air-assisted airless
- ▶ Produces 3.2 cfm at 30 psi

#### Simple, Convenient Controls

- ▶ Single switch turns on the entire system – sprayer and compressor



Graco's newest air-assisted airless gun, the **AA30** delivers a quality fine finish to the painting contractor.

#### Large Contractor-sized Filter

- ▶ Fine mesh filter results in a superior finish
- ▶ Large size for extended spraying

#### RAC X SwitchTips

- ▶ Graco's fine finish tips provide a superior finish
- ▶ Reversible tips allow for easy clearing of clogged tips – no need to disassemble the gun
- ▶ Switching tips is simple – ideal when moving from trim to doors

#### Optimized Air Cap

- ▶ Utilizes 8 air passages to deliver air closer to the tip – resulting in a softer, more consistent pattern from start to finish

#### Quick Air Shut Off Valve

- ▶ Allows user to quickly and easily shut off the air to the air cap while retaining the air valve setting

#### Air Adjustment Valve


- ▶ Conveniently located right at the gun

#### High Pressure Fluid Swivel

- ▶ Exclusive design swivels easily under pressure

#### Proven Piston Pump Design

- ▶ Consistently prime and pump even the heaviest finishing materials – without thinning
- ▶ QuikAccess™ intake valve makes clearing debris quick and easy



### AA30 Gun

**DESCRIPTION**

Air-Assisted Airless Gun

**PART #**

257096

*Comes complete with:*

- RAC X - FFT210 SwitchTip
- 100 Mesh Gun Filter
- Air Adjustment Valve

"Finally, a fine finish sprayer that has the power to pump my materials. This machine is quality and produces quality."



Bob Rogers  
Laguna Niguel, CA






28

256976	25 ft [7.5 m] Fluid & Air Hose – FinishPro 290
	► BlueMax II 3/16 in [4.8 mm] x 25 ft [7.5 m] Fluid Hose, 3/8 in [9.5 mm] x 25 ft [7.5 m] Air Hose
288621	25 ft [7.5 m] Bonded Fluid & Air Hose – FinishPro 390/395
	► BlueMax II 3/16 in [4.8 mm] x 25 ft [7.5 m] Fluid Hose, 3/8 in [9.5 mm] x 25 ft [7.5 m] Air Hose
288620	50 ft [15 m] Bonded Fluid & Air Hose – FinishPro 390/395
	► BlueMax II 3/16 in [4.8 mm] x 50 ft [15 m] Fluid Hose, 3/8 in [9.5 mm] x 50 ft [15 m] Air Hose

218131	AA30 Gun Filter, Blue, 50 Mesh	
218133	AA30 Gun Filter, Orange, 100 Mesh	
256975	AA30 Gun Filter, Red, 150 Mesh	
224454	G40 Gun Filter, 60 Mesh [5-pack]	
224453	G40 Gun Filter, 100 Mesh [5-pack]	
257094	Manifold Filter, 40 Mesh – FinishPro 290	
246384	Easy Out Manifold Filter, Black 60 Mesh – FinishPro 390/395	
246382	Easy Out Manifold Filter, Blue 100 Mesh – FinishPro 390/395	
246383	Easy Out Manifold Filter, Red 200 Mesh – FinishPro 390/395	
246385	Pump Inlet Strainer – FinishPro 290/390/395	



- |        |   |
|--------|---|
| 24B250 | Hopper Assembly – FinishPro 290   |
| 288526 | Hopper Assembly – FinishPro 390/395 <ul style="list-style-type: none"><li>▶ 1.5 gal [5.7 L] molded hopper attaches to sprayer in place of inlet suction hose. Ideal for spraying small amounts of material. Lid included. Smooth inside cleans up fast.</li></ul> |
| 288514 | Flat Tip Conversion Kit – G40 Gun   |
| 289108 | Severe Solvents Suction Set – Use on FinishPro 395  |
| 288839 | AA30/G40 RAC X Air Cap  |
| 289535 | Water Separator Kit – Use on FinishPro 390/395 Air Line   |



ORIFICE SIZE – INCHES						
	IN	[MM]	.008	.010	.012	.014
TANK WIDTH	4-6	[102-152]	208	210	212	214
	6-8	[152-203]	308	310	312	314
	8-10	[203-254]		410	412	414
	10-12	[254-305]		510	512	514
	12-14	[305-356]			612	614
	Flow Rate [gpm]		.07	.11	.15	.21
	Flow Rate [lpm]		.26	.41	.59	.80

*Water at 2000 psi [138 bar, 13.8 MPa] – paints with a higher viscosity will decrease the flow rate. Example: For a tip with a .010 orifice and a 8 in [203 mm] pattern, order SwitchTip FFT410.*

# Airless Fine Finishing Solutions

**RAC X Fine Finish SwitchTips are available individually or as part of a convenient Fine Finish Gun Hose and Tip Kit, that includes everything you need to put your airless sprayer to work on your next fine finish project.**



**Shown:** Contractor Fine Finish Gun Hose Kit  
**Part No:** 288501

- ▶ Longest lasting fan pattern making it the best fine finishing tip on the market
- ▶ Pre-orifice improves overall finish quality
- ▶ Produces finer atomization and soft edges for overlapping spray
- ▶ Can spray at lower pressure reducing overspray, prep and clean-up time
- ▶ Switching tips is simple, allowing you to quickly move from a 2 inch to a 12 inch pattern – ideal when moving from trim to doors

- Includes specialized accessories that are designed for fine finishing applications with light viscosity, water and solvent-based materials
- Contractor Gun has built-in swivel for easy gun movement in tight spaces
- Silver Plus Gun includes light viscosity needle kit that has a smaller fluid passage ideal when spraying
- Additional RAC X Fine Finish SwitchTip, fine finish filter and solvent gaskets are included to keep you productive on the job
- Small diameter BlueMax II airless hose is lightweight and provides ultimate control and flexibility at the gun
- 10 in [25 cm] tip extension provides the ability to spray in those hard-to-reach areas



DESCRIPTION	PART #
<b>RAC X Fine Finish SwitchTip</b>	<b>FFTxxx</b>
<i>Comes complete with:</i>	
• <b>Solvent Tip Gasket</b>	

DESCRIPTION	PART #
Contractor Fine Finish Gun Hose Kit	288501

- Comes complete with:**
- 3/16 in [4.8 mm] x 25 ft [7.5 m] BlueMax II Hose
  - 10 in [25 cm] Tip Extension
  - FFT210, FFT312 RAC X SwitchTip
  - [2] 100 Mesh Gun Filters
  - [5] Solvent Seals

**Comes complete with:**

- 3/16 in [4.8 mm] x 25 ft [7.5 m] BlueMax II Hose
- 10 in [25 cm] Tip Extension
- FFT210, FFT312 RAC X SwitchTip
- Gun Filter Housing
- [2] 100 Mesh Gun Filters
- [5] Solvent Seals



***All Airless Fine Finishing  
SwitchTips or Gun Hose Kits  
can be used with any Graco  
Airless Sprayer.***

The *G4* Difference... We Build It. We Back It. *Period.*



**QUALITY | PERFORMANCE | WARRANTY | PRODUCTIVITY**

Only Graco delivers the industry's first choice for fine finish sprayers, backed by a solid reputation for proven quality, maximum performance, reliable warranty coverage and unmatched on-the-job productivity. Graco sprayers are designed to exceed the professional painting contractor's standards for quality and performance. Graco is the name to turn to today and as your business grows.

**PROVEN QUALITY**

Precision design, 100% factory-tested and field-proven.

Cutting-edge technology keeps Graco sprayers up and running and on the job for years.

**MAXIMUM PERFORMANCE**

Higher output with superior control ensures highest quality finish for every job.

Rely on any of these high performance sprayers to deliver the results you expect from a Graco.

**INDUSTRY LEADING WARRANTY**

Every Graco electric sprayer is backed by our full warranty coverage and more than 80 years of proven commitment to the professional contractor.


Sprayers so reliable you may never need to use the warranty!

**UNMATCHED PRODUCTIVITY**

Exclusive Endurance Pumps\* deliver long life, reliable performance and consistent spraying.

The Endurance Advantage Program\* eliminates downtime by keeping a spare pump on hand for a quick change-out on the job.

\*Available on FinishPro 390 and FinishPro 395.



**WARRANTY**

We stand behind every piece of equipment we manufacture with one of the industry's strongest warranties. Spray with the confidence that you will probably never need to use Graco's warranty, but if you do... we will be there.

**NOBODY ELSE BUILDS SPRAYERS LIKE THIS**

**LIFETIME ELECTRIC MOTOR WARRANTY\***

If the motor fails from normal use, we'll replace it under warranty for the original owner for the life of the sprayer.

**LIFETIME DRIVE TRAIN WARRANTY\***

If the drive train fails from normal use, we'll replace it under warranty for the original owner for the life of the sprayer.

**30-DAY "JUST ADD PAINT" REPLACEMENT GUARANTEE**

*Dissatisfied?* Simply return the sprayer to the place you bought it within 30 days. They'll either exchange it for an identical sprayer or you can trade-up to a larger sprayer at an additional cost.

**3-YEAR WARRANTY**

Coverage against defects in materials and workmanship on the entire sprayer.

**DOWNTIME ELIMINATOR PROGRAM**

Part needed for a warranty repair not in stock at your distributor? Get **FREE** next business day air freight delivery when distributor orders the part by 2 p.m. CST.

**CONVENIENT SERVICE**

Graco offers more than 5,500 authorized distributor locations in North America and over 700 locations to administer warranty repair.

\*FinishPro 390 and FinishPro 395 only. Does not include air compressor or turbine motors.

# Fine Finish Product Specifications



Sprayer:	<b>HVLP 7.0</b>	<b>HVLP 9.0</b>	<b>HVLP 9.5</b>
Part Number:	256847	256848	256849
Pressure Rating:	7.0 psi [0.48 bar]	9.0 psi [0.62 bar]	9.5 psi [0.70 bar]
TurboForce Turbine:	3-Stage	4-Stage	5-Stage
Gun:	HVLP EDGE	HVLP EDGE	HVLP EDGE
Cup:	1 qt [1 L]	1 qt [1 L]	1 qt [1 L]
Quick Release Fluid Set:	#3 [.051 in, 1.3 mm]	#3 [.051 in, 1.3 mm] #4 [.071 in, 1.8 mm]	#2 [.032 in, 0.8 mm] #3 [.051 in, 1.3 mm] #4 [.071 in, 1.8 mm]
Hose:	30 ft [9 m] Super-Flex Air Hose	30 ft [9 m] Super-Flex Air Hose	30 ft [9 m] Super-Flex Air Hose with 4 ft [1.2] Whip Hose
Max Hose:	60 ft [18 m]	60 ft [18 m]	60 ft [18 m]
Air Ball Valve Included:	No	Yes	Yes
Artisan Air Valve Kit Included:	No	No	Yes
Filters:	Foam Pre-Filter Automotive Main Filter	Foam Pre-Filter Automotive Main Filter	Foam Pre-Filter Automotive Main Filter
Sprayer Dimensions with Coiled Hose Wrap [W x L x H]:	16.35 in x 23.8 in x 15.2 in [41.5 cm x 60.5 cm x 38.6 cm]	16.35 in x 23.8 in x 15.2 in [41.5 cm x 60.5 cm x 38.6 cm]	16.35 in x 23.8 in x 15.2 in [41.5 cm x 60.5 cm x 38.6 cm]
Weight:	28 lbs/12.7 kg	29 lbs/13.2 kg	30 lbs/13.6 kg
Wear Parts:	Gun Maintenance Kit – Part No. 256961 Gun Repair Kit – Part No. 256960	Gun Maintenance Kit – Part No. 256961 Gun Repair Kit – Part No. 256960	Gun Maintenance Kit – Part No. 256961 Gun Repair Kit – Part No. 256960
Manuals:	Operation – Part No. 313406 Gun – Part No. 313317	Operation – Part No. 313406 Gun – Part No. 313317	Operation – Part No. 313406 Gun – Part No. 313317



Sprayer:	<b>FinishPro 290</b>	<b>FinishPro 390</b>	<b>FinishPro 395</b>
Part Number:	256842	249690	249691
Max Tip:	.017	.020	.021
Max psi/bar:	Air-Assisted 2600/180	Air-Assisted 2600/180 Airless 2600/180	Air-Assisted 2800/193 Airless 3300/227
Max gpm/lpm:	.34/1.3	.43/1.6	.47/1.8
Pump Motor hp:	1/2 hp DC	5/8 hp DC	7/8 hp TEFC DC
Compressor Motor hp:	5/8 hp Induction	1 hp AC	1 hp AC
Compressor Air Output:	3.2 cfm at 35 psi [82 lpm]	3.2 cfm at 35 psi [82 lpm]	3.2 cfm at 35 psi [82 lpm]
Inlet Strainer:	Part No. 246385	Part No. 246385	Part No. 246385
Pump Filter:	N/A	100 mesh Easy Out	100 mesh Easy Out
Gun:	AA30 Air-Assisted Airless	G40 Air-Assisted Airless	G40 Air-Assisted Airless
Fluid Hose:	3/16 in x 25 ft [4.8 mm x 7.5 m] BlueMax II 3300 psi [227 bar]	3/16 in x 50 ft [4.8 mm x 15 m] BlueMax II 3300 psi [227 bar]	3/16 in x 50 ft [4.8 mm x 15 m] BlueMax II 3300 psi [227 bar]
Air Hose:	3/8 in x 25 ft [9.5 mm x 7.6 m]	3/8 in x 50 ft [9.5 mm x 15 m]	3/8 in x 50 ft [9.5 mm x 15 m]
Tips:	RAC X FFT210	RAC X FFT210 LTX517	RAC X FFT210 LTX517
Sprayer Dimensions [W x L x H]:	Lo-Boy – 21 in x 27 in x 28 in [53 cm x 68 cm x 72 cm]	Lo-Boy – 22 in x 28 in x 25 in [56 cm x 71 cm x 80 cm]	Hi-Boy – 23 in x 28 in x 32 in [58 cm x 71 cm x 64 cm]
Weight:	68 lbs/31 kg	78 lbs/35 kg	96 lbs/43 kg
Wear Parts:	Repack Kit [Packings and Rod] – Part No. 256974	Packing Kit – Part No. 244194 Rod – Part No. 249125 Cylinder – Part No. 243176	Packing Kit – Part No. 244194 Rod – Part No. 249125 Cylinder – Part No. 243176
Complete Pump Lower	Part No. 256972	Part No. 246428	Part No. 246428
Manuals:	Operation and Repair – Part No. 313316  Gun – Part No. 313347	Operation – Part No. 311905 Repair – Part No. 311911 Pump – Part No. 309250 Gun – Part No. 311937	Operation – Part No. 311905 Repair – Part No. 311911 Pump – Part No. 309250 Gun – Part No. 311937



## ABOUT GRACO

## PROVEN QUALITY. LEADING TECHNOLOGY.

Founded in 1926, Graco is a world leader in fluid handling systems and components. Graco products move, measure, control, dispense and apply a wide range of fluids and viscous materials used in vehicle lubrication, commercial and industrial settings.

The company's success is based on its unwavering commitment to technical excellence, world-class manufacturing and unparalleled customer service. Working closely with qualified distributors, Graco offers systems, products and technology that set the quality standard in a wide range of fluid handling solutions. Graco provides equipment for spray finishing, protective coating, paint circulation, lubrication, and dispensing sealants and adhesives, along with power application equipment for the contractor industry. Graco's ongoing investment in fluid management and control will continue to provide innovative solutions to a diverse global market.

## GRACO LOCATIONS

### MAILING ADDRESS

P.O. Box 1441  
Minneapolis, MN 55440-1441  
Tel: 612-623-6000  
Fax: 612-623-6777

### AMERICAS

#### MINNESOTA

Worldwide Headquarters  
Graco Inc.  
88-11th Avenue N.E.  
Minneapolis, MN 55413

### EUROPE

#### BELGIUM

European Headquarters  
Graco N.V.  
Industrieterrein-Oude Bunders  
Slakweidestraat 31  
3630 Maasmechelen,  
Belgium  
Tel: 32 89 770 700  
Fax: 32 89 770 777

### ASIA PACIFIC

#### AUSTRALIA

Graco Australia Pty Ltd  
Suite 17 2 Enterprise Drive  
Bundoora Victoria 3083  
Australia  
Tel: 61 3 9467 8558  
Fax: 61 3 9467 8559

#### CHINA

Graco Hong Kong Ltd.  
Shanghai Representative Office  
Room 118 1st Floor  
No.2 Xin Yuan Building  
No.509 Cao Bao Road  
Shanghai, P.R. China 200233  
Tel: 86 21 649 50088  
Fax: 86 21 649 50077

#### INDIA

Graco Hong Kong Ltd.  
India Liaison Office  
Room 103, Level 4, Augusta Point  
Golf Course Road  
Gurgaon, Haryana, India 122001  
Tel: +91 124 435 4208  
Fax: +91 124 435 4001

#### JAPAN

Graco K.K.  
1-27-12 Hayabuchi  
Tsuzuki-ku  
Yokohama City, Japan 2240025  
Tel: 81 45 593 7300  
Fax: 81 45 593 7301

#### KOREA

Graco Korea Inc.  
Choheung Bank Building  
4th Floor #1599  
Gwanyang-Dong, Dongan-Ku,  
Anyang-Si, Gyunggi-Do,  
Korea 431-060  
Tel: 82 31 476 9400  
Fax: 82 31 476 9801

## SALES/ DISTRIBUTION/ SERVICE

Call today for product information or to request a demonstration.

**800-690-2894** or visit us at [www.graco.com](http://www.graco.com).

Graco Inc. is registered to I.S. EN ISO 9001

North America  
Customer Service  
800-690-2894  
Fax 800-334-6955