



Electric Sprayers

Latin America

Graco's Complete Line of Professional Electric Airless Sprayers



PROVEN QUALITY. LEADING TECHNOLOGY.

There is nothing like a Graco® sprayer.

Quality. Performance. Durability. Productivity. Graco electric airless sprayers deliver on all counts. Whether you're a contractor focused on small residential or a large contractor tackling the biggest projects every day, Graco offers you the best, most extensive line of painting equipment to meet your needs. Most importantly, when you choose Graco, you know that you are choosing the highest quality product in the industry. You can take pride in the fact that Graco professional electric sprayers are designed, manufactured, and assembled in the United States of America. *We do!*



What is the G4 Difference? Simply put, it's Graco's commitment to provide you with the very best electric airless sprayers, backed by a solid reputation for proven quality, maximum performance, reliable warranty coverage and unmatched on-the-job productivity. Graco sprayers are designed to exceed the professional painting contractor's standards for quality and performance. Graco is the name to turn to today and as your business grows.

PROVEN QUALITY

100% factory-tested and field-proven design, coupled with cutting-edge technology, keep Graco sprayers performing reliably on the job for years.

MAXIMUM PERFORMANCE

Higher output with superior control ensures the highest quality finish for every job.

INDUSTRY-LEADING WARRANTY

Every Graco electric sprayer is backed by our full warranty coverage and more than 80 years of proven commitment to the professional contractor.

UNMATCHED PRODUCTIVITY

Exclusive Endurance™ pumps deliver long life and reliable performance, while the Endurance Advantage and Endurance Now Programs eliminates downtime by enabling you to always have a spare pump on hand for quick job site change-out.

AMERICAN BUILT QUALITY SINCE 1926.

For patent information see www.graco.com/patents.



Graco: A World Leader in Electric Airless Sprayers

For the contractor or painting professional, nothing surpasses the ease of use and reliability of a Graco electric airless sprayer. Durable and powerful, yet easy to maintain, electric airless sprayers deliver the production rate and performance professionals demand. And as a world leader in fluid handling technology, Graco builds the very best, most reliable electric airless sprayers available. When compared to other technologies, it's easy to see why you should choose a Graco sprayer.



"There is nothing more satisfying than building a high quality product in the USA for hardworking professional painters."
— Jill Haubenschild, CED Cell Manager, Rogers, MN USA



PAINTING SOLUTIONS GUIDE

Choose the RIGHT ELECTRIC SPRAYER

Whether you're a contractor who specializes in small residential and repainting jobs or a painting professional who routinely handles large residential, commercial, or industrial work, you need to know that your sprayer will deliver the performance you need to get the job done. Graco airless sprayers provide that performance, and our mission is to fit you to the ideal sprayer that's sized for the work you do.

Use the Painting Solutions Guide below to help you choose which of Graco's electric sprayers is right for you.

All 110 Volt units operate between 110-130V and 50-60Hz. All 230 Volt units operate between 220-240V and 50-60Hz.*

*Product performance will vary based on incoming power. Amperage maximums do not change regardless of power range.

- What types of materials do you spray? In the future?
- How many gallons per week will you spray?
- How many guns do you need now? In the future?
- What tip sizes do you need?
- What hose lengths will you use?
- Will most jobs be indoors or outdoors?



CLASSIFICATION	SMALL ELECTRICS	MIDSIZE ELECTRICS	LARGE ELECTRICS		TEXTURE	
SPRAYER MODEL	390™ PC Ultra® 395 PC	Ultra Max II 490 PC Pro Ultra Max II 495 PC Pro	Ultra Max II 695 Ultra Max II 795	Ultra Max II 1095	TexSpray Mark IV TexSpray Mark V	TexSpray Mark V TexSpray Mark X 240 Volt
PRODUCTION RATE	Low: up to 180 liters per week 1 gun up to 0.023 tip up to 2.0 lpm up to 60 meters of hose	Medium: 180 – 360 liters per week 1 gun up to 0.025 tip up to 2.3 lpm up to 60 meters of hose	High: 360 – 720 liters per week up to 2 guns up to 0.033 tip up to 4.1 lpm up to 90 meters of hose	Highest: over 720 liters per week up to 3 guns up to 0.035 tip up to 4.5 lpm up to 90 meters of hose	High up to 2 guns up to 0.039 tip up to 5.1 lpm	Very High up to 3 guns up to 0.045 tip up to 7.9 lpm
TYPICAL MATERIALS	Light Lacquers and Stains Interior/Exterior Latex Enamels • Acrylics	Light—Medium Lacquers and Stains Interior/Exterior Latex Enamels • Acrylics • Oil-Based Primers	Full Range: Light—Heavy Interior/Exterior Latex • Oil-Based Primers Acrylics • Block Fillers	Heavy Interior/Exterior Latex • Oil-Based Primers Epoxyes • Block Fillers Dryfall • Elastomerics	Interior/Exterior Latex Oil-Based Paints/Primers Acrylics • Block Fillers Dryfall • Elastomerics Joint Compound Skim Coat Material Firestop • Plasters	Interior/Exterior Latex Oil-Based Paints/Primers Acrylics • Block Fillers Dryfall • Elastomerics Joint Compound Skim Coat Material Firestop • Plasters
TYPICAL JOBS	Small Residential • Repaint/Remodel Property Maintenance	Medium Residential • Repaint/Remodel Property Maintenance • Light Commercial	Interior/Exterior • Residential • Light Commercial	Exterior Residential • Heavy Commercial • Industrial	Interior/Exterior Residential New Construction Light Commercial	Interior/Exterior, Large Residential, New Construction Heavy Commercial Industrial
	See page 5 for our full line of Small Electric Sprayers 	See page 9 for our full line of Midsize Electric Sprayers 	See page 14 for our full line of Large Electric Sprayers 		See pages 24-26 for our full line of Texture Sprayers 	

Graco Small Electric Sprayers

Proven quality and unmatched reliability

Just because a sprayer is small in size doesn't mean that it's small in capability. Built with many of the same features as Graco's large electric sprayers, these units are built to deliver the power and performance you need to get the job done.

Small Electrics

Endurance™ Pump

- ▶ The most reliable pump on the market—lasts 2 times longer than the next leading brand
- ▶ Long-life V-Max Blue™ packings, Chromex™ rod and hardened stainless steel cylinder
- ▶ QuikAccess™ intake valve for fast cleaning or debris clearing

Easy Out™ Pump Filter

- ▶ Vertical design helps eliminate spills
- ▶ Filters from the inside out and won't collapse
- ▶ Large 7.8 square inch (19.81 cm) filtering area reduces tip clogs
- ▶ Flow-through design cleans with only a few gallons

Durable DC Motor

- ▶ DC Motors are more forgiving to voltage fluctuations allowing them to run on longer cords

Advantage Drive™

- ▶ Hardened steel gears run extremely quiet
- ▶ High ratio reduction provides slow pump stroking that reduces wear and extends pump life

Rugged, Durable Frame

- ▶ Thick chrome over steel withstands rugged environments
- ▶ Heavy-duty handles and semi-pneumatic wheels roll easily over rough terrain
- ▶ 4-leg stand is more stable



Stand model

SmartControl™ 1.0 (Ultra 395 PC model only)

- ▶ Delivers a consistent spray fan without pressure fluctuation at all spraying pressures
- ▶ Ideal for smaller tips commonly used for fine finish work

Ready to Work

- ▶ Professional grade hose, gun, tip and throat seal liquid included
- ▶ Lighted plug verifies power

Finish Every Job, Every Day with Graco's ProConnect™ and Endurance Now™ program



ProConnect

- ▶ **Fast and Easy** on-the-job Pump Replacement System
- ▶ Available on small and midsize electric sprayers

Being able to quickly change a pump on the job site can be the difference between a productive day of spraying and one spent waiting on replacement parts or behind the wheel taking your sprayer to be serviced. Thanks to the ProConnect™ Pump Removal System, Graco makes pump swaps fast and easy. In three simple steps, you can remove the pump on Graco's small and midsize electric sprayers. No more time wasted or money lost to labor charges on pump repairs—with a spare pump at the ready, you'll never have a down day.



1 Loosen the clamping nut



2 Open door and remove pump



3 Remove hose and suction tube

Fast Pump Removal

- ▶ 1-minute jobsite replacement
- ▶ Keeps you spraying instead of waiting for service
- ▶ No pins or parts to lose!



Endurance Now Program

With Graco's Endurance Now Program, you can purchase a replacement pump at any Graco distributor.



- ▶ Spare pump available **Now** at any Graco distributor
- ▶ **Never wait** for pump repair again
- ▶ Eliminate drive time and repair cost

390 PC

CONFIGURATION	AVAILABLE IN
STAND	110V and 230V
HI-BOY	110V and 230V

SPECIFICATIONS	
MAX TIP SIZE:	0.021
MAX LPM:	1.8
MAX PSI (BAR):	3300 (227)
MOTOR HP:	5/8 DC

- INCLUDES**
- FTx™ Gun
 - RAC X™ 515 SwitchTip™ and Guard
 - 1/4 in x 50 ft (6.4 mm x 15 m) BlueMax™ II Airless Hose

If you need a solid workhorse of a sprayer that is built for the professional who is just “starting out,” then the 390 PC is for you. This is Graco’s lightest professional sprayer, ideal for residential jobs.

Easy Out Pump Filter creates less mess during changing or cleaning. Its flow-through design cleans with less fluid.

Advantage Drive runs quiet and has a lifetime guarantee.

Chromed Steel Frame has stable 4-leg design with cord wrap.

Stand model shown. Hi-Boy model also available.



Swivel Inlet Suction Hose easily reaches paint buckets.

QuikAccess™ intake valve quickly removes for easy cleaning or accessing the inlet ball.



Variable Pressure Adjustment
Position indicator allows repeatable setting while spraying light-to-heavier materials.

Lightweight Design weighs only 30 lbs (13.6 kg) with offset handle positioned to kick sprayer away from leg for comfortable carrying.

Totally Enclosed DC Motor suitable for use with solvent-based finishes.



Stand model shown. Hi-Boy model also available.

Smart Control 1.0 with variable speed control delivers consistent spray fan without pressure fluctuations at all spraying pressures.

The **Ultra 395 PC's** performance and versatility has made it Graco’s most popular small electric sprayer. It features SmartControl™ 1.0 pressure control that delivers a consistent spray fan without pressure fluctuation at all spraying pressures. Proven technology and reliability make it perfect for professionals who spray daily with a wide range of coatings.

Durable Cart Designs withstands rugged environments; Hi-Boy cart design allows for easy one-person bucket changes.



Compatible with 1.5 gallon (5.7 liters) hopper for small projects.

Ultra® 395 PC

CONFIGURATION	AVAILABLE IN
STAND	110V and 230V
HI-BOY	110V and 230V

SPECIFICATIONS	
MAX TIP SIZE:	0.023
MAX LPM:	2.0
MAX PSI (BAR):	3300 (227)
MOTOR HP:	7/8 TEFC DC

- 110 V MODELS INCLUDE**
- Contractor™ Gun
 - RAC X 517 SwitchTip and Guard
 - 1/4 in x 50 ft (6.4 mm x 15 m) BlueMax™ II Airless Hose

- 230 V MODELS INCLUDE**
- FTX Gun
 - RAC X 517 SwitchTip and Guard
 - 1/4 in x 50 ft (6.4 mm x 15 m) BlueMax™ II Airless Hose

Retractable handle doubles as hose storage.

Graco Midsize Electric Sprayers

Increased performance, advanced technology

When you need the increased productivity to handle medium residential and light commercial spraying jobs, Graco's Midsize electric airless sprayers deliver the performance you demand. With features that make it easier to get more work done in a day, these sprayers provide increased flow and production rates over our small electric sprayers.

Midsize Electrics

SmartControl 2.5

- ▶ Digital display shows pressure, gallons, and hours
- ▶ Provides error messages and diagnostics
- ▶ Aids in fleet management

Fast Flush



Fast Flush™

- ▶ FastFlush high flow cleaning system runs faster and dramatically reduces cleaning time

MaxPower Motor

- ▶ Graco's compact and powerful brushless DC motors are designed to produce the most power possible for all painting applications
- ▶ Higher torque = More work done
- ▶ Totally enclosed, fan-cooled design protects the internal components of the motor from dirt, dust and overspray
- ▶ Brushless design means that you will never need to replace brushes
- ▶ DC motors are more forgiving to voltage fluctuation allowing them to run on longer power cords
- ▶ Lifetime warranty

Endurance Pump

- ▶ The most reliable pump on the market—lasts 2 times longer than the next leading brand
- ▶ Long-life V-Max Blue™ packings, Chromex™ rod and hardened stainless steel cylinder
- ▶ QuikAccess™ intake valve for fast cleaning or debris clearing



Stand model

Easy Out™ Pump Filter

- ▶ Vertical design helps eliminate spills
- ▶ Filters from the inside out and won't collapse
- ▶ Large 7.8 square inch (19.81 cm) filtering area reduces tip clogs
- ▶ Flow-through design cleans with only a few gallons

Advantage Drive™

- ▶ Hardened steel gears run extremely quiet
- ▶ High ratio reduction provides slow pump stroking that reduces wear and extends pump life

Ready to Work

- ▶ Professional grade hose, gun, tip and throat seal liquid included
- ▶ Lighted plug verifies power

Finish Every Job, Every Day with Graco's ProConnect™ and Endurance Now™ program



ProConnect

- ▶ **Fast and Easy** on-the-job Pump Replacement System
- ▶ Available on small and midsize electric sprayers

Being able to quickly change a pump on the job site can be the difference between a productive day of spraying and one spent waiting on replacement parts or behind the wheel taking your sprayer to be serviced. Thanks to the ProConnect™ Pump Removal System, Graco makes pump swaps fast and easy. In three simple steps, you can remove the pump on Graco's small and midsize electric sprayers. No more time wasted or money lost to labor charges on pump repairs—with a spare pump at the ready, you'll never have a down day.



Loosen the clamping nut



Open door and remove pump



Remove hose and suction tube

Fast Pump Removal

- ▶ 1-minute jobsite replacement
- ▶ Keeps you spraying instead of waiting for service
- ▶ No pins or parts to lose!



Endurance Now Program

With Graco's Endurance Now Program, you can purchase a replacement pump at any Graco distributor.



- ▶ Spare pump available **Now** at any Graco distributor
- ▶ **Never wait** for pump repair again
- ▶ Eliminate drive time and repair cost

Ultra Max II 490 PC Pro

CONFIGURATION	AVAILABLE IN
STAND	110V and 230V
SPECIFICATIONS	
MAX TIP SIZE:	0.023
MAX LPM:	2.0
MAX PSI (BAR):	3300 (227)
MOTOR HP:	1.0 Brushless DC

- INCLUDES**
- Contractor™ Gun
 - RAC X 517 SwitchTip and Guard
 - 1/4 in x 50 ft (6.4 mm x 15 m) BlueMax™ II Airless Hose

The **Ultra Max II 490 PC Pro** sprayer is the ideal step-up for professionals looking for superior performance and features in a small electric sprayer.

MaxPower brushless DC motor creates more torque and delivers maintenance-free performance.



Stand model shown.

Features
PRO CONNECT

Smart Control 2.5 advanced pressure control system delivers consistent spray fan without pressure fluctuations at all spraying pressures.

Digital Display for quick readings of pressure, gallon, hours, diagnostics and error messages. Ideal for maintenance tracking.

FastFlush™ cleaning system saves time with high speed cleaning.



Ultra Max II 495 PC Pro

CONFIGURATION	AVAILABLE IN
STAND	110V and 230V
HI-BOY	110V and 230V
LO-BOY	110V and 230V
SPECIFICATIONS	
MAX TIP SIZE:	0.025
MAX LPM:	2.3
MAX PSI (BAR):	3300 (227)
MOTOR HP:	1.2 Brushless DC

- INCLUDES**
- Contractor Gun
 - RAC X 517 SwitchTip and Guard
 - 1/4 in x 50 ft (6.4 mm x 15 m) BlueMax™ II Airless Hose

The **Ultra Max II 495 PC Pro** brings the leading technology and performance of Graco's larger Ultra Max II models into a compact and lightweight design.



Hi-Boy model shown.

Features
PRO CONNECT



Stand model shown.
Lo-Boy model also available.



Graco Large Electric Sprayers

Power + performance for the most demanding jobs

Graco's large electric sprayers have long been the choice for larger professional contractors who need the highest production rates. These sprayers handle the most demanding applications and the toughest jobs with ease, and consistently deliver the performance you expect from a Graco sprayer. Unmatched productivity, maximum performance and proven quality—expect nothing less from a Graco large electric airless sprayer!

Large Electrics

Endurance Pump

Delivering the performance

- ▶ At the heart of every Graco electric airless sprayer is the Endurance pump, the most rugged and reliable pump on the market today, lasting twice as long as the next leading brand
- ▶ High-density polyethylene V-Max Blue packings are more efficient, withstand heat better, and deliver more spraying performance
- ▶ Extremely hard Chromex rod and stainless steel sleeve delivers more performance by resisting abrasion from material
- ▶ Knock-off foot valve allows for quick access to the inlet ball for fast clearing of debris



ProGuard Technology

Protecting the power

Graco's exclusive ProGuard Sprayer Protection System constantly monitors incoming electricity and protects the unit from electrical damage due to bad or extreme jobsite power conditions.

- ▶ Protects all electrical components from power spikes or from overheating due to low voltage conditions
- ▶ Acts as a surge protector in the event of over-voltage situations
- ▶ No fuses to replace—just flip the switch to reset



Choose the RIGHT SERIES of large electric sprayers for all your painting applications.

Only Graco goes beyond motor size and offers three different series of large electric airless sprayers that have features designed to make your work easier, faster and more productive. Whether you need the everyday reliability of our **Standard Series**, the increased speed and productivity of the **ProContractor Series**, or extreme ruggedness of the **IronMan Series**, Graco offers the perfect sprayer that's designed specifically for you.

If You're a Small Residential and Repainting Contractor

- ▶ You're painting multiple days a week
- ▶ Your jobs are typically on the smaller side
- ▶ You demand everyday reliability
- ▶ You don't need a lot of extra features



You need a **Standard Series** sprayer.

EVERYDAY RELIABILITY

If You're a Large Residential and Commercial Contractor

- ▶ You're painting every day
- ▶ You tackle medium to large projects
- ▶ You're moving frequently from job to job
- ▶ You need features that save you time and get you in, out, and on to the next jobsite



You need a **ProContractor Series** sprayer.

WORK SMARTER, FINISH MORE JOBS

If You're a Large Commercial and Industrial Contractor

- ▶ You're painting continuously in less-than-ideal conditions
- ▶ You handle large, long-duration projects that require large volumes of material
- ▶ You keep your equipment on-site in paint
- ▶ You require extreme durability and reliability



You need an **IronMan Series** sprayer.

BEYOND JOBSITE TOUGH

Standard Series

EVERYDAY RELIABILITY

When you're tackling larger painting projects multiple days a week, you demand reliability. Graco's Standard Series sprayers deliver durability and performance time after time. They handle the widest range of tip sizes, longer hose lengths and heavier coatings with ease.

All Standard Series sprayers come with these "Only On A Graco" features:



MaxPower Motor Graco's compact and powerful MaxPower brushless DC motors are designed to produce the most power possible for all painting applications.

- ▶ Higher torque = More work done
- ▶ Totally enclosed, fan-cooled design protects the internal components of the motor from dirt, dust and overspray
- ▶ Brushless design means that you will never need to replace brushes
- ▶ Lifetime warranty



SmartControl 3.0 Graco's advanced SmartControl 3.0 offers precision pressure control that delivers a consistent spray fan without pressure fluctuations.

- ▶ Lowest dead band at any pressure
- ▶ ProGuard™ Sprayer Protection System guards against bad or extreme jobsite power conditions



Rugged, Durable Cart Design With a Graco sprayer, it's not just the mechanical parts that are built to last. Our carts are built to deliver years of performance.

- ▶ Thick chrome over steel withstands rugged environments
- ▶ Full pneumatic wheels absorb impacts and vibrations
- ▶ Retractable handle doubles as coiled hose storage
- ▶ Hi-Boy TiltBack kickstand cart design holds the inlet clear of the paint bucket for easy one-person bucket changes



Easy Out™ Pump Filter The Easy Out pump filter is designed to filter from the inside out so filters won't get stuck or collapse when filled with dirt or debris.

- ▶ Large 19.5 square inch (49.5 cm) filtering area reduces tip clogs and ensures a quality finish
- ▶ Vertical filter removes with the cap for less mess



Advantage Drive™ The drive is the critical link between the motor and the pump. Graco doesn't leave the manufacturing of our Advantage Drive System to others; rather, we design and manufacture them at our world-class manufacturing facility in the United States.

- ▶ Hardened steel gears run extremely quiet
- ▶ The most durable, longest lasting drive in the industry

Endurance Pump Graco's Endurance Pump is the most rugged and reliable pump on the market today.

- ▶ Long-life V-Max Blue packings
- ▶ Chromex™ rod and stainless steel sleeve deliver superior reliability and life



Ready To Work Everything you need to get spraying—Contractor™ gun, RAC X™ SwitchTip™, Throat Seal Liquid (TSL™) and 50 feet (15 meters) of BlueMax™ II hose is included.

Heavy-Duty Prime Valve Maintenance-free design withstands high-pressure dumping.



ProContractor Series

WORK SMARTER, FINISH MORE JOBS

When it comes to getting the most work done in a day, it's all about speed and high performance. And that's where Graco delivers. With features that enable you to work more efficiently, the ProContractor series of electric airless sprayers help you get in, out, and on to the next job site faster, saving you time and money.

ProContractor Series sprayers have all the Features of the Standard Series, **Plus:**



SmartControl 3.0 with LED Display Graco's advanced SmartControl 3.0 delivers a consistent spray fan without pressure fluctuations at all spraying pressures.

- ▶ Bright, easy-to-read LED display shows pressure read-out, job/lifetime/gallon counter and self-diagnostics
- ▶ ProGuard Sprayer Protection System guards against bad or extreme jobsite power conditions

WatchDog™ The WatchDog Pump Protection System automatically shuts down the pump when paint runs out or if the hose is damaged.

- ▶ Prevents dry pumping damage



FastFlush™ This high flow cleaning system runs faster and dramatically decreases cleaning time.

- ▶ Motor runs at super high speed
- ▶ Results in high flow and faster cleaning—up to **4X faster** using only half the water! **FastFlush.**



QuikReel™ With the integrated QuikReel you can deploy and rewind up to 300 feet (90 meters) of hose in seconds, letting you put the sprayer where you want it and the gun where you need it.



- ▶ Hose guide eliminates twisting, kinking, and coiling for one-person operation
- ▶ Hose is always connected and weight balanced to not tip over
- ▶ Use only the hose you need—the rest stays on the reel
- ▶ Hand crank folds away for storage and one man loading



On-Board Toolbox
Convenient storage container keeps tools, tips, filters and accessories where you need them most.



ProConnect™ 2 This next-generation pinless design of Graco's ProConnect Pump Removal and Installation System makes it easier and faster than ever to replace the pump in seconds.

- ▶ Eliminates costly jobsite downtime
- ▶ Quickly and easily swap out the pump for a spare
- ▶ Pinless design needs no tools

Ready To Spray Everything you need—Contractor gun, RAC X SwitchTip, Throat Seal Liquid (TSL) and 100 feet (30 meters) of BlueMax II hose is already assembled and ready to use right out of the box, getting you working that much faster.



IronMan Series

BEYOND JOBSITE TOUGH

Power, Durability and Capability is what makes an IronMan. From its MaxLife pump to its rugged roll cage frame, IronMan airless sprayers are built for the serious contractor who routinely handles large commercial and industrial jobs.

IronMan Series sprayers have all the Features of the Standard Series, Plus:



SmartControl 3.0 with LED Display Graco's advanced SmartControl 3.0 delivers a consistent spray fan without pressure fluctuations at all spraying pressures.

- ▶ Bright, easy-to-read LED display shows pressure read-out, job/lifetime/gallon counter and self-diagnostics
- ▶ ProGuard Sprayer Protection System guards against bad or extreme jobsite power conditions

WatchDog™ The WatchDog Pump Protection System automatically shuts down the pump when paint runs out or if the hose is damaged.

- ▶ Prevents dry pumping damage



FastFlush This high flow cleaning system runs faster and dramatically decreases cleaning time.

- ▶ Motor runs at super high speed
- ▶ Results in high flow and faster cleaning—up to **4X faster** using only half the water!



Extreme-Duty MaxLife® Pump Built for the most demanding jobs, Graco's Extreme-Duty MaxLife Pump delivers unmatched durability and life.

- ▶ Exclusive MaxLife sleeve and rod
- ▶ Lasts **6X longer** between repacks
- ▶ Oversized clearances ensure minimal pressure drop and increased performance
- ▶ Long-life ceramic and stainless steel balls included for maximum versatility no matter what you're spraying
- ▶ Crush-proof intake screen stands up to harsh impacts



ProConnect 2 This next-generation pinless design of Graco's ProConnect Pump Removal and Installation System makes it easier and faster than ever to replace the pump in seconds.

- ▶ Eliminates costly jobsite downtime
- ▶ Quickly and easily swap out the pump for a spare
- ▶ Pinless design needs no tools

Roll Cage Frame Design

All IronMan sprayers are built for the most brutal and demanding job sites.

- ▶ Heavy-duty roll cage frame withstands the most extreme abuse from industrial job sites



Heavy-Duty Hose and Gun

100 feet (30 meters) of high-performance BlueMax II airless hose, a Silver Plus™ gun, and RAC X SwitchTip that can handle spraying heavier materials are included with every IronMan sprayer.



Flat-Proof Tires These tires can't be punctured by nails, screws or other sharp debris. They will **never** go flat, leaving the sprayer stranded on a jobsite.



Ultra Max II 695

CONFIGURATION	AVAILABLE IN
STAND	110V and 230V
PROCONTRACTOR	110V and 230V
LO-BOY	110V and 230V

SPECIFICATIONS	
MAX TIP SIZE:	0.031-1 Gun 0.023-2 Guns
MAX LPM:	3.6
MAX PSI (BAR):	3300 (227)
MOTOR:	2.0 hp Brushless DC

INCLUDES

STANDARD SERIES AND LO-BOY UNITS:

- Contractor Gun
- RAC X 517 SwitchTip and Guard
- 1/4 in x 50 ft (6.4 mm x 15 m) BlueMax™ II Airless Hose

PROCONTRACTOR SERIES UNIT:

- Contractor Gun
 - RAC X 517 SwitchTip and Guard
 - 1/4 in x 50 ft (6.4 mm x 15 m) BlueMax™ II Airless Hose
- AND**
- 1/4 in x 50 ft (6.4 mm x 15 m) BlueMax™ II Airless Hose

With a 2.0 hp brushless DC motor, the **Ultra Max II 695** is a rock-solid performer for the professional residential contractor who sprays a wide variety of coatings. It can handle a wide variety of tip sizes and has outstanding proven reliability.



Standard model shown.



ProContractor model shown.



Lo-Boy easily carries a standard 5-gallon (20 liters) paint bucket.

Ultra Max II 795

CONFIGURATION	AVAILABLE IN
STAND	110V and 230V
PROCONTRACTOR	110V and 230V

SPECIFICATIONS	
MAX TIP SIZE:	0.033-1 Gun 0.025-2 Guns
MAX LPM:	4.1
MAX PSI (BAR):	3300 (227)
MOTOR:	2.2 hp Brushless DC

INCLUDES

STANDARD SERIES UNIT:

- Contractor Gun
- RAC X 517 SwitchTip and Guard
- 1/4 in x 50 ft (6.4 mm x 15 m) BlueMax™ II Airless Hose

PROCONTRACTOR SERIES UNIT:

- Contractor Gun
 - RAC X 517 SwitchTip and Guard
 - 1/4 in x 50 ft (6.4 mm x 15 m) BlueMax™ II Airless Hose
- AND**
- 1/4 in x 50 ft (6.4 mm x 15 m) BlueMax™ II Airless Hose

With a 2.2 hp brushless DC motor, the **Ultra Max II 795** can handle multiple guns and is ideal for the professional residential remodeling and repainting contractor who sprays a wide variety of coatings.



Standard model shown.



ProContractor model shown.



Ultra Max II 1095

SERIES	AVAILABLE IN
STANDARD	110V and 230V
PROCONTRACTOR	110V and 230V
IRONMAN	110V and 230V

SPECIFICATIONS	
MAX TIP SIZE:	0.035-1 Gun 0.027-2 Guns 0.021-3 Guns
MAX LPM:	4.5
MAX PSI (BAR):	3300 (227)
MOTOR:	2.4 hp Brushless DC

- INCLUDES**
- STANDARD SERIES UNIT:**
- Contractor Gun
 - RAC X 517 SwitchTip and Guard
 - 1/4 in x 50 ft (6.4 mm x 15 m) BlueMax™ II Airless Hose
- PROCONTRACTOR SERIES UNIT:**
- Contractor Gun
 - RAC X 517 SwitchTip and Guard
 - 1/4 in x 50 ft (6.4 mm x 15 m) BlueMax™ II Airless Hose
 - AND
 - 1/4 in x 50 ft (6.4 mm x 15 m) BlueMax™ II Airless Hose
- IRONMAN SERIES UNIT:**
- Silver Plus Gun
 - RAC X 517 SwitchTip and Guard
 - 1/4 in x 50 ft (6.4 mm x 15 m) BlueMax™ II Airless Hose
 - AND
 - 3/8 in x 50 ft (9.5 mm x 15 m) BlueMax™ II Airless Hose

With a 2.4 hp brushless DC motor and the ability to spray up to 1.2 gallons (4.5 liters) per minute, the **Ultra Max II 1095** is the industry standard for the large residential and commercial contractor who sprays a wide variety of coatings.



Standard model shown.



ProContractor model shown.



IronMan model shown.

Texture spraying is all about high productivity, and that's where the **Mark IV** sprayer really delivers. Designed to save time and money by enabling you to spray more square footage in a day, this unit offers valuable, must-have features for the serious professional contractor. Whether you need to spray skim coat in a Level 5 finish, drywall mud in an orange peel, splatter or knockdown finish or even the wide range of primers and paint, this sprayer can do it all!



Standard model shown.



ProContractor model shown.

TexSpray Mark IV

SERIES	AVAILABLE IN
STANDARD	120 Volt 230 Volt
PROCONTRACTOR	120 Volt 230 Volt

120 VOLT SPECIFICATIONS	
MAX TIP SIZE:	.033
MAX LPM:	4.1
MAX PSI (BAR):	3300 (227)
MOTOR:	2.2 hp Brushless DC

240 VOLT SPECIFICATIONS	
MAX TIP SIZE:	.031
MAX LPM:	3.6
MAX PSI (BAR):	3300 (227)
MOTOR:	2.0 hp Brushless DC

- INCLUDES**
- Flex Plus Gun
 - LTX425 SwitchTip and Guard
 - 3/8 in x 50 ft (9.5 mm x 15 m) BlueMax II Airless Hose
 - 1/4 in x 3 ft (6.4 mm x 0.9 m) Whip Hose

TexSpray Mark V

SERIES	AVAILABLE IN
STANDARD	120 Volt
STANDARD	230 Volt
PROCONTRACTOR	120 Volt
PROCONTRACTOR	230 Volt
IRONMAN	120 Volt
IRONMAN	230 Volt

120 VOLT SPECIFICATIONS

MAX TIP SIZE:	.039
MAX LPM:	5.1
MAX PSI (BAR):	3300 (227)
MOTOR:	2.8 hp Brushless DC

240 VOLT SPECIFICATIONS

MAX TIP SIZE:	.035
MAX LPM:	4.5
MAX PSI (BAR):	3300 (227)
MOTOR:	2.2 hp Brushless DC

- INCLUDES**
- Heavy-Duty Texture Gun
 - LTX425 SwitchTip and Guard
 - 3/8 in x 50 ft (9.5 mm x 15 m) BlueMax II Airless Hose
 - 1/4 in x 3 ft (6.4 mm x 0.9 m) Whip Hose

The Graco **TexSpray Mark V** is built to deliver a higher flow rate that lets you get the job done faster. It features 20 percent more productivity than the Mark IV and comes with an upgraded Heavy-Duty Texture Gun. It can accommodate a larger tip size, and has the power to spray skim coat in a Level 5 finish, drywall mud in an orange peel, splatter or knockdown finish or even the wide range of primers and paint.



Standard model shown.



ProContractor model shown.



IronMan model shown.

TexSpray Mark X 240 Volt

SERIES	AVAILABLE IN
STANDARD	240 Volt
PROCONTRACTOR	240 Volt

SPECIFICATIONS

MAX TIP SIZE:	0.045
MAX LPM:	7.9
MAX PSI (BAR):	3300 (227)
MOTOR:	4.0 hp Brushless DC

- INCLUDES**
- Heavy-Duty Inline Texture Gun
 - LTX531, LTX541 SwitchTips and Guard
 - 1/2 in x 50 ft (13 mm x 15 m) BlueMax II Airless Hose
 - 3/8 in x 3 ft (9.5 mm x 0.9 m) Whip Hose

The **TexSpray Mark X 240 Volt** is our most productive electric airless/texture unit. With nearly double the output of the Mark V, it is the sprayer of choice for serious professional contractors who take advantage of the 240 Volt power available at a construction site or with a generator. A true powerhouse, it can easily spray skim coat in a Level 5 finish and drywall mud in an orange peel, splatter or knockdown finish. It can even apply the whole range of primers and paints.



Standard model shown.



ProContractor model shown.

Accessories

ELECTRIC AIRLESS SPRAYERS

In addition to the industry's best sprayers, Graco makes the accessories that enable you to work faster and more productively. From rugged guns and tips to hoses and extensions, Graco's accessories let you customize your sprayer for the maximum performance that best suits your work.

FOR SPRAYERS: 390 PC – Ultra Max II 495 PC Pro (All 110 and 230 Volt Models)

DIGITAL DISPLAYS Simple to use and easy to install display featuring pressure display and error code self diagnostics.

- 287098 Digital Display for Ultra 395 PC
- 287904 Digital Display for Ultra Max II 490/495 PC Pro



HOPPER 1.5 gallon (5.67 liters) molded hopper attaches to sprayer in place of inlet suction hose. Ideal for spraying small amounts of material. Lid included. Smooth inside cleans up fast. Works with Stand, Hi-Boy and Lo-Boy sprayers.

- 288526 Hopper Accessory

FILTERS AND INLET STRAINER

- 246425 Easy Out Filters – Short, Gray, 30 mesh
- 246384 Easy Out Filters – Short, Black, 60 mesh
- 246382 Easy Out Filters – Short, Blue, 100 mesh
- 246383 Easy Out Filters – Short, Red, 200 mesh



- 246385 Inlet Strainer

PROCONNECT REPLACEMENT PUMP

- 17C487 Replacement Pump – Replace pump on the job
- 17C718 Replacement Pump – For previous generation 390 – 595 Pro (non PC version)

FOR SPRAYERS: Ultra Max II 695 – 1095 (All 110 Volt and 230 Volt Models)

DISPLAY Bright easy-to-read LED display shows pressure readout, job/lifetime, gallon counter and self diagnostics.

- 24V061 LED Display for SmartControl 3.0 fits Ultra Max II 695/795/1095
Fits all SmartControl 3.0 models. Includes WatchDog feature.



SUCTION HOSE KIT Easily installs on any sprayer to provide the convenience of a flexible inlet hose. Leave tube long (fits 30 gallon trash cans and 55 gallon drums) or simply unscrew at middle fitting to shorten (fits 5-gallon buckets).

- 248317 55 Gallon Suction Hose Kit

FILTERS AND STRAINERS

- 244071 Easy Out Filters – Long, Gray, 30 mesh
- 244067 Easy Out Filters – Long, Black, 60 mesh
- 244068 Easy Out Filters – Long, Blue, 100 mesh
- 244069 Easy Out Filters – Long, Red, 200 mesh
- 189920 Inlet Screen – Ultra Max II 695/795/1095



Accessories

ELECTRIC AIRLESS SPRAYERS

FOR SPRAYERS: 390 PC – Ultra Max II 1095 (All 110 Volt and 230 Volt Models)

RAC X SWITCHTIP The RAC X SwitchTip is a high-performance spray tip used for residential and commercial applications. With a large selection of tip sizes available we are sure to have one to fit your needs. RAC X provides the best fan pattern life and the highest quality finish. These Graco tips are the most widely used reversible spray tip on the market today!



CONTRACTOR/FTx GUNS Designed by Graco to be the longest-lasting guns on the market, the Contractor and FTx Guns continue to be the number one choice of painting contractors. With features like the FlexSeal design, Easy Out Gun Filter and EasyGlide Swivel, no wonder these are the contractors choice in guns.

- 288420 Contractor Gun (2-finger trigger) with RAC X 517 Tip and Guard
- 288425 Contractor Gun (4-finger trigger) with RAC X 517 Tip and Guard
- 288421 Contractor Gun (2-finger trigger) with RAC® 5 517 Tip and Guard
- 288430 FTx Gun (4-finger trigger) with RAC X 515 Tip and Guard
- 288429 FTx Gun (2-finger trigger) with RAC X 515 Tip and Guard
- 288431 FTx Gun (4-finger trigger) with RAC 5 515 Tip and Guard
- 246240 Silver Plus Gun with RAC X 517 Tip and Guard
- 246468 Flex Plus™ Gun with RAC X 517 Tip and Guard
- 287023 3 ft (0.9 m) Pole Gun with Contractor Inline Valve, CleanShot™ Valve, RAC X Tip and Guard
- 287024 6 ft (1.8 m) Pole Gun with Contractor Inline Valve, CleanShot Valve, RAC X Tip and Guard



GUN HOSE KITS – KITS INCLUDE THE FOLLOWING UNLESS OTHERWISE NOTED

Airless Gun, RAC X 517 Tip and Guard, 1/4 in x 50 ft (6.4 mm x 15 m)
BlueMax II 3300 psi (227 bar) Airless Hose and 3 ft (0.9 m) Whip Hose

- 288489 Contractor Gun Hose Kit
- 288496 Contractor Gun Hose Kit with RAC 5
- 288490 Contractor Gun Hose Kit with 3/8 in x 50 ft (9.5 mm x 15 m) BlueMax II 3300 psi (227 bar) Airless Hose
- 288493 FTx Gun Hose Kit with RAC X 515 Tip (Whip Hose excluded)
- 288497 FTx Gun Hose Kit with RAC 5 515 Tip (Whip Hose excluded)
- 287095 Flex Plus Gun Hose Kit
- 287041 Silver Plus Gun Hose Kit
- 287042 Silver Plus Gun Hose Kit with 3/8 in x 50 ft (9.5 mm x 15 m) BlueMax II 3300 psi (227 bar) Airless Hose



BLUEMAX II AIRLESS HOSE To maximize results, choose the high performance BlueMax II Airless Hose. Lighter weight and increased hose flexibility improves usability when spraying under pressure. With superior flexibility and durability, BlueMax II ensures you get the best results from your airless sprayer.

- 238358 3/16 in x 3 ft (4.8 mm x 0.9 m) BlueMax II 3300 psi (227 bar) Airless Whip Hose
- 238959 3/16 in x 4.5 ft (4.8 mm x 1.4 m) BlueMax II 3300 psi (227 bar) Airless Whip Hose
- 240793 1/4 in x 25 ft (6.4 mm x 7.5 m) BlueMax II 3300 psi (227 bar) Airless Hose
- 240794 1/4 in x 50 ft (6.4 mm x 15 m) BlueMax II 3300 psi (227 bar) Airless Hose
- 240797 3/8 in x 50 ft (9.5 mm x 15 m) BlueMax II 3300 psi (227 bar) Airless Hose



Ask your local authorized Graco Distributor for details on our complete line of airless accessories.

Accessories

ELECTRIC AIRLESS SPRAYERS

FOR SPRAYERS: 390 PC – Ultra Max II 1095 (All 110 Volt and 230 Volt Models)

PUMP ARMOR™/TSL™ Maintaining your pump is essential for long life and reliability. Graco has made pump maintenance simple with our complete line of fluids. Pump Armor is a storage solution which protects your pump from the damaging effects of corrosion during storage. TSL (Throat Seal Liquid) prevents dried paint from accumulating on the pump rod—extending the life of the pump packings.

- 243103 Pump Armor – 1 qt (1 l)
- 245133 Pump Armor – 1 gal (3.8 l)
- 206994 Throat Seal Liquid (TSL) – 8 oz (.24 l)
- 206995 Throat Seal Liquid (TSL) – 1 qt (1 l)
- 206996 Throat Seal Liquid (TSL) – 1 gal (3.8 l)



JETROLLERS™ Save time and money by spraying and back rolling in one easy step with the **NEW** Graco 3-in-1 JetRoller System. Each kit includes a lightweight detachable roller (uses industry standard roller covers), CleanShot shut-off valve, spray tip and guard.

- 24U170 JetRoller System with 20 in (50 cm) Heavy-Duty Extension and 9 in Handle
- 24U172 JetRoller System with 20 in (50 cm) Heavy-Duty Extension, Contractor Inline Valve and 9 in Handle
- 24W128 JetRoller System with 20 in (50 cm) Heavy-Duty Extension, Contractor Inline Valve and 18 in Handle



PRESSURE ROLLERS

- 245397 EvenFlow™ Pressure Roller Assembly with 20 in (50 cm) Fixed, Heavy-Duty Extension and Contractor Inline Valve
- 244279 EvenFlow Pressure Roller Assembly with 20 in (50 cm) Fixed, Heavy-Duty Extension, 45° Angle
- 244281 EvenFlow Pressure Roller Assembly with 18-36 in (46-91 cm) Telescoping Extension

PROGUARD+™ Protects 240 V Graco equipment against voltage fluctuations.

- 24W755 IEC - 320 Cord

FOR TexSpray SPRAYERS: Mark IV & Mark V 120/230 Volt, Mark X 240 Volt

GUNS

- 246468 Flex Plus Gun
- 241705 Heavy-Duty Blue Texture Gun
- 245820 Inline Heavy-Duty Texture Gun



GUN HOSE KITS

- 241338 Heavy-Duty Blue Texture Gun Hose Kit with 531 RAC X SwitchTip
3/8 in x 50 ft (9.5 mm x 15 m) 3300 psi Hose, 1/4 in x 3 ft (25 mm x 0.9 m) 3300 psi Whip Hose, Couplers and additional 427 RAC X SwitchTip
- 289585 Inline Heavy-Duty Texture Gun Hose Kit with LTX643 SwitchTip
1/2 in x 50 ft (13 mm x 15 m) 4000 psi Hose, 3/8 in x 12 ft (9.5 mm x 3.6 m) Whip Hose, Swivel and Fittings



HOPPER

- 287987 25 Gallon (95 Liter) Texture Hopper Directly connects to Mark IV, Mark V, Mark X 240 Volt.



ADDITIONAL ACCESSORIES

- 244052 Heavy-Duty Texture Gun Air Atomizer Kit with Air Hose
Minimum air compressor rating of 15 cfm at 90 psi.
- 244223 Heavy-Duty Texture Gun Air Atomizer Kit without Air Hose
Minimum air compressor rating of 15 cfm at 90 psi
- 289669 208-Liters Siphon Kit for Mark X 240 Volt

SMALL & MIDSIZE ELECTRIC AIRLESS SPRAYER SPECIFICATIONS

		390 PC	Ultra 395 PC	Ultra Max II 490 PC Pro	Ultra Max II 495 PC Pro
SPECIFICATIONS	Maximum Tip Size	0.021	0.023	0.023	0.025
	Maximum psi (bar)	3300 (227)	3300 (227)	3300 (227)	3300 (227)
	Maximum gpm (lpm)	0.47 (1.8)	0.54 (2.0)	0.54 (2.0)	0.60 (2.3)
	Motor hp	5/8 DC	7/8 TEFC DC	1.0 Brushless DC	1.2 Brushless DC
	Weight lb (kg)	30 (14) Stand	42 (19) Stand	34 (15) Stand	34 (15) Stand
	Gun Support: 1 Gun	0.021	0.023	0.023	0.025



Small Electrics				Mid-Sized Electrics	
MODEL	Cart Design- Part Number	17C310–Stand 110 V 17C386–Stand 230 V 17C313–Hi-Boy 110 V 17C388–Hi-Boy 230V	17C314–Stand 110 V 17C390–Stand 230 V 17C317–Hi-Boy 110 V 17C408–Hi-Boy 230V	17C327–Stand 110 V 17C395–Stand 230 V	17C333–Stand 110 V 17C398–Stand 230 V 17C335–Hi-Boy 110 V 17C402–Hi-Boy 230V 17C334–Lo-Boy 110 V 17C401–Lo-Boy 230V
	INCLUDES	Gun	FTx	Contractor – 110 V FTx – 230 V	Contractor
INCLUDES	Hose	1/4 in x 50 ft (6.4 mm x 15 m) BlueMax II Airless	1/4 in x 50 ft (6.4 mm x 15 m) BlueMax II Airless	1/4 in x 50 ft (6.4 mm x 15 m) BlueMax II Airless	1/4 in x 50 ft (6.4 mm x 15 m) BlueMax II Airless
	Tip	RAC X 515	RAC X 517	RAC X 517	RAC X 517
	Filter	60 Mesh Easy Out	60 Mesh Easy Out	60 Mesh Easy Out	60 Mesh Easy Out
	ADDITIONAL SERIES FEATURES	—	—	Digital Display	Digital Display
ENDURANCE PUMP	Type	ProConnect	ProConnect	ProConnect	ProConnect
	Rod	Chromex	Chromex	Chromex	Chromex
	Cylinder	Hardened SST	Hardened SST	Hardened SST	Hardened SST
CONTROL & DRIVE	Control	Electronic	SmartControl 1.0	SmartControl 2.5	SmartControl 2.5
	Motor	DC	TEFC DC	MaxPower	MaxPower
ENDURANCE PUMP	Replacement Pump	17C487	17C487	17C487	17C487
WEAR PARTS	Repair Kit	244194	244194	244194	244194
	Rod	24W617	24W617	24W617	24W617
	Cylinder	24W619	24W619	24W619	24W619
	Intake Seat Kit	246429	246429	246429	246429
MANUALS	English	334567	334446	334530	334530
	Spanish	334590	334488	334552	334552
	Portuguese	334585	334483	334547	334547

LARGE ELECTRIC AIRLESS SPRAYER SPECIFICATIONS

		Ultra Max II 695	Ultra Max II 795	Ultra Max II 1095
SPECIFICATIONS	Maximum Tip Size	0.031	0.033	0.035
	Maximum psi (bar)	3300 (227)	3300 (227)	3300 (227)
	Maximum gpm (lpm)	0.95 (3.6)	1.10 (4.1)	1.20 (4.5)
	MaxPower Motor hp	2.0 Brushless DC	2.2 Brushless DC	2.4 Brushless DC
	Control	SmartControl 3.0	SmartControl 3.0	SmartControl 3.0
	Weight lb (kg)	93 (42) Standard Hi-Boy	98 (44) Standard	120 (55) Standard
	Gun Support:			
1 Gun	0.031	0.033	0.035	
2 Guns	0.023	0.025	0.027	
3 Guns	—	0.019	0.021	



SERIES TYPE		STANDARD	PROCONTRACTOR	STANDARD	PROCONTRACTOR	STANDARD	PROCONTRACTOR	IRONMAN
MODEL	Cart Design—Part Number	16W892—Hi-Boy 110 Volt 16X660—Hi-Boy 230 Volt 16W893—Lo-Boy 110 Volt 16X812—Lo-Boy 230 Volt	16W894—110 Volt 16Y639—230 Volt	16W895—110 Volt 16X870—230 Volt	16W896—110 Volt 16Y895—230 Volt	16W899—110 Volt 16X881—230 Volt	16W900—110 Volt 16Y832—230 Volt	16W901—110 Volt 16Y871—230 Volt
	Gun	Contractor	Contractor	Contractor	Contractor	Contractor	Contractor	Silver Plus
INCLUDES	Hose	1/4 in x 50 ft (6.4 mm x 15 m) BlueMax II Airless	1/4 in x 50 ft (6.4 mm x 15 m) AND 1/4 in x 50 ft (6.4 mm x 15 m) BlueMax II Airless	1/4 in x 50 ft (6.4 mm x 15 m) BlueMax II Airless	1/4 in x 50 ft (6.4 mm x 15 m) AND 1/4 in x 50 ft (6.4 mm x 15 m) BlueMax II Airless	1/4 in x 50 ft (6.4 mm x 15 m) BlueMax II Airless	1/4 in x 50 ft (6.4 mm x 15 m) AND 1/4 in x 50 ft (6.4 mm x 15 m) BlueMax II Airless	1/4 in x 50 ft (6.4 mm x 15 m) AND 3/8 in x 50 ft (9.5 mm x 15 m) BlueMax II Airless
	Tip	RAC X 517	RAC X 517	RAC X 517	RAC X 517	RAC X 517	RAC X 517	RAC X 517, RAC X Wide RAC 1231
	Filter	60 Mesh Easy Out	60 Mesh Easy Out	60 Mesh Easy Out	60 Mesh Easy Out	60 Mesh Easy Out	60 Mesh Easy Out	60 Mesh Easy Out
PUMP	Type	QuikChange System	ProConnect System	QuikChange System	ProConnect System	QuikChange System	ProConnect System	ProConnect System
	Rod	Chromex	Chromex	Chromex	Chromex	Chromex	Chromex	MaxLife
	Sleeve	Hardened SST	Hardened SST	Hardened SST	Hardened SST	Hardened SST	Hardened SST	MaxLife
ADDITIONAL SERIES FEATURES		—	QuikReel	—	QuikReel	—	QuikReel	Roll Cage Frame
		—	FastFlush	—	FastFlush	—	FastFlush	FastFlush
		—	LED Display	—	LED Display	—	LED Display	LED Display
		—	WatchDog	—	WatchDog	—	WatchDog	WatchDog
		—	On-Board Toolbox	—	On-Board Toolbox	—	On-Board Toolbox	Flat-Proof Tires
WEAR PARTS	Replacement Pump	16Y598	16X414	16Y598	16X414	16Y706	16X419	16X420
	Repair Kit	248212	248212	248212	248212	248213	248213	248213/16X430*
	Rod	248206	16X434	248206	16X434	248207	16X435	16X436
	Sleeve	248209	248209	248209	248209	248210	248210	257031
	Intake Seat Kit	239922	239922	239922	239922	244199	244199	244199
MANUAL	Operation	332916	332916	332916	332916	332916	332916	332916
	Parts	332918	332918	332918	332918	332918	332918	332918
	Pump	333028	332922	333028	332922	333028	332922	332922

*Kit includes ceramic inlet and outlet check balls.

WARRANTY SPRAY PROTECTION

We stand behind every piece of equipment we manufacture with the industry's strongest warranty. Spray with the confidence that you will probably never need to use Graco's warranty, but if you do. . . ***we will be there.***


3-YEAR WARRANTY Coverage against defects in materials and workmanship on the entire sprayer.

**NOBODY ELSE BUILDS
SPRAYERS LIKE THIS.**

		TexSpray Mark IV		TexSpray Mark V		TexSpray Mark X	
		120 Volt	240 Volt	120 Volt	240 Volt	240 Volt	
SPECIFICATIONS	Maximum Tip Size	0.033	0.031	0.039	0.035	0.045	
	Maximum psi (bar)	3300 (227)	3300 (227)	3300 (227)	3300 (227)	3300 (227)	
	Maximum lpm	4.1	3.6	5.1	4.5	7.9	
	MaxPower Motor hp	2.2 hp Brushless DC	2.0 hp Brushless DC	2.8 hp Brushless DC	2.2 hp Brushless DC	4.0 hp Brushless DC	
	Control	SmartControl 3.0					
	Weight kg	49	49	61	61	64	
	Compressor Air Output	Compressor and Air Atomizer Kit required for some texture finishes.	Compressor and Air Atomizer Kit required for some texture finishes.	Compressor and Air Atomizer Kit required for some texture finishes.	Compressor and Air Atomizer Kit required for some texture finishes.	Compressor and Air Atomizer Kit required for some texture finishes.	



SERIES TYPE		STANDARD	PROCONTRACTOR	STANDARD	PROCONTRACTOR	IRONMAN	STANDARD	PROCONTRACTOR
MODEL	Part Number	16W897-120 Volt 16X956-230 Volt	16W898-120 Volt 16Y894-230 Volt	16W905-120 Volt 16X967-230 Volt	16W906-120 Volt 16Y867-230 Volt	16X947-120 Volt 16Y874-230 Volt	16Y536	16Y913
	Gun	FlexPlus	FlexPlus	Heavy-Duty Texture	Heavy-Duty Texture	Heavy-Duty Texture	Heavy-Duty Inline Texture	Heavy-Duty Inline Texture
INCLUDES	Hose	3/8 in x 50 ft (9.5 mm x 15 m)	3/8 in x 100 ft (9.5 mm x 30 m)	3/8 in x 50 ft (9.5 mm x 15 m)	3/8 in x 100 ft (9.5 mm x 30 m)	3/8 in x 100 ft (9.5 mm x 30 m)	1/2 in x 50 ft (13 mm x 15 m)	1/2 in x 100 ft (13 mm x 30 m)
	Tip(s)	RAC X 425	RAC X 425	RAC X 427 and 531	RAC X 427 and 531	RAC X 427 and 531	RAC X 531 and 541	RAC X 531 and 541
	Filter	60 Mesh Easy Out						
	PUMP	Type	QuikChange System	ProConnect 2	QuikChange System	ProConnect 2	ProConnect 2	QuikChange System
ADDITIONAL SERIES FEATURES	Rod	Chromex						
	Sleeve	Hardened SST						
		-	QuikReel	-	QuikReel	Roll Cage Frame	-	QuikReel
		-	FastFlush	-	FastFlush	LED Display	-	-
		-	LED Display	-	LED Display	WatchDog	-	LED Display
		-	WatchDog	-	WatchDog	Flat-Proof Tires	-	WatchDog
	-	On-Board Toolbox	-	On-Board Toolbox	FastFlush	-	On-Board Toolbox	
MANUAL	Operation	332916	332916	332916	332916	332916	332916	332916
	Parts	332918	332918	332918	332918	332918	332918	332918
TYPICAL APPLICATIONS	Materials Sprayed	Oil-based coatings, enamels, latex, block-fillers, elastomers, epoxies, drywall mud and other high-build materials	Oil-based coatings, enamels, latex, block-fillers, elastomers, epoxies, drywall mud and other high-build materials	Oil-based coatings, enamels, latex, block-fillers, elastomers, epoxies, drywall mud and other high-build materials	Oil-based coatings, enamels, latex, block-fillers, elastomers, epoxies, drywall mud and other high-build materials	Oil-based coatings, enamels, latex, block-fillers, elastomers, epoxies, drywall mud and other high-build materials	Oil-based coatings, enamels, latex, block-fillers, elastomers, epoxies, drywall mud and other high-build materials	Oil-based coatings, enamels, latex, block-fillers, elastomers, epoxies, drywall mud and other high-build materials
	Surfaces	Medium to large residential and commercial interiors and exteriors	Medium to large residential and commercial interiors and exteriors	Medium to large residential and commercial interiors and exteriors	Medium to large residential and commercial interiors and exteriors	Large commercial and industrial interiors and exteriors	Large residential and commercial interiors and exteriors	Large residential and commercial interiors and exteriors





ABOUT GRACO

PROVEN QUALITY. LEADING TECHNOLOGY.

Founded in 1926, Graco is a world leader in fluid handling systems and components. Graco products move, measure, control, dispense and apply a wide range of fluids and viscous materials used in vehicle lubrication, commercial and industrial settings.

The company's success is based on its unwavering commitment to technical excellence, world-class manufacturing and unparalleled customer service. Working closely with qualified distributors, Graco offers systems, products and technology that set the quality standard in a wide range of fluid handling solutions. Graco provides equipment for spray finishing, protective coating, paint circulation, lubrication, and dispensing sealants and adhesives, along with power application equipment for the contractor industry. Graco's ongoing investment in fluid management and control will continue to provide innovative solutions to a diverse global market.

GRACO LOCATIONS

MAILING ADDRESS

P.O. Box 1441
Minneapolis, MN 55440-1441
Tel: 612-623-6000
Fax: 612-623-6777

AMERICAS

MINNESOTA

Worldwide Headquarters
Graco Inc.
88-11th Avenue N.E.
Minneapolis, MN 55413

EUROPE

BELGIUM

European Headquarters
Graco N.V.
Industrieterrein-Oude Bunders
Slakweidestraat 31
3630 Maasmechelen,
Belgium
Tel: 32 89 770 700
Fax: 32 89 770 777

ASIA PACIFIC

AUSTRALIA

Graco Australia Pty Ltd.
Suite 17, 2 Enterprise Drive
Bundoora, Victoria 3083
Australia
Tel: 61 3 9468 8500
Fax: 61 3 9468 8599

CHINA

Graco Hong Kong Ltd.
Shanghai Representative Office
Building 7
1029 Zhongshan Road South
Huangpu District
Shanghai 200011
The People's Republic of China
Tel: 86 21 649 50088
Fax: 86 21 649 50077

INDIA

Graco Hong Kong Ltd.
India Liaison Office
Room 443, Augusta Point
Regus Business Centre 53
Golf Course Road
Gurgaon, Haryana
India 122001
Tel: 91 124 435 4208
Fax: 91 124 435 4001

JAPAN

Graco K.K.
1-27-12 Hayabuchi
Tsuzuki-ku
Yokohama City, Japan 2240025
Tel: 81 45 593 7300
Fax: 81 45 593 7301

KOREA

Graco Korea Inc.
Shinhan Bank Building
4th Floor #1599
Gwanyang-Dong, Dongan-Ku,
Anyang-si, Korea 431-060
Tel: 82 31 476 9400
Fax: 82 31 476 9801

SALES/ DISTRIBUTION/ SERVICE

Call today for product information or to request a demonstration.

800-690-2894 or visit us at www.graco.com.

Graco Inc. is registered to I.S. EN ISO 9001

North America
Customer Service
800-690-2894
Fax 800-334-6955