

## **TEXTURE SPRAYERS**

Graco's Complete Line of Professional Texture Sprayers



PROVEN QUALITY. LEADING TECHNOLOGY.



# THE MOST COMPLETE AND HIGHEST PERFORMING TEXTURE SPRAYER LINE

Experienced contractors know the difference. Graco professional texture sprayers are recognized as solid investments that perform reliably, year after year. Regardless of your texture application—decorative or smooth finishes, exterior or interior—Graco has a complete solution for you.

#### TRUST YOUR BUSINESS AND REPUTATION TO GRACO

Graco is committed to providing the highest quality texture airless sprayers available, backed by the industry's best warranty.

#### **AMERICAN BUILT QUALITY SINCE 1926**

100% factory-tested and field-proven Graco professional texture sprayers are designed, manufactured, and assembled in the USA with global components.

#### **INDUSTRY-LEADING WARRANTY**

Behind every Graco sprayer is the industry's strongest warranty. You may never use Graco's warranty — but if you do, we will be there.



#### **GRACO-ONLY SOLUTIONS THAT KEEP YOU SPRAYING**



PATENT PENDING

## THE LONGEST LASTING PUMPS EVER BUILT

- Longest life in the industry with Vortex™ rotating piston rod
- 6X more gallons sprayed between repacks
- Extends pump rod life by 3X
   — delivering the industry's lowest cost of ownership



PATENT PENDING

- The first motor ever designed specifically for airless spray

   The pays sound of quality.
- The new sound of quality with near silent operation.
- Rapid-Response<sup>™</sup> Control
   Delivers the world's steadiest running pressure



(PATENTED)

#### STREAMLINE YOUR BUSINESS WITH BLUELINK™ SYSTEM

- Track every sprayer exact location and hourly productivity
- Know job progress ensure you're on time with needed materials
- Maximize uptime set maintenance schedules, alerts and jobsite notes

## SELECTABLE PERFORMANCE

GRACO EXCLUSIVE

#### WITH THE PUSH OF A BUTTON

- Low Pressure Mode:

   Optimized performance range to eliminate over spray and improve finish
- High Pressure Mode:
   Offers maximum
   performance for extended
   hose lengths and difficult
   to atomize materials



PATENTED

## THE EASIEST MAINTENANCE

- ProConnect<sup>™</sup> 2 swap your pump in minutes with no tools
- Eliminates costly jobsite downtime
- QuikPak<sup>™</sup>— repack your pump in minutes



GRACO EXCLUSIVE

#### SMARTSTART™ SYSTEM

- Automatically start and stop the pump and compressor
- Soft-start eliminates material blasts to ensure a quality finish
- Reduces noise and vibration while extending pump and compressor life



PATENT PENDING

#### WIDETEX™

- Delivers wide fan-spray pattern to finish faster
- Delivers the most consistent pattern
- Eliminates fatigue associated with circular gun movement

#### Pressure **Boost**

PATENTED

## PRESSURE BOOST TECHNOLOGY

- Exclusive pressurized hopper gun design
- 6X faster than traditional hopper guns
- The power of a large spray rig in the palm of your hand



# GET THE INTERIOR AND EXTERIOR FINISH YOU WANT

With the widest selection of texture sprayers to choose from and a host of performance enhancing accessories, there is a Graco texture sprayer to help you complete your projects—no matter what finish you desire.



INTERIOR TEXTURE					EXTERIOR TEX	<b>TURE</b>		
	SIMULATED ACOUSTIC (POPCORN)	ORANGE PEEL, FINE SPLATTER	SPLATTER	KNOCKDOWN	SMOOTH, LEVEL 5, AND SKIM COAT	TEXTURED ACRYLICS AND ELASTOMERICS	EIFS AND SYNTHETIC STUCCO FINISH COATS	DECK COATINGS
COMMONLY USED MATERIALS	Ceiling Spray Textures Containing Polystyrene or Vermiculite Aggregate (Fine, Medium, Coarse)	All-Purpose Joint Compounds Lightweight Joint Compounds Wall and Ceiling Spray Textures	All-Purpose Joint Compounds Lightweight Joint Compounds Wall and Ceiling Spray Textures	All-Purpose Joint Compounds Lightweight Joint Compounds Wall and Ceiling Spray Textures	All-Purpose Joint Compounds Lightweight Joint Compounds Wall and Ceiling Spray Textures Skim Coat Materials Wall Surfacing Materials	Textured Acrylic Materials Textured Elastomeric Materials	Textured Acrylic Materials Used as the Final Coat in a Multi layered Wall System	Decorative and Anti-skid Deck Coatings
SPRAYER RECOMMENDATIONS  MIN	Gravity-Fed Hopper Gun FastFinish® Hopper Gun RTX*1400sl RTX 2500Pl RTX 5000Pl GTX 2000Ex HTX® 2030 10:1 President® T-MAX 6912®	Gravity-Fed Hopper Gun FastFinish Hopper Gun RTX 1400sı RTX 2500Pı RTX 5000Pı GTX 2000Ex T-MAX 6912 Mark IV HD Mark V HD Mark X HD GMAX II 5900 HD GMAX II 7900 HD HTX 2030 DutyMax GH 230 HD DutyMax GH 300 HD	Gravity-Fed Hopper Gun FastFinish Hopper Gun RTX 1400s RTX 2500Pl RTX 5000Pl GTX 2000ex T-MAX 6912 Mark IV HD Mark V HD Mark X HD GMAX II 5900 HD GMAX II 7900 HD HTX 2030 DutyMax GH 230 HD DutyMax GH 300 HD	Gravity-Fed Hopper Gun  FastFinish Hopper Gun  RTX 1400sl  RTX 2500pl  GTX 2000ex  T-MAX 6912"  Mark IV HD*  Mark V HD*  GMAX II 5900 HD*  GMAX II 7900 HD*  HTX 2030  DutyMax GH 230 HD*  DutyMax GH 300 HD*	Mark IV HD  Mark V HD  Mark X HD  GMAX II 5900 HD  GMAX II 7900 HD  HTX 2030  DutyMax GH 230 HD  T-MAX 6912	Gravity-Fed Hopper Gun  FastFinish Hopper Gun  RTX 5000px  RTX 5500px  Use with aggregates up to 3 mm  HTX 2000ex  Use with aggregates up to 2 mm  HTX 2030  Use with aggregates up to 2.0 mm  10:1 President  Use with aggregates up to 2.0 mm  T-MAX 6912"  Use with aggregates up to 2.0 mm	Gravity-Fed Hopper Gun FastFinish Hopper Gun RTX 5000px -RTX 5500px Use with aggregates up to 3 mm GTX 2000ex Use with aggregates up to 2 mm HTX 2030 Use with aggregates up to 2.0 mm 10:1 President Use with aggregates up to 2.0 mm T-MAX 6912 Use with aggregates up to 2.0 mm	Gravity-Fed Hopper Gun  FastFinish Hopper Gun  RTX 5000px  RTX 5500px  Use with aggregates up to 3 mm  T-MAX 6912  Use with aggregates up to 2.0 mm
TEXTURE ACCESSORIES	WIDETEX KIT − 24\$142 (RTX 1500, GTX 2000ы) SIPHON KIT − 248112 (GTX 2000ы) AIR LINE KIT − 248117 (GTX 2000ы)	WIDETEX KIT – 24S142 (RTX 1500, GTX 2000€)  SIPHON KIT – 248112 (GTX 2000€)  AIR LINE KIT – 248117 (GTX 2000€)  AIR ATOMIZER KIT – 18H255 (AII MARK HD, GMAX II HD, DutyMax HD)  25 GAL. HOPPER – 287987 (AII MARK HD, Gmax II HD, DutyMax HD, HTX 2030)  55 GAL. SIPHON SET – 289669 (Mark X HD, Gmax II 7900 HD, DutyMax GH 230 HD, DutyMax GH 300 HD)	WIDETEX KIT – 24\$142 (RTX 1500, GTX 2000ex)  SIPHON KIT – 248112 (GTX 2000ex)  AIR LINE KIT – 248117 (GTX 2000ex)  AIR ATOMIZER KIT – 18H255 (AII MARK HD, GMAX II HD, DutyMax HD)  25 GAL. HOPPER – 287987 (AII MARK HD, GMAX II HD, DutyMax HD, HTX 2030))  55 GAL. SIPHON SET – 289669 (MARK X HD, GMAX II 7900 HD, DutyMax GH 230 HD, DutyMax GH 300 HD)	AIR ATOMIZER KIT – 18H255 (All Mark HD, GMAX II HD, DutyMax HD))  25 GAL. HOPPER – 287987 (All Mark HD, GMAX II HD, DutyMax HD, HTX 2030)  55 GAL. SIPHON SET – 289669 (Mark X HD, GMAX II 7900 HD, DutyMax GH 230 HD, DutyMax GH 300 HD)	25 GAL. HOPPER – 287987 (AII Mark HD, GMAX II HD, DUYMAX HD, HTX 2030) 55 GAL. SIPHON SET – 289669 (Mark X HD, GMAX II 7900 HD, DutyMax GH 230 HD, DutyMax GH 300 HD) HIGH PRESSURE PUMP KIT – 24B140 (HTX 2030)	HARDENED WIDETEX KIT – 24S143 (RTX 1500, GTX 2000ex)  EXTERNAL AIR KIT – 287328 (RTX 5500ex)	HARDENED WIDETEX KIT – 24\$143 (RTX 1500, GTX 2000ω)  EXTERNAL AIR KIT –287328 (RTX 5500ω)	HARDENED WIDETEX KIT – 24\$143 (RIX 1500, GIX 2000æ)  EXTERNAL AIR KIT – 287328 (RIX 5500æ)

\*User-supplied air compressor and Air Atomizer Kit (Part # 18H255) required for this application.

\*\* Requires user supplied air compressor. Minimum 20 SCFM recommended

## **TEXSPRAY FASTFINISH TEXTURE SPRAY SYSTEM**

Finish small texture jobs up to 6X faster! Innovative system uses air to boost performance and deliver a superior spray finish.



#### **TEXSPRAY FASTFINISH PRO TEXTURE SPRAY SYSTEM INCLUDES:**

#### **FASTFINISH CF9 AIR** COMPRESSOR PATENT PENDING

#### Powerful 9 cfm @ 40 psi (Maximum pressure 60 psi)

Better atomization and projection

#### **Heavy-Duty 2 HP AC Motor**

• 120 V, 15 amp

#### **Piston-Powered Tankless Design**

- 4X larger passageways deliver 30% more airflow
- Always ready to spray: no draining or maintenance

#### **Light and Portable Cart Design**

**SPRAYS ALL FINISHES** 

Acoustics

· Drywall mud

Knockdown

Orange peel

Fine concrete overlays

Splatter

One-person loading

#### **FASTFINISH** PRESSURE-BOOSTED HOPPER GUN (PATENTED)

4 mm. 6 mm. 8 mm Nozzles

#### WideTex Fan Spray Kit

Sealed Hopper to keep material fresh

· Spray overhead and in tight spaces without spills

#### 3/8 IN X 50 FT PREMIUM NON-MARKING **AIR HOSE**



TEXSPRAY FASTFINISH	PART #	INCLUDES
ILAGI HATTAGITINIGH	I AILI #	INOLODES
FastFinish Pro Texture Spray System	25D492	FastFinish Pressure-Boosted Gun, CF9 Compressor, 3/8 in x 50 ft Air Hose
FastFinish Standard Texture Spray System	25D494	G-TEX Gravity-Feed Gun, CF9 Compressor, 3/8 in x 50 ft Air Hose
FastFinish CF9 Air Compressor	25D490	CF9 Air Compressor Only
FastFinish Pressure-Boosted Hopper Gun	25D496	FastFinish Pressure-Boosted Gun, 1.5 Gallon Hopper, 3 Nozzles, WideTex
G-TEX Gravity-Feed Hopper Gun	25D497	G-TEX Gravity-Feed Gun, 1.5 Gallon Hopper, 3 Nozzles

Fireproofing

Much more

## **CHOOSE THE RIGHT SERIES OF TEXTURE SPRAYER**

With a Graco air compressor built in, these air-assisted texture sprayers are complete "out-of-the-box" solutions that are built to make your work easier, faster, and more productive.

Only Graco is committed to professional texture contractors by offering the widest variety of texture solutions.



#### **EVERYDAY RELIABILITY**

#### **Residential and Remodel Contractor**

- Applying texture periodically
- Jobs are often smaller
- Need everyday reliability
- · Don't need extra features



**Large Residential and Commercial Interior Contractor** 

- Applying texture every day
- Tackle medium to large projects
- Moving frequently from job to job
- Need time-saving features to get on to the next job



#### **FOR THE TOUGHEST JOBS**

**Large Commercial and Commercial Exterior Contractor** 

- Applying exterior texture finishes often
- · Complete small, medium and large jobs
- Need a powerful yet compact sprayer for a wide range of materials



PRO INTERIOR

SERIES

**INTERIOR JOBS** 

**EXTERIOR JOBS** 

## RTX STANDARD INTERIOR SERIES **EVERYDAY RELIABILITY**

RTX Standard Interior Series sprayers are designed for the residential and repaint contractor that demands everyday reliability.



#### **GET THE JOB DONE QUICKLY**

#### **Jobsite-Proven RotoFlex II Pump**

Innovative braided pump tube for longest life

## 1.4 gpm output

#### **33% MORE AIR FOR DEMANDING FINISHES**

#### **High-Output 6.1 cfm Air Compressor**

- · High-output, maintenance-free design
- · Projects materials farther

#### **IMPROVED POWER AND** PERFORMANCE

#### 120 V AC High-Output Electric Motor

• Optimized single-motor design operates air compressor and RotoFlex™ pump

#### **IMPROVED HANDLING** AND FLEXIBILITY

#### **Skip-Bond Material/Air Hose**

 Both hoses are permanently bonded together for easy handling

#### **ELIMINATE COSTLY DOWNTIME**

#### **FlexChange Pump Section**

• Swap your RotoFlex pump in seconds no tools required

#### MAXIMUM CONTROL

#### **Adjustable Material Flow Control**

· Quickly adjust material flow up or down with easy-to-read gauge

#### **COMFORTABLE SPRAYING**

#### **Lightweight Spray Gun**

· Easy-to-use air and trigger adjustments in a durable, corrosion-resistant design

#### **CONVENIENT STORAGE**

#### Onboard Toolbox

· Conveniently store nozzles and accessory items

TEXSPRAY RTX STANDARD INTERIOR SERIES	PART #	GPM (LPM
TexSpray RTX 1400sı	17H572	1.4 (5.3)

## RTX PRO INTERIOR SERIES PROMITERIOR

## **WORK SMARTER, FINISH MORE JOBS**

Optimized texture systems perfect for contractors seeking time-saving features to increase productivity to get to the next jobsite faster.



#### **RTX Pro Interior Series** sprayers include:

- RotoFlex Pump
- High-Output Air Compressor
- FlexChange Pump Section



#### **PLUS** TRIGGER-ACTIVATED POWER **SmartStart System**

- Automatically start and stop the pump and compressor
- Soft-start eliminates material blasts to ensure a quality finish
- · Reduces noise and vibration while extending pump and compressor life



**TEXSPRAY RTX PRO INTERIOR SERIES** 

TexSpray RTX 2500PI

TexSpray RTX 5000PI

#### **TOTAL SPRAY CONTROL** Heavy-Duty Aluminum Trigger Gun

 Select prime mode at the gun with Integrated Prime Selector

 Spray more material longer with durable aluminum design and oversized passages

PART #

17U219

17H575

5.0 (18.9)

#### **MORE AIR FOR DEMANDING FINISHES**

Twin-Cylinder Air Compressor (5000PI only)

· High-output, maintenance-free design runs at lower RPM for longest life

#### **INCREASE PRODUCTIVITY BY OVER 20%**

**WideTex Tips and Adapter** 

· Spray uniform, repeatable patterns with less material and pressure adjustment

#### **IMPROVED HANDLING AND FLEXIBILITY**

**Skip-Bond Material/Air Hose** 

· Both hoses are permanently bonded together for easy handling









## **RTX PRO EXTERIOR SERIES** TACKLE EXTERIOR JOBS OF ALL SIZES

Ideal for large residential and commercial contractors needing a compact yet powerful texture sprayer capable of handling a wide variety of materials, such as synthetic stuccos, deck coatings, and more.

#### **RTX Pro Exterior Series** sprayers include:

- RotoFlex Pump
- FlexChange Pump Section

#### **PLUS TRIGGER-ACTIVATED POWER SmartStart System**

- Automatically start and stop the pump and compressor
- Soft-start eliminates material blasts to ensure a quality finish
- · Reduces noise and vibration while extending pump and compressor life

#### **MORE AIR FOR DEMANDING FINISHES**

**Twin-Cylinder Air Compressor** 

· High-output, maintenance-free design runs at lower RPM for longest life

#### **INCREASE PRODUCTIVITY BY OVER 20%**

**WideTex with Hardened Tips and Adapter** 

- Spray uniform, repeatable patterns with less material and pressure adjustment
- 2X harder than Standard WideTex tips!

#### ADDED AIR CAPABILITY **External Air Input**

· Allows external air to be used for demanding finishes

## **TOTAL SPRAY CONTROL**

**Heavy-Duty Aluminum Trigger Gun** 

- Select prime mode at the gun with Integrated Prime Selector
- · Spray more material longer with durable aluminum design and oversized passages

#### **IMPROVED HANDLING** AND FLEXIBILITY

**Heavy-Duty Material/Air Hose** 

• Both hoses are permanently bonded together for easy handling

#### **240 V POWER OPTION**

**TexSpray RTX 5500PX** 

 Connects to standard 220-240 V L6-30 receptacles (3 wire) on most distribution boxes or generators



**TEXSPRAY RTX PRO EXTERIOR SERIES** GPM (LPM) PART # TexSpray RTX 5000px 17H579 5.0 (18.9) 17H581 TexSpray RTX 5500px 5.5 (20.8)

GAS-POWERED AGGREGATE

AIR-POWERED TEXTURE

# HTX 2030 GAS MECHANICAL TEXTURE SPRAYER

#### **SPRAY THE MOST DEMANDING MATERIALS**

The HTX 2030 is specifically engineered to spray nearly everything — from exterior smooth and aggregate coatings, elastomerics, acrylic coatings, drywall mud finishes, as well as paints and primers, with the available high-pressure MaxLife® Endurance™ Pump.



## TIME-SAVING PRODUCTION RATES

#### **High-Output Texture Pump**

- Pump aggregated materials up to 2.0 mm with extra large passages
- More uptime with no-tools hose connections at pump and gun
- Consistent, optimal performance with innovative foot valve soft seal



#### **FULL-RANGE FLOW CONTROL**

#### PowerFlo™ Control System

- Remotely stops and starts material flow right at the pump
- Smooth, controlled material flow prevents pack-out conditions
- Soft start eliminates material blast to ensure finish quality

## REDUCED PACK-OUT CONDITIONS

#### StraightThru™ Fluid Path

Easily spray more demanding and aggressive aggregate materials

#### **APPLICATORS FOR EVERY JOB**

#### FreeFlo™ Inline Gun

 Maximum flow from oversized, unobstructed fluid passages

#### **NEW! STX Trigger Gun Applicator**

- Virtually eliminates pack-out, while providing a soft-start when trigger is pulled
- Automatically turns on/off pump with trigger for easier operation
- Ideal for spraying EIFS and synthetic stucco finish coats
- Consistent material coverage in either a round pattern or wide fan pattern

#### 3 ft Pole Gun\*

- Extended reach to minimize repositioning of lifts and ladders
- · Spray in a wide fan pattern

#### FlexHead™ Pole Gun\*

- Greater control in tight areas on scaffolding and around architectural detail
- Spray in a wide fan pattern

#### **TEXTURE APPLICATIONS**

Interior and exterior texture finishes with aggregate size up to 2.0 mm



(Popcorn)	Elastomerics	Finish Coats	(Airless)	(Airless)
TEXSPRAY HTX			PART #	GPM (LPM)
TexSpray HTX 2030 Complete with FreeFl	lo Inline Gun with 50 f	Hose	258740	3.0 (11.4)
TexSpray HTX 2030 Complete with STX Ti	rigger Gun Applicator	with 50 ft Hose	26C681	3.0 (11.4)
TexSpray HTX 2030 Complete with STX Ti	rigger Gun with 100 ft	Hose	26C682	3.0 (11.4)
TexSpray HTX 2030 Complete Plus+ with	FreeFlo Inline Gun wit	h 50 ft Hose	258741	3.0 (11.4)
TexSpray HTX 2030 Complete Plus+ with	STX Trigger Gun Appl	icator with 50 ft Hose	26C683	3.0 (11.4)
TexSpray HTX 2030 Complete Plus+ with	STX Trigger Gun with	100 ft Hose	26C684	3.0 (11.4)

## TexSpray HTX 2030 Complete







## **AIR-POWERED TEXTURE SPRAYERS**

## HIGH-PERFORMANCE SOLUTIONS FOR HEAVY-DUTY JOBS

Powered by your external air compressor, these air-powered texture solutions get the job done fast — whether coating a large interior surface or applying an exterior aggregate finish on a large commercial job.



#### **GTX 2000EX**

A highly portable texture system for both smooth materials and those with fine aggregates, the GTX 2000EX is the ideal solution for drywall muds, deck coatings, and exterior aggregate acrylic and elastomeric finishes.

TEXSPRAY GTX	PART #	GPM (LPM)
TexSpray GTX 2000EX	257030	4.0 (15.1)

## JOBSITE-PROVEN PERFORMANCE

#### Husky<sup>™</sup> 1040 Double Diaphragm Pump

• Texture delivery rates to 4.0 gpm from durable, high-output 1-inch pump

## **DURABLE, USER-FRIENDLY SPRAYING**

#### Air Spray Heavy-Duty Trigger Gun

- Pump heavy mud mixes and larger aggregate with oversized fluid passages
- Quick nozzle changes with extra-coarse gun head threads

#### **LONGER SPRAY TIME**

#### **Largest 17-Gallon Capacity Hopper**

• Easy cleanup and removal with no tools

#### **COMPLETE CONTROL**

#### **Separate Pump/Gun Air Controls**

 Produce precise, consistent, and repeatable texture finishes

#### IMPROVED HANDLING AND FLEXIBILITY

#### **Skip-Bond Material/Air Hose**

- Both hoses are permanently bonded together for easy handling
- Oversized grip with no-tools hose connection

## MOISTURE BUILDUP ELIMINATED

#### **Onboard Air Filtration**

 Automatically filters air to keep your sprayer running at optimal performance



#### **PRESIDENT 10:1**

The President 10:1 is the ideal solution when you need to pump from a drum. This proven sprayer is ideal for smooth to heavily aggregated materials containing silica sand, perlite, vermiculite, or polystyrene.

#### **EASY SETUP AND OPERATION**

#### **EvenFlow® Valve**

 Smooth, even material flow with air regulators and pressure gauges

#### **CONSISTENT FINISH QUALITY**

#### Relax-A-Valve (Carbon Steel Model Only)

• Eliminates the material blast and ensures a soft start with easy trigger pull

## TIME-SAVING PRODUCTION RATIOS

#### **High-Output Piston Pump**

- Submerged foot valve ensures the pump is preloaded with material
- Texture delivery rates to 3.0 gpm (11 lpm) at 1000 psi (69 bar)
- Available in both carbon steel and stainless steel

#### MAINTENANCE-FREE DESIGN

#### **Heavy-Duty Graco Air Motor**

 Proven air motor delivers years of reliable, dependable operation

## EASY DRUM MOUNTING Convenient Drum Mount Setup

#### Convenient Drum Mount Setup

- Save space in your truck or on the job by mounting directly to material containers
- Use in open or closed head drums (carbon steel units)

PRESIDENT 10:1	PART #	GPM (LPM)
President 10:1 Carbon Steel Complete*	225886	3.0 (11.4)
President 10:1 Carbon Steel Complete*	225877	3.0 (11.4)
President 10:1 SST Complete*	987429	3.0 (11.4)
President 10:1 SST Bare*	954088	3.0 (11.4)

\*Sold separately.

**ELECTRIC POWERED AGGREGATE AIRLESS TEXTURE** 

## **TEXSPRAY T-MAX™ 6912**

#### THE NEXT LEVEL IN POWER AND VERSATILITY

The Graco T-MAX 6912 provides the versatility and performance to spray almost all interior and exterior texture applications — whether you're spraying smooth compounds for interior skim coats and decorative finishes or aggregate-based materials for exterior jobs.



#### **SUPERIOR VERSATILITY FOR TEXTURE APPLICATIONS AND MATERIALS**

- · Airless: Easily apply skim coats without a compressor
- · Air-Assisted: Spray decorative finishes and heavy aggregates up to 2 mm with your external air compressor\*



#### **ULTIMATE POWER AND CAPABILITY TO HANDLE MOST TEXTURE APPLICATIONS**

• 1000 psi and 3.2 gpm from the industryproven T-MAX Pump

#### **EASY-TO-USE AND MORE** FORGIVING FOR THE BEST FINISH

- Precision pressure and flow control
- Innovative STX<sup>™</sup> Gun provides soft-start operation that eliminates material bursts

#### **EVEN MATERIAL FLOW AND LESS PACK-OUT**

Oversized passages for maximum productivity

#### **EASY TRANSPORT**

- Modular frame provides easy, no-tools connect and disconnect
- · Wheeled pump and hopper modules allow for easy, independent transport or storage

#### **SIMPLE JOBSITE OPERATION**

- Plug-in anywhere with 120 V capability
- · Keep sprayer in-place with long, extended hose lengths

## FAST, EASY CLEANUP AND PUMP MAINTENANCE

· Access pump internals in seconds without tools — even with a full hopper



#### **SPRAYS THE WIDEST RANGE OF TEXTURE MATERIALS**



\*Separate air compressor required. Requires minimum 20 SCFM air compressor.

PART #	GPM (LPM)
17Z283	3.2 (12)
17X989	3.2 (12)
17Z284	3.2 (12)
17Z703	3.2 (12)
18A556	3.2 (12)
	17Z283 17X989 17Z284 17Z703

**See T-Max** in action!



## **MARK XT HD 3-IN-1 SPRAYERS**

## **SPRAY IT ALL: PAINT, HEAVY COATINGS & TEXTURE**

Selecting the right spray equipment is critical to your business. You need a sprayer that can tackle your current jobs, but also one that gives you room to grow by expanding your capabilities. With an HD sprayer, you'll have the confidence that you'll always have the right sprayer – no matter the job!

#### **OPTIMIZED TO DELIVER MORE PERFORMANCE** THAN A TYPICAL SPRAYER TO SPRAY MORE MATERIALS

#### ONE SPRAYER. **MANY APPLICATIONS**





**TEXTURE:** Level 5, Skim Coat, Orange Peel\*, Splatter\* and Knock-Down\*



## **IMMERSION PUMP**

puts the pump inlet right in the material, eliminating

\*with air atomizer kit 18H255

**OVERSIZED MAXFLO 2 INLET** offers 4X more flow than typical pumps, and pack-

out resistance


## STAY IN CONTROL WITH BLUELINK

BlueLink connects the people and equipment that drive your business in a completely new way. Whether on the jobsite, at the office, or anywhere in between, BlueLink provides the critical information you need every day including real-time jobsite access, instant maintenance alerts, on-demand productivity reports and much more!



Compare bid accuracy — know productivity facts from anywhere!

Manage your crew and their supplies



## **LOCATE EVERY SPRAYER**

Know exact locations of your sprayers and hourly productivity

## **KNOW JOB PROGRESS**

Monitor hourly productivity to ensure job is on-time with the needed materials





## **HOW IT WORKS:**



Data is stored





profit driving results through



- FREE TO USE NO MONTHLY FEES
- TRACK YOUR WHOLE ELECTRIC FLEET
- INCLUDED ON MOST ELECTRIC MODELS
- SELECT FROM 13 LANGUAGES

# **GET STARTED**

Get BlueLink working for your business today Download the BlueLink app now!






## **NEW FOR 2024**

## **FEATURING**

## BREAKTHROUGH XTREME TORQUE MOTOR PATENT PENDING





#### FEATURING

# THE WORLD'S WIDEST & STEADIEST RUNNING PRESSURE

## EXPERIENCE NEXT-GENERATION PERFORMANCE

## SPRAY MORE JOBS WITH THE WORLD'S STEADIEST PRESSURE CONTROL

- Rapid-Response<sup>™</sup> Control eliminates pressure fluctuations by continuously monitoring pressure — 60X per motor revolution
- Instantly adjusts motor speed to eliminate 75% of pressure fluctuations for a Perfect Airless Finish™

#### WIDEST PERFORMANCE RANGE — FROM 50 TO 3,300 PSI

- · Offers the largest operating pressure range providing full control and maximum productivity
- Flexible for more applications coatings, hose lengths and tip sizes to meet every application

#### PUSH-BUTTON PERFORMANCE

- Two selectable performance modes offer unique performance levels to boost efficiency on every job
- Features a bright easy-to-read LED Display see performance from across the room

#### **MAXIMIZE UPTIME**

- TurboClean™ cleans the pump 3X faster with 1/2 the fluid
- WatchDog™ Pump Protection automatically shuts down the sprayer when out of material, preventing premature wear

# SEE THE XT DIFFERENCE

graco.com/MarkXT



# **BRING ON SAVINGS**WITH SELECTABLE PERFORMANCE



- Optimized performance range to eliminate over spray and improve finish with RAC X™ LP SwitchTips™
- Adjustable in 10 psi increments achieve extreme control down to 50 psi
- Ideal for use with Air Atomizer Kit part number 18H255



#### (H) HIGH PRESSURE PERFORMANCE MODE **500 - 3,300 PSI**

- Ideal for difficult to atomize materials, extended hose lengths or during cold running conditions
- Use this mode for the best finish with any RAC® SwitchTip





## **BREAKTHROUGH ENDURANCE VORTEX MAXLIFE** AND MAXLIFE EXTREME™ TECHNOLOGY (PATENT PENDING)

THE LONGEST LASTING PUMPS EVER BUILT





**Endurance Vortex** Chromex™ Pump Lasts 2X longer than the

next leading brand



MaxLife Pump

6X longer between



**MaxLife Extreme Pump** 

FE

Extends pump rod life by 3X delivering the industry's lowest cost of ownership



#### PATENT PENDING

Built with Graco exclusive EXTREME ROD that is an abrasion-resistant composite to deliver the most durable, hardest wear surface possible

6X more gallons sprayed between repacks — Extreme Composite extends pump rod life by 3X, delivering the industry's lowest cost of ownership





Delivers the longest pump life



#### **VORTEX TECHNOLOGY**

Rotating rod for extended life



Delivers high-velocity flow to rotate pump rod as you spray







#### **SPRAYS THE WIDEST RANGE OF COATINGS**

- Oversized clearances for maximum performance
- Maximum flow with heavy materials

#### **EASIEST SERVICE IN THE INDUSTRY**

QuikPak™ Cartridge System

Repack the entire pump in minutes

**ProConnect™ 2 Pump Replacement** 

- Complete no-tools pump replacement system
- **QuikAccess™ Intake Foot Valve**
- Clear debris faster with easy inlet ball access



#### **MAXFLO 2 WITH** PACK-OUT PROTECTION

- Self-cleaning Vibra-Seal Technology eliminates material buildup
- Continuous spraying with True Pack-Out Protection for more productivity
- Optimized fluid passageways for the heaviest coatings







#### **NEW WAY**

Modular pre-oiled cartridge packings install correctly









1) Insert pre-oiled packing

2) Remove disposable clip

3) Assemble pump

## **EXAMPLE SERIES EVERYDAY RELIABILITY FOR LARGER JOBS**

Larger coating jobs demand the proven quality and performance of Graco's Standard Series large electric sprayers to deliver a job well done, every time.



#### **MARK XT STANDARD SERIES MODELS:**

#### **NEW** UP TO 10X QUIETER OPERATION

#### **Xtreme Torque Motor Technology**

 Experience a new level of performance with the first motor ever designed specifically for airless spray

#### **WORLDS STEADIEST RUNNING PRESSURE**

#### RapidResponse Control

• Dial in 10 psi increments with the widest performance range (50-3,300 psi)

#### **PUSH BUTTON PERFORMANCE**

#### **Selectable Performance Modes**

- Low Pressure Mode: Optimized performance range to eliminate over spray and improve finish
- High Pressure Mode: Offers maximum performance for extended hose lengths and difficult to atomize materials

#### **SEE PERFORMANCE** FROM ACROSS THE ROOM

• Easy-to-Read LED Digital Display Maintain peak performance in any condition with a clear and visible display

#### THE LONGEST **LASTING DRIVE**

#### **Advantage Drive™**

· Hardened steel gears provide extremely quiet operation and a lifetime warranty

#### **FASTEST JOBSITE SERVICEABILITY**

#### **ProConnect Replacement System**

- Eliminate costly downtime
- · Quickly exchange pump in minutes on jobsite

#### **INDUSTRIES FASTEST CLEANING**

#### **TurboClean Cleaning System**

· High-velocity fluid flow clean the pump 3x faster using ½ the fluid

#### **NEW** PUMP WEAR PREVENTION

#### **WatchDog Pump Protection**

· Prevents pump damage if the material supply is too low by shutting off the pump automatically

#### **EASY OUT PUMP FILTER**

• Large Inside out filtration process ensures a quality finish



Standard Series 19F549

#### **READY TO SPRAY WITH:**

Heavy-Duty Blue Texture Gun RAC X 427 and 531 SwitchTip and Guard BlueMax II 3/8 x 50 ft (6.4 mm x 15 m) Airless Hose

## MARK XXI PROCONTRACTOR SERIES

#### **INCLUDES ALL STANDARD SERIES FEATURES**

**PLUS:** 

#### **SUPERIOR PUMP LIFE**

#### **Endurance Vortex MaxLife and MaxLife Extreme Piston Pumps**

- Innovative MaxLife Technology last 6x longer between repacks included on Mark IV XT ProContractor models
- MaxLife Extreme Technology extends rod life 3X longer delivering the industry's lowest cost of ownership — included on Mark V XT ProContractor models

#### **EASY HOSE MANAGEMENT**

#### QuikReel™ Hose Management System

- Deploy and rewind up to 300 feet of hose in seconds without twisting, kinking or coiling
- Use only the hose you need the rest stays on the reel

## NEW

#### **BLUELINK™ JOBSITE MANAGEMENT SYSTEM**



• Know your job's progress, locate your sprayers and maximize uptime with this innovative technology that is free to use

#### **NEVER HAVE A FLAT AGAIN!**

#### **Flat Proof Tires**

• Tires can't be punctured by nails, screws or other sharp debris

#### **DURABLE FILTRATION Crushproof Inlet Strainer**

· Stands up to harsh impacts to maintain flow through filter

#### **NEW INCREASED PERFORMANCE**

LARGE ELECTRICS	MAX TIP SIZE	MAX GPM	PART #	PISTON PUMP TECHNOLOGY
Mark IV XT	.033	1.2	19F549	Endurance Vortex
Mark V XT	.039	1.5	19F550	Endurance Vortex

Heavy-Duty Blue Texture Gun RAC X 427 and 531 SwitchT BlueMax II 3/8 x 50 ft (6.4 m Airless Hose

#### **READY TO SPRAY WITH:** NEW INCREASED PERFORMANCE

**ProContractor Series** 

7 Tip and Cuard	PROCONTRACTOR LARGE ELECTRICS	MAX TIP SIZE	MAX GPM	PART #	PISTON PUMP TECHNOLOGY
Tip and Guard	Mark IV XT ProContractor	.033"	1.2	19F551	Endurance Vortex MaxLife
mm x 15 m)	Mark V XT ProContractor	.039"	1.5	19F552	Endurance Vortex MaxLife Extreme

## **MARK HD STANDARD SERIES**



#### **EVERYDAY RELIABILITY**

Unmatched durability and performance, with the capability to handle the widest range of tip sizes, longer hose lengths and heavier coatings with ease.



## MARK HD PROCONTRACTOR™ SERIES

## **WORK SMARTER, FINISH MORE JOBS**

Designed to deliver speed and performance so you can get to the next jobsite faster and increase your profits.



#### **RELIABILITY YOU NEED**

## **Endurance Chromex Piston Pump**

- Lasts 2X longer than the next leading brand
- Long-life ceramic and stainless steel balls included for maximum versatility
- Faster cleaning with the QuikAccess intake foot valve

## LESS PACK-OUT, MORE PRODUCTIVITY

#### MaxFlo 2 with Pack-Out Protection

- Self-cleaning Vibra-Seal Technology eliminates material buildup
- Continuous spraying with True Pack-Out Protection for more productivity
- Optimized fluid passageways for the heaviest coatings



## PRECISION PRESSURE CONTROL

#### SmartControl 4.0 with ProGuard Protection System

- Low dead band at any pressure delivers a consistent spray fan without pressure fluctuation
- Prevents electrical damage from extreme jobsite power conditions
- WatchDog Pump Protection System automatically prevents pump damage if the material supply is too low

## FAST CLEANING NOW EVEN FASTER

#### FastFlush 2 System

- Clean the pump 6X faster using 1/2 the water
- High-velocity fluid flow delivered with 60% higher motor speed

#### **GET MORE WORK DONE**

#### **Worry-Free MaxPower Motor**

- Proven performance for all painting applications
- High-torque brushless design with a Lifetime Warranty
- Use longer cords, regardless of voltage fluctuations

## THE LONGEST LASTING DRIVE

#### **Precision Advantage Drive™**

- Improved jobsite conditions with extremely quiet operation
- Lifetime warranty



## STREAMLINE YOUR BUSINESS

BlueLink Job and Sprayer Management System



## LONGER PUMP LIFE

## Endurance Vortex MaxLife Piston Pump

Breakthrough Vortex Rotating Piston Technology Keeps You Spraying:

- Oversized passages for high-velocity flow to rotate piston for even wear
- Go 6X longer between repacks with innovative MaxLife coating
- Longest-life packings and piston rod
- Long Life ceramic and stainless steel balls included for maximum versatility



## **EASY HOSE MANAGEMENT QuikReel™ Hose Management System**

- Deploy and rewind up to 300 feet of hose in seconds
- No twisting, kinking, or coiling
- Use only the hose you need the rest stays on the reel

## ELIMINATE COSTLY DOWNTIME

## ProConnect 2 Pump Replacement System

 Swap your pump in less than 1 minute — no tools, pins, or parts to lose

#### **IMPROVED FILTRATION**

#### **Crushproof Inlet Strainer**

 Stands up to harsh impacts to maintain filtering and flow

## Mark HD ProContractor Series sprayers also include all Standard Series features:

- BlueLink Job and Sprayer Management System
- SmartControl 4.0 with ProGuard
- MaxFlo 2 with Pack-Out Protection
- FastFlush 2
- WatchDog Pump Protection System
- · Easy Out Pump Filter
- Precision Advantage Drive
- MaxPower Motor
- Heavy-Duty Prime Valve
- Rugged, Durable Cart Design



STREAMLINE YOUR BUSINESS

BlueLink Job and Sprayer Management System

READY TO SPRAY WITH:

Texture Gun, RAC X SwitchTip Whip Hose BlueMax II 3/8 x 50 ft Airless Hose

MARK PROCONTRACTOR SERIES PART # GPM (LPM)

t Airless Hose Mark X HD 17E609 2.10 (8.0)

 MARK STANDARD SERIES
 PART #
 GPM (LPM)

 Mark IV HD
 17E603
 1.10 (4.1)

 Mark V HD
 17E605
 1.35 (5.1)

 Mark X HD
 17E608
 2.10 (8.0)

READY TO SPRAY WITH:

# CHOOSE THE RIGHT SERIES OF HD 3-IN-1 GAS AIRLESS SPRAYER FOR YOUR BUSINESS

Only Graco is committed to meeting the needs of professional contractors by offering three different series of airless sprayer models.



#### **EVERYDAY RELIABILITY**

**Small Residential and Light Commercial Contractor** 

- Spraying multiple days a week
- Typically with jobs on the smaller side
- Demanding everyday reliability
- Don't need a lot of extra features



## WORK SMARTER, FINISH MORE JOBS Large Residential and Commercial Contractor

- Spraying every day
- Tackling medium-to-large projects
- Moving frequently from job to job
- Requiring features that save you time and get you to the next job site faster



#### **BEYOND JOBSITE TOUGH**

**Large Commercial and Industrial Contractor** 

- Spraying continuously in less-than-ideal conditions
- Handling large, long-duration projects requiring large material volumes
- Keeping your equipment on-site in material
- Requiring extreme durability and reliability







# GMAX II HD STANDARD SERIES EVERYDAY RELIABILITY

Unmatched durability and performance, with the capability to handle the widest range of tip sizes, longer hose lengths, and heavier coatings with ease.



#### **RELIABILITY YOU NEED**

#### New Endurance Chromex Piston Pump

- Lasts 2X longer than the next leading brand
- Long-life ceramic and stainless steel balls included for maximum versatility
- Faster cleaning with the QuikAccess intake foot valve

## LESS PACK-OUT, MORE PRODUCTIVITY

#### **New MaxFlo 2 with Pack-Out Protection**

- Self-cleaning Vibra-Seal Technology eliminates material buildup
- Continuous spraying with True Pack-Out Protection for more productivity
- Optimized fluid passageways for the heaviest coatings

## CONSISTENT SPRAY FAN AND PRESSURE CONTROL

SmartControl 3.0

• Ideal for low over spray applications with the lowest dead band at any pressure

## THE LONGEST LASTING DRIVE

#### **Precision Advantage Drive**

- The most durable, longest lasting drive in the industry
- Lifetime warranty

## EASY MAINTENANCE AND LESS CLOGGING

#### **Easy Out Pump Filter**

 Easier filter cleaning and less mess with fewer tip clogs ensure a quality finish

#### RUGGED AND EASY TO MOVE

#### **Durable Cart Design**

- Withstands tough jobsite conditions while absorbing impacts and vibrations
- Easy hose storage with integrated hose wrap and telescoping handle
- · Easy loading with built-in lift handles

## RELIABLE, POWERFUL, AND EASY TO START

#### **Honda GX Engine**

 Oil Alert shuts down engine to prevent damage if oil level drops too low

## All GMAX II 7900 HD sprayers feature Graco's MaxLife Pump:

- Lasts 6X longer between repacks
- Features exclusive hardened MaxLife sleeve and rod
- Oversized clearances ensure minimal pressure drop


#### **READY TO SPRAY WITH:**

GMAX II HD STANDARD SERIES	PART #	GPM (LPM)
GMAX II 5900 HD	17E839	1.6 (6.0)
GMAX II 7900 HD	17E841	2.2 (8.3)

## **GMAX II HD PROCONTRACTOR SERIES**



## **WORK SMARTER, FINISH MORE JOBS**





#### **LONGER PUMP LIFE**

#### **MaxLife Endurance Vortex Piston Pump**

- Oversized passages for high velocity flow to rotate piston for even wear
- Go 6X longer between repacks with innovative MaxLife coating
- Longest life packings and piston rod
- Long-life ceramic and stainless steel balls included for maximum versatility



#### **ELIMINATE COSTLY DOWNTIME**

#### ProConnect 2 One-Part Pump **Replacement System**

• Swap your pump in less than 1 minute — with no tools, pins, or parts to lose



#### PREVENT PUMP DAMAGE

#### WatchDog Pump Protection System

- Prevents dry pumping damage
- · Automatically shuts pump down when paint runs out or if hose is damaged

#### **EASY HOSE MANAGEMENT**

#### **QuikReel Hose Management System**

- Deploy and rewind up to 300 feet of hose in seconds
- No twisting, kinking, or coiling
- Use only the hose you need the rest stays on the reel

#### **OUICK REFERENCE LED Display**

Easy-to-read display shows:

- Pressure readout
- Job/lifetime/gallon counter
- Self-diagnostics



#### **GMAX II HD ProContractor Series sprayers** also include all Standard Series features:

- MaxFlo 2 with Pack-Out Protection
- SmartControl 3.0
- Easy Out Filter Manifold
- Precision Advantage Drive
- Honda GX Engine
- Heavy-Duty Prime Valve
- Rugged, Durable Cart Design



#### **GMAX II HD PROCONTRACTOR SERIES** PART # GPM (LPM) GMAX II 5900 HD 17E840 1.6 (6.0) 17E842 GMAX II 7900 HD 2.2 (8.3)

#### READY TO SPRAY WITH:

Texture Gun, RAC X SwitchTip Whip Hose BlueMax II 3/8 x 50 ft Airless Hose



## GMAX II HD IRONMAN SERIES **BEYOND JOBSITE TOUGH**

IronMan Series sprayers are designed and built to handle the most brutal and demanding conditions—typically found on large commercial and industrial jobsites.



#### THE LONGEST DURABILITY AND LIFE

#### **New MaxLife Extreme Endurance Vortex Piston Pump**

Breakthrough Vortex Rotating Piston Technology:

- Oversized passages for high-velocity flow to rotate piston for even wear
- 3X pump rod life
- Longest life packings and piston rod
- · Maximum versatility no matter what you're spraying
- Long-life ceramic and stainless steel balls included for maximum versatility



#### **ELIMINATE COSTLY** DOWNTIME

#### ProConnect 2 One-Part Pump **Replacement System**

· Swap your pump in less than 1 minute — no tools, pins, or parts to lose



#### **NEVER HAVE A FLAT AGAIN**

#### **Flat Proof Tires**

· No tire puncturing from nails, screws, or any sharp debris

#### PREVENT PUMP DAMAGE

#### WatchDog Pump Protection System

 Automatically shuts pump down when paint runs out or if hose is damaged

#### **QUICK REFERENCE LED Display**

Easy-to-read display shows:

- · Pressure readout
- Job/lifetime/gallon counter
- Self-diagnostics

#### **GMAX II HD IronMan Series sprayers also** include all Standard Series features:

- MaxFlo 2 with Pack-Out Protection
- SmartControl 3.0
- Easy Out Filter Manifold
- Precision Advantage Drive
- Honda GX Engine
- Heavy-Duty Prime Valve
- · Rugged, Durable Cart Design



#### **READY TO SPRAY WITH:**

TEXSPRAY HD IRONMAN SERIES	PART #	GPM (LPM)
GMAX II 7900 HD	17E843	2.2 (8.3)

## **DUTYMAX™ HD STANDARD SERIES**



**EVERYDAY RELIABILITY** 

Graco's Standard Series of DutyMax HD hydraulic direct-immersion sprayers delivers durability and performance while easily handling the widest range of tip sizes, longer hose lengths, and heavier coatings.



## **DUTYMAX HD PROCONTRACTOR SERIES WORK SMARTER, FINISH MORE JOBS**

With features that enable you to work more efficiently, the ProContractor Series of DutyMax hydraulic airless sprayers delivers high speed and performance to help you get to the next job faster, saving you time and money.



#### THE MOST RELIABLE PUMP

#### **Endurance Pump**

- · Lasts 2X longer than the next leading brand
- Better spraying performance and fast cleaning
- · Long-life ceramic and stainless steel balls included for maximum versatility

#### **EASY MAINTENANCE AND LESS CLOGGING**

#### **Easy Out Pump Filter**

- · Large filtering area for easier cleaning and fewer tip clogs ensure a quality finish
- · Won't collapse or get stuck with inside out filtering process

#### INDOOR AND OUTDOOR USE

#### **Honda GX Engine**

- Quickly swap the gas engine for an electric motor in seconds — without tools!
- Available on DutyMax GH 230DI Convertible

#### **REDUCED DOWNTIME**

#### **High-Capacity Cooling System**

- Innovative design allows the pump to run cooler and more efficiently with extremely quite operation
- · Easier and more thorough fluid changes
- Reservoir cooling fins deflect more heat

#### **MAINTENANCE-FREE HIGH-PRESSURE DUMPING CAPABILITY**

**Heavy-Duty Prime Valve** 

#### **FINISH JOBS FASTER**

#### **High-Efficiency Hydraulic Motor**

- Fast, responsive changeover
- · Less maintenance and longer life with fewer moving parts
- 100% O-ring sealed fittings prevent leaks

#### **RUGGED AND EASY TO MANEUVER**

#### **Durable Cart Design**

- Withstands the tough jobsite conditions while absorbing impacts and vibrations
- · Retractable handle doubles as coiled hose storage



DUTYMAX HD STANDARD SERIES	HONDA PART #	GPM (LPM)
DutyMax GH 230 HD Convertible	24W943	2.35 (8.9)
DutyMax GH 230 HD Convertible w/ Electric Motor (non-CSA)	24W944	2.35 (8.9)
DutyMax GH 230 HD Convertible w/ Electric Motor (CSA)	24W945	2.35 (8.9)
DutyMax GH 300 HD	24W967	3.0 (11.4)

#### **READY TO SPRAY WITH:**

Texture Gun, RAC X SwitchTip Whip Hose

BlueMax II 3/8 x 50 ft Airless Hose



#### **EXTREME-DUTY MAXLIFE PUMP**

#### **Extreme-Duty MaxLife Pump delivers** unmatched durability and life.

- Lasts 6X longer between repacks
- Exclusive MaxLife Sleeve
- Oversized clearances ensure minimal pressure drop and increased performance
- Both long-life ceramic and stainless steel ball sets included for maximum versatility no matter what you're spraying



#### **ELIMINATE COSTLY DOWNTIME**

**ProConnect 2 One-Part Pump** Replacement System

- Swap your pump in less than 1 minute — no tools, pins, or parts to lose
- Eliminates costly jobsite downtime

#### **EASY HOSE MANAGEMENT QuikReel Hose Management System**

- Deploy and rewind up to 300 feet of hose in seconds
- · No twisting, kinking, or coiling

#### IMPROVED FILTRATION

**Crushproof Inlet Strainer** 

• Stands up to harsh impacts to maintain filtering and flow



3

#### **DutyMax ProContractor Series sprayers** also include all Standard Series features:

- Easy Out Filter Manifold
- High-Efficiency Hydraulic Motor
- Heavy-Duty Prime Valve
- Rugged, Durable Cart Design
- · High-Capacity Cooling System



#### **READY TO SPRAY WITH:**

DUTYMAX HD STANDARD SERIES	HONDA PART #	GPM (LPM)
DutyMax GH 230 HD Convertible	24W962	2.35 (8.9)
DutyMax GH 230 HD Convertible w/ Electric Motor (non-CSA)	24W963	2.35 (8.9)
DutyMax GH 230 HD Convertible w/ Electric Motor (CSA)	24W964	2.35 (8.9)
DutyMax GH 300 HD	24W968	3.0 (11.4)

TEXTURE ACCESSORIES

TEXTURE ACCESSORIES

## **TEXTURE ACCESSORIES**

#### **WORK FASTER AND MORE PRODUCTIVELY**

From rugged guns and tips to hoses and hoppers, Graco's accessories let you customize your sprayer for maximum performance to help grow your business.



#### 25-GALLON (95-LITER) TEXTURE HOPPER

This versatile large-capacity hopper connects directly to all airless texture sprayers. It boosts your productivity by minimizing material refills, and it's easy to attach and maneuver throughout the jobsite.






#### **AIR ATOMIZER KIT**

Expand your capabilities! The air atomizer kit attaches to the Heavy-Duty Texture Gun and the Flex Gun, allowing you to attach an air compressor to create decorative texture finishes such as orange peel, splatter, and knockdown.

Part # 18H255 (air hose not included)

15 cfm @ 90 psi (0.62 MPa, 6.2 bar) recommended.

						13 (1111 (	₩ 90 þsi (0.	oz Mra, o.z bai) ieconinienueu.			
TE	(SPRAY RT)	CAND GTX SPRAYERS									
	288629	RTX 650, RTX 1400sı Air Spray Trigger	Gun								
_	288628	RTX 900/1250 Air Spray Trigger Gun									
2005	24S134	RTX 1500, 2000PI, 2500PI, and 5000PI Air Spray Trigger Gun with Threaded Connection									
5	24S135	RTX 5000PX and 5500PX Air Spray Trigger Gun with Threaded Connection									
	248093	GTX 2000EX Air Spray Trigger Gun with	STX 2000EX Air Spray Trigger Gun with Threaded Connection								
	For use on Pole Guns and FlexHead Guns (GTX only)										
	190943	3/16 in (5 mm) Nozzle 190945 5/16 in (8 mm) Nozzle									
	190944	1/4 in (6 mm) Nozzle	190946	3/8 in (9.5 mn	n) Nozzle						
	For use on	RTX 650, 900, 1250, 1400 and Hopper	Guns								
	234153	Spray Nozzle Kit – includes 1 each of	4 mm, 6 mm,	, 8 mm, and 12 i	mm nozzles						
S	For use on	RTX Heavy-Duty Texture Gun and GTX	2000 Series	s Guns							
NOZZLES	15C883	3 mm Nozzle	15C885	6 mm Nozzle			15C887	10 mm Nozzle			
2	15C884	4 mm Nozzle	15C886	8 mm Nozzle			15C888	12 mm Nozzle			
	For use on	RTX Heavy-Duty Texture Gun and GTX	Heavy-Duty	/ Texture Gun							
	24S142	WideTex Accessory Kit 24S138 WideTex Tip, Hardened, W8, 6-Pack									
	24S143	WideTex Accessory Kit, Hardened	24S139								
	24S136	WideTex Tip, Hardened, W4, 6-Pack	24S140								
	24S137	WideTex Tip, Hardened, W6, 6-Pack	24S141	WideTex Tip, H	lardened, WX	L, 6-Pack					
	288622	RTX 650 Hose Clear Braided Hose Kit:	3/4 in x 20 ft	(19 mm x 6 m)	Fluid Hose						
	17J454	RTX 900, 1250, and 1400SI Braided H	ose Kit: 3/4 ir	n x 25 ft (19 mm	x 7.6 m) Flu	id Hose and 3/8	3 in x 25 ft (9.	.5 mm x 7.6 m) Air Hose			
	RTX Stand	ard Replacement Hose									
	17J454	Blue Translucent Hose Kit: 3/4 in x 25	ft (19 mm x 7	7.6 m)	17L004	Blue Transluc	ent Hose Kit:	1-1/4 in x 25 ft (31.7 mm x 7.6 m)			
	17J420	Blue Translucent Hose Kit: 1 in x 25 ft	(25.4 mm x 7	7.6 m)	17L006	Blue Transluc	ent Hose Kit:	1-1/4 in x 35 ft (31.7 mm x 10.7 m)			
HOSES	17L001	Blue Translucent Hose Kit: 1 in x 35 ft	(25.4 mm x 1	10.7 m)	17L008	Blue Transluc	ent Hose Kit:	1-1/4 in x 50 ft (31.7 mm x 15 m)			
Ê	17J421	Blue Translucent Hose Kit: 1 in x 50 ft	(25.4 mm x 1	15 m)							
	RTX, GTX H	leavy-Duty Hose									
	17L010	Blue Solid Heavy-Duty Hose Kit: 1 in x	10 ft (25.4 mi	m x 3 m) Whip	17L005	Blue Transluc	ent Hose Kit:	1-1/4 in x 25 ft (31.7 mm x 7.6 m)			
	17L000	Blue Solid Heavy-Duty Hose Kit: 1 in x	25 ft (25.4 m	nm x 7.6 m)	17L007	Blue Transluc	ent Hose Kit:	1-1/4 in x 35 ft (31.7 mm x 10.7 m)			
	17L001	Blue Solid Heavy-Duty Hose Kit: 1 in x	35 ft (25.4 m	nm x 10.7 m)	17L009	Blue Transluc	ent Hose Kit:	1-1/4 in x 50 ft (31.7 mm x 15 m)			
	17L003	Blue Solid Heavy-Duty Hose Kit: 1 in x	50 ft (25.4 m	nm x 15 m)							
	287314	RotoFlex HD Pump Hose: for use with	RTX 1500, RT	TX 5000PI, RTX 5	5000PX, RTX	5500PX					
	288623	RotoFlex II Pump Hose: for use with R	TX 650, RTX 9	900, RTX 1250, F	RTX 1400SI, F	RTX 2000PI, RTX	( 2500PI				
	287328	RTX 1500, External Air Kit – connect a	separate air	compressor for	increased ato	mization energ	у				
2	17M550	RTX 5000 and 5500 External Air Kit -	connect a se	parate air compr	essor for inc	reased atomiza	tion energy				
MISC	248112	GTX 2000 Series Siphon Kit: for pump	ing directly fr	om your mix cor	ntainer						
	248117	GTX 2000 Series Air Line Kit: for remo	te operation o	of the GTX 2000	EX Air Compr	essor					
	248515	Sponge Ball Clean-Out Kit: for 1 in (25	mm) ID Hose	e, Qty 5							
	15T647	50 ft (15 m) 240 V Extension Cord for	RTX 5500 and	d Mark X							

















**TEXTURE ACCESSORIES TEXTURE SPRAYER SPECIFICATIONS** 

#### **NOZZLE SELECTION GUIDE**

NOZZLE SIZE	3 MM	4 MM	5 MM	6 MM	8 MM	9.5 MM	10 MM	11 MM	13 MM	14 MM
INTERIOR SMOOTH MATERIAL	Fine Finish Orange Peel/ Fog	Fine Finish Orange Peel/ Fog	Orange Peel, Small Splatter	Orange Peel, Small Splatter	Splatter, Small to Medium Knockdown	Acoustics/ Popcorn, Splatter, Medium Knockdown	Acoustics/ Popcorn, Large Knockdown	Acoustics/ Popcorn, Large Knockdown	Acoustics/ Popcorn, Large Knockdown	Acoustics/ Popcorn, Large Knockdown
EXTERIOR AGGREGATE MATERIAL	up to 1.0 mm (maximum)	up to 1.25 mm (maximum)	up to 1.5 mm (maximum)	up to 2.5 mm (maximum)	up to 2.5 mm (maximum)	up to 2.5 mm (maximum)	up to 2.5 mm (maximum)	up to 2.5 mm (maximum)	up to 2.5 mm (maximum)	up to 2.5 mm (maximum)

	INIAL										
zzle s	size requirement cou	lld vary based on material viscosity, desired	I finish, production	rate, and air settings	i.						
	K HD, GMAX	II HD, DUTYMAX HD SPRAYI	ERS								
CONS	246468	Flex Plus Gun		241705	Heavy-Duty	Blue Texture G	ın	245820	Inline Heavy	-Duty Texture Gun	
KITS	241338	Heavy-Duty Blue Texture Gui 3300 psi Whip Hose, Couple				3 in x 50 ft (9.5	mm x 15 m) 3	300 psi Hose,	1/4 in x 3 ft (6.	4 mm x 0.9 m)	
241338 Heavy-Duty Blue Texture Gun Hose Kit with RAC X LTX 531 SwitchTip 3/8 in x 50 π (9.5 mm x 15 m) 3300 psi Hose 3300 psi Whip Hose, Couplers, and additional RAC X LTX 427 SwitchTip  289585 Inline Heavy-Duty Texture Gun Hose Kit with RAC X LTX 643 SwitchTip 1/2 in x 50 ft (13 mm x 15 m) 4000 psi Hose (9.5 mm x 3.6 m) Whip Hose, Swivel, and Fittings								000 psi Hose,	3/8 in x 12 ft		
HOPPER	287987	25 Gallon (95 Liter) Texture Hopper directly connects to Mark IV HD, Mark V HD, Mark X HD, GMAX II 5900 HD, GMAX II 5900 HD, DutyMax GH 230 HD, DutyMax GH 300 HD									
₽	243380	Cam-Lock Hose Adapter Connects the Texture Hopper to the GMAX II 7900 HD, 1030 FC units, or HTX 2030 Sprayers									
	18H255	Air Atomizer Kit and Wide Te	Kit (includes	4, 6, 8, 10 in N	lozzles)						
	289669	55 Gallon Siphon Kit for Mar	k X 240 V HD,	GMAX II 7900	HD, DutyMax G	H 230 HD, Duty	/Max GH 300 H	D			
-	15T647	50 ft (15 m) Extension Cord	for Mark X 240	OV HD and RTX	< 5500						
AR	K XT										
3	24V145	Hose Reel Upgrade Kit									
ACCESSORIES	20B432	BlueLink Display Upgrade									
Ë	17E687	Flatproof Tire Kit (Qty 1)									
Ą	15V573	Crushproof Inlet Strainer									
TX :	2030 COMPL	ETE, HTX 2030 COMPLETE F	LUS+ SPRA	YERS							
	17Y910	STX Air Assist Texture Trigge	r Gun and Wid	eTex Kit (Includ	des 4, 6, 8, 10,	12 in Nozzles)					
	24B327	FreeFlo Inline Gun with 4, 6, 8, 10 mm Nozzles, 18 and 30 Mesh Filters, RAC X LTX 671 Tip and Guard									
	24B944	Pole Gun 3 ft (1 m) with 6, 8, 9.5, 11, 13 mm Nozzles, Cap, Fine Finish Adapter									
	24B945	Flex Head Gun with 6, 8, 9.5, 11, 13 mm Nozzles, Cap, Fine Finish Adapter									
^	241705	Heavy-Duty Blue Texture Gui	1								
7 7	24R054	HTX 2030 Trigger Gun Applic	ator								
	FreeFlo Inlin	ne Gun									
}	287227	Fine Finish Kit includes 3 mr	n, 6 mm, 8 mr	n, 9.5 mm Spr	ay Discs, Retair	ning Nut, and A	dapter				
GUNS AND NUZZLES	248888	3 mm Nozzle		248525	6 mm Nozzle	)		248527	10 mm Nozz	zle	
5	248524	4 mm Nozzle		248526	8 mm Nozzle	)		1			
	Pole And Fle	ex Head Pole Guns									
	16A443	5 mm Nozzle	16A446	9.5 mm Noz	zle	16A449	14 mm Nozz	le	16A246	Fine Finish Adapter	
	16A444	6 mm Nozzle	16A447	11 mm Nozz	zle	16A405	Cap, Nozzle	– Medium			
	16A445	8 mm Nozzle	16A448	13 mm Nozz	zle	16A421	Cap, Nozzle	– Hard			
2	24B326	3/4 in x 50 ft (19 mm x 30 m	n) 50 ft Extens	ion Hose (no re	emote switch)	1					
HUSE KIIS	24B300	3/4 in x 50 ft (19 mm x 15 m	n) Fluid Hose v	vith Remote Or	n/Off Switch						
Ĕ	17S244	3/4 in x 100 ft (19 mm x 30	m) Fluid Hose	with Remote C	n/Off Switch						
Ā	24B140	MaxLife Endurance High Pre 1/4 in x 3 ft (6.4 mm x 0.9 m					Texture Gun, 3	/8 in x 50 ft Ho	ose (9.5 mm x 1	15 m),	
	287987	25 Gallon (95 Liter) Texture H	lopper								
	243380	Cam-Lock Hose Adapter con	nects Texture	Hopper to the	HTX 2030 High	-Output Texture	Pump				
_	24C414	Ball Valve Material Shutoff K	it								
EXS	PRAY FASTFI	NISH SPRAYERS									
	25D496	FastFinish Pressure-Boosted	Hopper Gun			17V694	Nozzle Kit (4	mm, 6 mm, 8 r	nm) (FastFinish	and G-TEX Guns only)	
25	25D497	G-TEX Metal Bodied Gravity-		Gun		26A563	·	Non-marking			
SUN HOSE	17\/692	WideTex Kit (with adapter, 4	mm, 6 mm, 8	mm W tips)	-	245924	Digotic Podia	ed Gravity-Feed	Honner Cur		

щ	25D496	FastFinish Pressure-Boosted Hopper Gun	17V694	Nozzle Kit (4 mm, 6 mm, 8 mm) (FastFinish and G-TEX Guns only)
HOS	25D497	G-TEX Metal Bodied Gravity-Feed Hopper Gun	26A563	3/8 in x 50 ft Non-marking Air Hose
GUN	17V692	WideTex Kit (with adapter, 4 mm, 6 mm, 8 mm W tips) (FastFinish and G-TEX Guns only)	245924	Plastic-Bodied Gravity-Feed Hopper Gun















				The state of the s				
		TexSpray RTX 1400SI	TexSpray RTX 2500PI	TexSpray RTX 5000PI	TexSpray RTX 5000PX	<b>TexSpray RTX</b> <b>5500PX</b> 240 V	TexSpray GTX 2000EX	TexSpray FastFinish
ANCE	Max psi (bar)	70 (4.8)	100 (6.9)	100 (6.9)	100 (6.9)	100 (6.9)	120 (8.3)	N/A
PERFORMANCE	Max gpm (lpm)	1.4 (5.3)	2.5 (9.5)	5.0 (19)	5.0 (19)	5.5 (21)	4.0 (15.1)	N/A
	Motor	1.7 hp	1.7 hp	2.0 hp	2.0 hp	2.0 hp	N/A	2.0 hp
COMPRESSOR	Compressor Air Output	6.1 cfm at 20 psi .17 m³/min	6.1 cfm at 20 psi .17 m³/min	8.6 cfm at 20 psi .24 m³/min	8.6 cfm at 20 psi .24 m³/min	9.1 cfm at 20 psi .26 m³/min	User Supplied Air Compressor Required Minimum Require- ments: 12 cfm at 100 psi.33 m³/min	9.0 cfm at 40 psi .25 m³/min
	Gun	Lightweight Air Spray Trigger	Heavy-Duty Air Spray Trigger	Heavy-Duty Air Spray Trigger	Heavy-Duty Air Spray Trigger	Heavy-Duty Air Spray Trigger	Heavy-Duty Air Spray Trigger	(Pro Model) = FastFinish Pressure Boosted (Std Model) = G-Tex Gravity Feed
	Hose	3/4 in x 25 ft (19 mm x 7.6 m)	1 in x 25 ft (25.4 mm x 7.6 m)	1 in x 25 ft (25.4 mm x 7.6 m)	1-1/4 in x 25 ft HD (32 mm x 7.6 m)	1-1/4in x 25 ft HD (32 mm x 7.6 m)	1 in x 25 ft (25.4 mm x 7.6 m)	3/8 in x 50 ft Non-Marking Air Hose (Standard and Pro Models)
လ္သ	Max Hose Length	25 ft (7.6 m)	75 ft (23 m)	100 ft (30 m)	100 ft (30 m)	100 ft (30 m)	100 ft (30 m)	150 ft (46 m)
INCLUDES	Tips	4 mm, 6 mm, 8 mm,10 mm round nozzles	3 mm, 4 mm, 6 mm, 8 mm, 10 mm, 12 mm round nozzles WideTex Adapter with 4 mm, 6 mm, 8 mm, 10 mm, 12 mm XL W tips	3 mm, 4 mm, 6 mm, 8 mm, 10 mm,12 mm round nozzles WideTex Adapter with 4 mm, 6 mm, 8 mm, 10 mm, 12 mm XL W tips	3 mm, 4 mm, 6 mm, 8 mm, 10 mm, 12 mm round nozzles WideTex Adapter with Hardened 4 mm, 6 mm, 8 mm, 10 mm, 12 mm XL W tips	3 mm, 4 mm, 6 mm, 8 mm, 10 mm, 12 mm round nozzles WideTex Adapter with Hardened 4 mm 6 mm, 8 mm, 10 mm, 12 mm XL W tips	3 mm, 4 mm, 6 mm, 8 mm, 10 mm, 12 mm round nozzles	4 mm, 6 mm, 8 mm nozzles WideTex Adapter with 4 mm, 6 mm, 8 mm tips
SNO	Weight lb (kg)	63 (28.5)	72 (32.6)	159 (72.1)	163 (73.9)	163 (73.9)	95 (43)	Air Compressor: 68 lbs (27) FastFinish Gun: 4.8 (2.2) G-TEX Gun: 4.1 (1.9)
DIMENSIONS	Dimensions	20 W x 24 L x 41 H in (51 W x 61 L x 104 H cm)	22 W x 24 L x 41 H in (46 W x 56 L x 104 H cm)	23 W x 30 L x 41 H in (58 W x 76 L x 104 H cm)	23 W x 30 L x 41 H in (58 W x 76 L x 104 H cm)	23 W x 30 L x 41 H in (58 W x 76 L x 104 H cm)	26 W x 27 L x 40 H in (66 W x 88 L x 102 H cm)	15 W x 22 L x 37 H in (38 W x 56 L x 94 H cm)
_	Hopper gal (liter)	10 (38)	15 (57)	15 (57)	15 (57)	15 (57)	17 (64)	1.5 (5.7)
JALS	Operation	3A3258	3A3258	3A3265	3A3265	3A3265	313384	3A5542
MANUALS	Repair	3A3258	3A3258	3A3265	3A3265	3A3265	313385	3A5542
TYPICAL APPLICATIONS	Materials Sprayed	Simulated acoustic and drywall mud	Simulated acoustic and drywall mud	Simulated acoustic and drywall mud	Simulated acoustic, drywall mud, elastomerics, deck coatings, and some cement-based materials	Simulated acoustic, drywall mud, elastomerics, deck coatings, and some cement-based materials	Simulated acoustic, drywall mud, elastomerics, deck coatings, and some cement-based materials	Acoustics, acrylics, drywall mud, elastomeric, deck coatings, fireproofing, waterproofing, cement-based materials
TYPIC/	Surfaces	Residential and light commercial interiors	Residential and light commercial interiors	Residential and light commercial interiors	Residential and commercial exteriors	Residential and commercial exteriors	Residential and commercial exteriors	Residential and commercial interiors and exteriors
MODEL	Part Number	17H572	17U219	17H575	17H579	17H581	257030	FastFinish Pro: Complete System 25D492 FastFinish Standard: Complete System 25D494 FastFinish CF9 Air Compressor Only: 25D490 FastFinish Pressure-Boosted Gun Only: 25D496 G-TEX Gravity-Feed Gun Only: 25D497

T-MAX ACCESSORIES

TEXTURE SPRAYER SPECIFICATIONS



		TexSpray T-MAX 6912
	Maximum Tip Size	0.071
TIONS	Maximum psi (bar)	1000 (69)
SPECIFICATIONS	Maximum gpm (lpm)	3.2 (12)
SPE	Motor/Engine	2.0 hp Brushless DC
	Voltage	120V

	ТҮРЕ	50 FT Air-Assisted w/STX Gun and Hopper	50 FT Airless Model w/Lance and Hopper	100 FT Air-Assisted w/STX Gun and Hopper	100 FT Air-Assisted w/STX Gun, Mixer and Hopper	100 FT Air-Assisted w/STX Gun and 55 Gallon Siphon Set
MODEL	Part Number	17Z283	17X989	17Z284	17Z703	18A556
	T-MAX 6912 Pump Module	•	•	•	•	•
	Hopper	25 Gallon	25 Gallon	25 Gallon	25 Gallon	-
	Gun	STX Air-Assist Texture Trigger Gun	Heavy-Duty Inline Lance	STX Air-Assist Texture Trigger Gun	STX Air-Assist Texture Trigger Gun	STX Air-Assist Texture Trigger Gun
INCLUDES	Hoses	1 in x 50 ft Material Hose 3/4 in x 10 ft Whip Hose	1 in x 50 ft Material Hose 3/4 in x 10 ft Whip Hose	1 in x 100 ft Material Hose 3/4 in x 10 ft Whip Hose	1 in x 100 ft Material Hose 3/4 in x 10 ft Whip Hose	3/4 in x 100 ft Material Hose 3/4 in x 10 ft Whip Hose
Ž	Round Nozzles	4 mm, 6 mm, 8 mm, 10 mm, 12 mm		4 mm, 6 mm, 8 mm, 10 mm, 12 mm	4 mm, 6 mm, 8 mm, 10 mm, 12 mm	4 mm, 6 mm, 8 mm, 10 mm, 12 mm
	Tip(s)	WideTex Adapter with 4 mm, 6 mm, 8 mm, 10 mm, 12 mm XL Hardened Wide Tips	.0651	WideTex Adapter with 4 mm, 6 mm, 8 mm, 10 mm, 12 mm XL Hardened Wide Tips	WideTex Adapter with 4 mm, 6 mm, 8 mm, 10 mm, 12 mm XL Hardened Wide Tips	WideTex Adapter with 4 mm, 6 mm, 8 mm, 10 mm, 12 mm XL Hardened Wide Tips
	Misc.	-	-	-	CM20 Continuous Mixer	55 Gallon Siphon Set



		10:1 President
NGE	Max psi (bar)	1000 (70)
PEKFUKMANGE	Max gpm (lpm)	3.0 (11)
2	Motor	President Air
CUMPRESSUR	Compressor Air Output	User Supplied Minimum Air Compressor Rating: 80 cfm at 90 psi for best results
•	Gun	Heavy-Duty Air Spray
INCLUDES	Max Hose Length	200 ft (60.7 m)
	Nozzle	6 mm
IONS	Weight lbs (kg)	43 (20) Pump Only
DIMENSIONS	Dimensions	5 L x 5 W x 57 H (18 W x 145 L cm)
MANUALS	CS Models	306402
MAN	SST Models	309489
YPICAL APPLICATIONS	Materials Sprayed	Smooth to heavily aggregated textures with silica sand, perlite, vermiculite, and polystyrene; smooth, medium, coarse, and extra coarse grade
IYPICA	Surfaces	Heavy-duty residential and commercial interiors and exteriors
MUDEL	Part Number	Carbon Steel Complete – 225886  • Heavy-Duty Air Spray Gun  • 6 mm Nozzle  • 3/8 in x 25 ft (9.5 mm x 7.5 m) Air Hose  • 3/4 in x 25 ft (19 mm x 7.5 m) Air Hose  • 3/4 in x 25 ft (19 mm x 7.5 m) High Pressure Material Hose  Carbon Steel Complete – 225877  SST Complete – 987429  • Heavy-Duty Air Spray Gun  • 6 mm Nozzle  • 3/8 in x 100 ft (9.5 mm x 30 m) Air Hose  • 3/4 in x 25 ft (19 mm x 7.5 m) Air Hose  • 3/4 in x 50 ft (19 mm x 15 m)  High-Pressure Material Hose  • 1 in x 50 ft (25 mm x 15 m)  High-Pressure Material Hose  SST Bare – 954088
		001 5410 001000





		TexSpray HTX 2030 Complete		ay HTX 2030 lete Plus+	
	For Spraying	For exterior aggregate and smooth finishes as well as common interior texture finishes, such as orange peel, splatter, knockdown, and simulated acoustic	finishes, as well texture finishes. apply the wide ra	egate and smooth as common interior Can also airlessly ange of heavier , Level 5, primers,	
	INCLUDES:				
	High-Output Piston Texture Pump	•		•	
SPRAYER CONFIGURATIONS	Texture Gun and 3/4 in (19 mm) Hose	• STX Trigger Gun and 50 ft hose (26C681) • STX Trigger Gun and 100 ft hose (26C682) • FreeFlo Inline Gun and 50 ft hose (258740)	<ul> <li>STX Trigger Gun and 50 ft hose (26C683)</li> <li>STX Trigger Gun and 100 ft hose (26C684)</li> <li>FreeFlo Inline Gun and 50 ft hose (258741)</li> </ul>		
ER C	55-Gallon Suction Set	•		•	
SPRAY	Fine Finish Kit with 1/8 in, 1/4 in, 5/16 in, and 3/8 in Nozzles	•		•	
	4, 6, 8, 10 mm Nozzles	•	•		
	RAC X LTX 671 Airless Tip	•		•	
	MaxLife Endurance High Pressure Airless Pump	Optional (Pump Kit 24B140)	•		
	3/8 in x 50 ft (9.5 mm x 15 m) Blue- Max II Hose and 3 ft (1 m) Whip Hose	N/A		•	
	RAC X LTX 643 Airless Tip	N/A		•	
		High-Output Texture Pump	With High-Output Texture Pump	With MaxLife Endurance High- Pressure Pump	
	Maximum Tip Size	0.071	0.071	0.048	
	Maximum gpm (lpm)	3.0 (11)	3.0 (11)	2.2 (8.3)	
	Maximum psi (bar)	1000 (70)	1000 (70)	3300 (227)	
NS	Honda Engine cc (hp at 3600 rpm)	200 (6.5)	2	00 (6.5)	
TECHNICAL SPECIFICATIONS	Compressor	User-supplied air compressor required for some texture finishes. Minimum air compressor rating 25 cfm at 90 psi (708 lpm at 6.2 bar) for best results	User-supplied air compressor require for some texture finishes. Minimum a compressor rating 25 cfm at 90 psi (708 lpm at 6.2 bar) for best results		
INIC/	Weight lbs (kg)	155 (70)	155 (70)	150 (68)	
TECH	PUMP:				
	Intake	QuikAccess	QuikAccess	QuikAccess	
	Rod	Hard Chrome	Hard Chrome	Chromex	
	Sleeve	Hard Chrome	Hard Chrome	MaxLife	
	Packings	HD Poly	HD Poly	V-Max Blue	

		Mark IV HD	Mark V HD
	Maximum Tip Size	0.033"	0.039"
	Maximum psi (bar)	3,300 (227)	3,300 (227)
SNS	Maximum gpm (lpm)	1.10 (4.1)	1.35 (5.1)
SPECIFICATIONS	Motor/Engine	MaxPower 2.2 hp Brushless DC	MaxPower 2.8 hp Brushless DC
ECIF	Control	SmartControl 3.0	SmartControl 3.0
S	Weight Ib (kg)	108 (49)	135 (61)
	Compressor Air Output	Compressor and Air Atomizer Kit required for some texture finishes	Compressor and Air Atomizer Kit required for some texture finishes

Mark I	v <i>XII</i>	Mark V	XT	
0.0	33"	0.0	39"	
3,300	(227)	3,300	(227)	
	ED FLOW (4.5)	INCREASED FLOW 1.50 (5.6)		
Xtreme Torque	Motor (HP) 2.3	Xtreme Torque	Motor (HP) 2.7	
103 (47) Standard	122 (55) ProContractor	122 (55) Standard	140 (67) ProContractor	
Compressor and Air Atomizer Kit required for some texture finishes  Compressor and Air Atomizer Kit required for some texture finishes		Compressor and Air Atomizer Kit required for some texture finishes  Compressor and Air Atomizer Kit required for some texture finishes		













SERIES TYPE		STANDARD	STANDARD
Part Number		17E603	17E604
	BlueLink	•	•
	Gun	Flex Plus	Flex Plus
NCLUDES	Hose	3/8 in x 50 ft (9.5 mm x 15 m) BlueMax II Airless Hose	3/8 in x 50 ft (9.5 mm x 15 m) BlueMax II Airless Hose
_	Tip(s)	RAC X LTX 425	RAC X LTX 425
	Filter	60 Mesh Easy Out	60 Mesh Easy Out
	Туре	QuikChange System	QuikChange System
₽	Rod	Chromex	Chromex
PUMP	Sleeve	Hardened SST	Hardened SST
	MaxFlo 2	•	•
,		-	-
		FastFlush 2	FastFlush 2
	ADDITIONAL	-	_
	SERIES FEATURES	_	_
		WatchDog	WatchDog
		-	-
UAL	Operation	3A6342	3A6342
MAN	Parts	3A6342	3A6342
TYPICAL PLICATIONS	Materials Sprayed	Oil-based coatings, enamels, latex, block-fillers, elastomerics, epoxies, drywall mud, and other high-build materials	Oil-based coatings, enamels, latex, block-fillers, elastomerics, epoxies, drywall mud, and other high-build materials
TY! APPLI(	Surfaces	Medium to large residential and commercial interiors and exteriors	Medium to large residential and commercial interiors and exteriors

ı	STANDARD	PROCONTRACTOR	STANDARD	PROCONTRACTOR
	19F549	19F551	19F550	19F552
		•		•
	Flex Plus	Flex Plus	Heavy-Duty Blue Texture	Heavy-Duty Blue Texture
	3/8 in x 50 ft (9.5 mm x 15m) BlueMax II Airless Hose	3/8 in x 50 ft (9.5 mm x 15m) BlueMax II Airless Hose	3/8 in x 50 ft (9.5 mm x 15m) BlueMax II Airless Hose	3/8 in x 50 ft (9.5 mm x 15m) BlueMax II Airless Hose
	RAC X LTX 425	RAC X LTX 425	RAC X LTX 425 and 531	RAC X LTX 425 and 531
	60 Mesh Easy Out			
	Endurance <sup>™</sup> Vortex	Endurance Vortex	Endurance Vortex	Endurance Vortex
	Chromex	MaxLife	Chromex	MaxLife Extreme
	Hardened SST	MaxLife	Hardened SST	MaxLife
	•	•	•	•
	-	QuickReel	-	QuickReel
	Turbo Clean	Turbo Clean	Turbo Clean	Turbo Clean
	LED Display	LED Display	LED Display	LED Display
	-	Flatproof Tires	-	Flatproof Tires
	WatchDog	WatchDog	WatchDog	WatchDog
	-	Crushproof Inlet Strainer	-	Crushproof Inlet Strainer
	3B0070	3B0070	3B0070	3B0070
	3B0070	3B0070	3B0070	3B0070
	Oil-based coatings, enamels, latex, block-fillers, elastomerics, epoxies, drywall mud, and other high-build materials	Oil-based coatings, enamels, latex, block-fillers, elastomerics, epoxies, drywall mud, and other high-build materials	Oil-based coatings, enamels, latex, block-fillers, elastomerics, epoxies, drywall mud, and other high-build materials	Oil-based coatings, enamels, latex, block-fillers, elastomerics, epoxies, drywall mud, and other high-build materials
	Medium to large residential and commercial interiors and exteriors			

		Mark X HD 240 V	
SPECIFICATIONS	Maximum Tip Size	0.045	
	Maximum psi (bar)	3300 (227)	
	Maximum gpm (Ipm)	2.10 (7.9)	
	Motor/Engine	MaxPower 4.0 hp Brushless DC	
	Control	SmartControl 3.0	
	Weight lb (kg)	142 (64)	
	Compressor Air Output	Compressor and Air Atomizer Kit required for some texture finishes	





1	SERIES TYPE	STANDARD	PROCONTRACTOR
MODEL	Part Number	17E608	17E609
	BlueLink	•	•
	Gun	Inline Heavy-Duty Texture	Inline Heavy-Duty Texture
NCLUDES	Hose	1/2 in x 50 ft (13 mm x 15 m) BlueMax II Airless Hose	1/2 in x 50 ft (13 mm x 15 m) BlueMax II Airless Hose
_	Tip(s)	RAC X LTX 531 and 541	RAC X LTX 531 and 541
	Filter	60 Mesh Easy Out	60 Mesh Easy Out
	Туре	QuikChange System	ProConnect 2
PUMP	Rod	Chromex	MaxLife w/ Vortex
_	Sleeve	Hardened SST	MaxLife
	MaxFlo 2	•	•
		-	QuikReel
	ADDITIONAL	_	-
	ADDITIONAL SERIES	-	-
	FEATURES	WatchDog	WatchDog
		-	Crushproof Inlet Strainer
UAL	Operation	3A6342	3A6342
MANUAL	Parts	3A6342	3A6342
TYPICAL APPLICATIONS	Materials Sprayed	Oil-based coatings, enamels, latex, block-fillers, elastomerics, epoxies, drywall mud, and other highbuild materials	Oil-based coatings, ename latex, block- fillers, elastomerics, epoxie drywall mud, and other hig build materials
TYF APPLI(	Surfaces	Large residential and commercial interiors and exteriors	Large residential and commercial interiors and exteriors

		GMAX II 5900 HD	
	Maximum Tip Size 0.043		
SPECIFICATIONS	Maximum psi (bar)	(bar) 3300 (227)	
	Maximum gpm (lpm)	1.60 (6.0)	
	Motor/Engine	Honda 200 cc (6.5 hp)	
	Control	SmartControl 3.0	
	Weight Ib (kg)	147 (67)	
	Compressor Air Output	Compressor and Air Atomizer Kit required for some texture finishes	

GMAX II 7900 HD
0.048
3300 (227)
2.20 (8.3)
Honda 200 cc (6.5 hp)
SmartControl 3.0
159 (72)
Compressor and Air Atomizer Kit required for some texture finishes









SERIES TYPE		STANDARD	PROCONTRACTOR	
Part Number		17E839	17E840	
	Gun	Heavy-Duty Blue Texture	Heavy-Duty Blue Texture	
NCLUDES	Hose	3/8 in x 50 ft (9.5 mm x 15 m) BlueMax II Airless Hose	3/8 in x 50 ft (9.5 mm x 15 m) BlueMax II Airless Hose	
=	Tip(s)	RAC X LTX 427 and 531	RAC X LTX 427 and 531	
	Filter	60 Mesh Easy Out	60 Mesh Easy Out	
	Туре	QuikChange System	ProConnect 2	
PUMP	Rod	Chromex	MaxLife w/Vortex	
	Sleeve	Hardened SST	MaxLife	
	MaxFlo 2	•	•	
		-	QuikReel	
		-	Crushproof Inlet Strainer	
	ADDITIONAL SERIES FEATURES	-	LED Display	
	FEATURES	-	WatchDog	
		-	-	
IVAL	Operation	3A6400	3A6400	
MANUAI	Parts	3A6417	3A6417	
TYPICAL APPLICATIONS	Materials Sprayed	Oil-based coatings, enamels, latex, block-fillers, elastomerics, epoxies, drywall mud, other high- build materials	Oil-based coatings, enamels, latex, block-fillers, elastomerics, epoxies, drywall mud, other high- build materials	
TYPICAL #	Surfaces	Medium to large residential and commercial interiors and exteriors	Medium to large residential and commercial interiors and exteriors	

STANDARD	PROCONTRACTOR	IRONMAN
17E841	17E842	17E843
Heavy-Duty Blue Texture	Heavy-Duty Blue Texture	Heavy-Duty Blue Texture
3/8 in x 50 ft (9.5 mm x 15 m) BlueMax II Airless Hose	3/8 in x 50 ft (9.5 mm x 15 m) BlueMax II Airless Hose	3/8 in x 50 ft (9.5 mm x 15 m) BlueMax II Airless Hose
RAC X LTX 427 and 531	RAC X LTX 427 and 531	RAC X LTX 427 and 531
60 Mesh Easy Out	60 Mesh Easy Out	60 Mesh Easy Out
QuikChange System	ProConnect 2	ProConnect 2
MaxLife	MaxLife w/Vortex	MaxLife Extreme w/Vortex
MaxLife	MaxLife	MaxLife
•	•	•
-	QuikReel	-
-	Crushproof Inlet Strainer	Crushproof Inlet Strainer
-	LED Display	LED Display
-	WatchDog	WatchDog
-	-	Flat Proof Tires
3A6400	3A6400	3A6400
3A6417	3A6417	3A6417
Oil-based coatings, enamels, latex, block- fillers, elastomerics, epoxies, drywall mud, other high-build materials	Oil-based coatings, enamels, latex, block- fillers, elastomerics, epoxies, drywall mud, other high-build materials	Oil-based coatings, enamels, latex, block- fillers, elastomerics, epoxies, drywall mud, other high- build materials
Large residential and commercial interiors and exteriors	Large residential and commercial interiors and exteriors	Large commercial and industrial interiors and exteriors

		DutyMax GH 230 HD Convertible	
	Maximum Tip Size	0.053	
SPECIFICATIONS	Maximum psi (bar)	3300 (227)	
	Maximum gpm (lpm)	2.35 (8.9) Gas Engine / 1.10 (4.2) Electric Motor	
	Motor/Engine	Honda 200 cc (6.5 hp)	
	Control	-	
	Weight lb (kg)	203 (92)	
	Compressor Air Output	Compressor and Air Atomizer Kit required for some texture finishes	

DutyMax GH 300 HD
0.057
3300 (227)
3.0 (11.4)
Honda 270 cc (9.0 hp)
-
218 (99)
Compressor and Air Atomizer Kit required for some texture finishes









	SERIES TYPE	STANDARD	PROCONTRACTOR
MODEL	Part Number	24W943* Gas Only 24W944* Gas and 120 V Electric (non-CSA) 24W945* Gas and 120 V Electric (CSA)	24W962* Gas Only 24W963* Gas and 120 V Electric (non-CSA) 24W964* Gas and 120 V Electric (CSA)
	Gun	Heavy-Duty Blue Texture	Heavy-Duty Blue Texture
INCLUDES	Hose	3/8 in x 50 ft (9.5 mm x 15 m) BlueMax II Airless Hose 1/4 in x 3 ft (6.4 mm x 0.9 m) BlueMax II Whip Hose	3/8 in x 100 ft (9.5 mm x 30 m) BlueMax II Airless Hose 1/4 in x 3 ft (6.4 mm x 0.9 m) BlueMax II Whip Hose
	Tip(s)	RAC X LTX 427 and 531	RAC X LTX 427 and 531
	Filter	60 Mesh Easy Out	60 Mesh Easy Out
	Туре	QuikChange System	ProConnect 2
PUMP	Rod	Hard Chrome	Hard Chrome
_	Sleeve	Hardened SST	MaxLife
	MaxFlo	•	•
		-	QuikReel
	ADDITIONAL	-	Crushproof Inlet Strainer
	ADDITIONAL SERIES FEATURES	-	-
	real unes	-	-
		-	-
TYPICAL APPLICATIONS	Materials Sprayed	Oil-based coatings, enamels, latex, block-fillers, elastomerics, epoxies, drywall mud, and other high-build materials	Oil-based coatings, enamels, latex, block-fillers, elastomerics epoxies, drywall mud, and other high-build materials
PICAL A	Surfaces	Medium to large residential and commercial interiors and exteriors	Medium to large residential and commercial interiors and exteriors

STANDARD	PROCONTRACTOR
<b>Honda</b> 24W967	<b>Honda</b> 24W968
Inline Heavy-Duty Texture	Inline Heavy-Duty Texture
1/2 in x 50 ft (13 mm x 15 m) BlueMax II Airless Hose 3/8 in x 12 ft (9.5 mm x 3.7 m) BlueMax II Whip Hose	1/2 in x 100 ft (13 mm x 30 m) BlueMax II Airless Hose 3/8 in x 12 ft (9.5 mm x 3.7 m) BlueMax II Whip Hose
RAC X LTX 643 and WideRAC 1239	RAC X LTX 643 and WideRAC 1239
60 Mesh Easy Out	60 Mesh Easy Out
QuikChange System	ProConnect 2
Hard Chrome	Hard Chrome
Hardened SST	MaxLife
•	•
_	QuikReel
-	Crushproof Inlet Strainer
-	-
-	-
-	-
Oil-based coatings, enamels, latex, block-fillers, elastomerics, epoxies, drywall mud, and other high-build materials	Oil-based coatings, enamels, latex, block-fillers, elastomerics, epoxies, drywall mud, and other high-build materials
Medium to large residential and commercial interiors and exteriors	Medium to large residential and commercial interiors and exteriors



## **SPRAY WITH CONFIDENCE**

#### **Industry-Leading Warranty Protection**

Behind every Graco sprayer is the industry's strongest warranty. You may never need to use Graco's warranty — but if you do, we will be there.

#### **3-YEAR HONDA ENGINE WARRANTY\***

If the engine fails from normal use, Honda will replace it under warranty for the original owner for 3 years.

#### LIFETIME DRIVETRAIN

WARRANTY (GMAX only)
If the drivetrain fails from normal use, we'll replace it under warranty for the original owner for the life of the sprayer.

## 30-DAY "JUST ADD PAINT" REPLACEMENT GUARANTEE

Dissatisfied? Simply return the sprayer to the place you bought it within 30 days. They'll either exchange it for an identical sprayer or you can trade up to a larger sprayer at an additional cost.

#### **3-YEAR WARRANTY\***

Coverage against defects in materials and workmanship on the entire sprayer.

## DOWNTIME ELIMINATOR PROGRAM\*

Part needed for a warranty repair not in stock at your distributor? Get FREE next business day air freight delivery when distributor orders the part by 2 p.m. CT.

#### **CONVENIENT SERVICE**

Graco offers more than 5,500 authorized distributor locations in North America and over 700 locations to administer warranty repair.

\*NORTH AMERICA ONLY. See your local Graco Distributors for country specifics.



#### **FINISH EVERY JOB, EVERY TIME**

Downtime is costly. With the Endurance Advantage Program, you'll never need to worry about it again. Depending on the sprayer you purchase:

## Receive up to 70% OFF the list price of an Endurance Pump

Follow the registration instructions included with your sprayer.



Every Graco purchase comes with A+ Customer Service.

Questions? Call (844) 241-9499

#### For more information visit graco.com/contractor

©2024 Graco Inc. 344382 Rev. F 11/24 All written and visual data contained in this document are based on the latest product information available at the time of publication. Graco reserves the right to make changes at any time without notice. Trademarks are referenced herein for identification purposes only. DeWALT® and the DeWALT Logo are trademarks of DeWALT Industrial Tool Co. and are used under license. All trademarks are the property of their respective owners. Product covered by issued and pending patents, see graco.com/patents. Blue is a trademark of Graco Inc. for Contractor Equipment Sprayers.