# GAS AIRLESS SPRAYERS

Graco's Complete Line of Professional Gas Airless Sprayers





PROVEN QUALITY. LEADING TECHNOLOGY.



# **THERE IS NOTHING LIKE A GRACO SPRAYER**

Experienced contractors know the difference. Graco gas airless sprayers are powerful, efficient investments that keep you spraying and save you money to move your business forward.

#### TRUST YOUR BUSINESS AND REPUTATION TO GRACO

Graco is committed to providing the highest quality gas airless sprayers available, backed by the industry's best warranty.

#### **AMERICAN BUILT OUALITY SINCE 1926**

100% factory-tested and field-proven Graco professional gas airless sprayers are designed, manufactured, and assembled in the USA with global components.

#### INDUSTRY-LEADING WARRANTY

Behind every Graco sprayer is the industry's strongest warranty. You may never need Graco's warranty — but if you do, we will be there.



# **GRACO-ONLY SOLUTIONS TO KEEP YOU SPRAYING**



(PATENTED)

#### THE EASIEST MAINTENANCE

- Swap your pump in minutes no tools needed
- Eliminate costly jobsite downtime
- Easier and faster than ever to service your sprayer

Easy Out

#### LARGE, DURABLE FILTRATION

• Easy Out<sup>™</sup>—vertical filtration ensures a quality finish with less mess

**GRACO EXCLUSIVE**)

 Crushproof Inlet Strainer — withstands harsh impacts to maintain filtering and flow



#### **EASY HOSE MANAGEMENT**

(PATENTED)

- Deploy and rewind up to 300 feet of hose in seconds
- No twisting, kinking, or coiling
- Use only the hose you need the rest stays on the reel

### SMARTCONTROL™

CONTROL

#### **GRACO EXCLUSIVE**) **PRECISION SPRAYING**

- Precision pressure control that delivers a consistent spray fan without pressure fluctuations
- Ideal for Low Pressure Tips commonly used for fine finish work and low overspray applications
- Monitors sprayer gallons, hours, and spray pressure

### ADVANTAGE DRIVE™

# THE LONGEST Lasting Drive

- The most dependable, longest lasting drive in the industry, backed by a lifetime warranty
- Hardened steel gears engineered to provide extremely quiet operation

**GRACO EXCLUSIVE**)



# **CHOOSE THE RIGHT GAS AIRLESS SPRAYER**

Our mission is to fit you to the sprayer that is sized for the work you do to get the job done right, every time.

# **CURRENT AND FUTURE JOBSITE FACTS TO CONSIDER** WHEN SELECTING YOUR GRACO GAS SPRAYER:

- How many gallons per week will you spray?
- What hose lengths will you use?
- How many guns will you use?
- What tip sizes?
- What types of jobs will you bid?
- What types of materials will you spray?

FIND THE SPRAYER THAT FITS												
RECOMMI SPI	ENDED Rayer	gmax° 3400	STANDARD	GMAX II 3900 GH™ 130	STANDARD •	PROCONTRACTOR™ ●	GMAX II 5900 GH 200	STANDARD •	PROCONTRACTOR <sup>™</sup>	GMAX II 7900 GH 230 GH 300	STANDARD	PROCONTRACTOR"*
PRODUCTION NEEDS		LOW Up to 90L per week		MEDIUM Up to 1900L per week		HIGH Up to 3800 L per week		HIGH Up to 3800 L per week				
	NEEDS	<b>LOW</b> 1 gun Up to 0.027 / Up to 2.8 lpm		MEDIUM 2 gun Up to 0.037 / Up to 4.9 lpm		HIGH Up to 4 guns Up to 0.047 tip / Up to 8.1 lpm		HIGHEST Up to 5 guns Up to 0.057 tip / Up to 11.4 lpm				
JOB	<b>LIGHT</b> Small Residential, Repaint/Remodel, Property Maintenance		LIGHT / MEDIUM Medium Residential, Repaint/Remodel, Property Maintenance, Light Commercial		LIGHT / HEAVY Interior/Exterior, Residential, Light Commercial		HEAVY DUTY Exterior Residential, Heavy Commercial, Industrial					
MATE	RIALS	IALS Lacquers and Stains, Interior/Exterior Latex, Enamels, Acrylics		LIGHT / MEDIUM Lacquers and Stains, Interior/Exterior Latex, Enamels, Acrylics, Oil-Based Primers		LIGHT / HEAVY Interior/Exterior Latex, Oil-Based Primers, Acrylics, Block Fillers		<b>HEAVY DUTY</b> Interior/Exterior Latex, Oil-Based Primers, Epoxies, Block Fillers, Dryfall, Elastomerics				

\*All sprayers are capable of spraying with up to 300 feet of hose, but maximum length will change depending on material thickness, hose diameter, and tip size.

PAINTING SOLUTIONS GUIDE



# CHOOSE THE RIGHT SERIES OF GAS AIRLESS SPRAYERS FOR YOUR BUSINESS

Only Graco is committed to meeting the needs of professional painting contractors by offering up to three different series of gas airless sprayer models.



**EVERYDAY RELIABILITY** Small Residential and Repainting Contractor

- Painting multiple days a week
- Typically working on smaller jobs
- Don't need a lot of extra features



## WORK SMARTER, FINISH MORE JOBS

Large Residential and Commercial Contractor

- Painting every day frequently from job to job
- Tackling medium to large projects
- Requiring features to get you to the next jobsite faster



# MORE PRODUCTION IN LESS TIME GMAX DIRECT DRIVE TECHNOLOGY

The most efficient spraying technology available, allowing you to get more work done with less effort while saving you time and money.

Through our Direct Drive Technology, an engine powers the pump from a clutch and geared drivetrain.

# SAVE UP TO \$800 PER YEAR!

### **WORK EASIER**

 Easier loading/unloading and jobsite portability — 20% lighter weight and a smaller footprint than hydraulic units

• Save up to \$500 a year—use up to 30% less gas than hydraulic units

**BURN LESS FUEL** 

### **LESS MAINTENANCE**

#### **INCREDIBLE DURABILITY**

- MaxLife<sup>®</sup> and MaxLife Extreme pumps last 6X longer between pump repacks
- Lifetime Guarantee on gear train and pinion housing

## **GMAX STANDARD SERIES** SERIES **EVERYDAY RELIABILITY**

Unmatched durability and performance, with the capability to handle the widest range of tip sizes, longer hose lengths, and heavier coatings with ease.



#### THE MOST RELIABLE PUMP Endurance Chromex Piston Pump

- Lasts 2X longer than the next leading brand
- Repack the pump in minutes with the new QuikPak Cartridge System
- QuikChange<sup>™</sup> pump design allows you to swap the pump easily on the job
- Faster cleaning with the QuikAccess intake foot valve



## **CONSISTENT SPRAY FAN AND** PRESSURE CONTROL

- SmartControl<sup>™</sup> 3.0
- Handles the widest range of coatings with the most consistent fan pattern
- Lowest dead band at any pressure

### THE LONGEST LASTING DRIVE

## Advantage Drive<sup>™</sup>

- Hardened steel gears engineered to provide extremely quiet operation
- Lifetime Warranty

### **RELIABLE, POWERFUL, AND** EASY TO START

- Honda<sup>®</sup> Engines
- · Oil Alert shuts down engine to prevent damage if oil level drops too low
- Contractor preferred

Ready to Spray: Complete with Spray Gun, 50' Blue Max™ II hose, and RAC X<sup>™</sup> SwitchTip<sup>™</sup>

STANDARD	LO-BOY
16W863	
16W865	16W886
16W869	16W870
16W883	16W884
	16W863 16W865 16W869

#### **EASY MAINTENANCE AND** LESS CLOGGING

#### **Easy Out Pump Filter**

- Exclusive inside-out filtering process won't collapse, and ensures a quality finish
- Vertical design for less mess

#### **MAINTENANCE-FREE HIGH-PRESSURE DUMPING**

#### **Heavy-Duty Prime Valve**

 Maintenance-free design withstands high-pressure dumping

### **RUGGED AND EASY TO MANEUVER**

#### **Durable Cart Design**

- Thick chrome over steel frame and pneumatic wheels to handle tough jobsite conditions
- Retractable handle doubles as coiled hose storage

### **ALL-DAY COMFORT AND CONTROL**

#### New Contractor PC<sup>™</sup> Gun

- Lightest weight gun in its class
- Up to 50% lighter trigger pull force
- E-Z Fit<sup>™</sup> adjustable trigger length
- · Complete no-tools gun rebuild in seconds with ProConnect

#### All GMAX II 7900 spravers feature Graco's extreme-duty MaxLife Pump:

- Lasts 5X longer between repacks
- · Features exclusive hardened MaxLife sleeve and rod
- · Oversized clearances ensure minimal pressure drop







- SmartControl 3.0
- Precision Advantage Drive

all Standard Series features:

- Honda Engine
- · Easy Out Pump Filter
- Heavy-Duty Prime Valve
- · Rugged, Durable Cart Design
- NEW Contractor PC Gun





# ProContractor Series sprayers also include

Contractor





# **GMAX PROCONTRACTOR SERIES** WORK SMARTER, FINISH MORE JOBS

Designed to deliver speed and performance so you can get to the next jobsite faster and increase your profits.

#### **ELIMINATE COSTLY** DOWNTIME

#### ProConnect 2 One-Part Pump Replacement System (PATENTED)

Pump swaps in 1 minute or less

no tools, pins, or parts to lose

#### **EASY HOSE MANAGEMENT**

#### QuikReel<sup>™</sup> Hose Management System (PATENTED)

 Deploy and rewind up to 300 feet of hose in seconds

• No twisting, kinking, or coiling

 Use only the hose you need the rest stays on the reel

#### **IMPROVED FILTRATION**

#### **Crushproof Inlet Strainer**

· Stands up to harsh impacts to maintain filtering and flow

#### **PUMP DAMAGE** PROTECTION

#### WatchDog<sup>™</sup> Pump **Protection System**

• Automatically shuts down the pump if the material supply is too low

## EASY-TO-READ PERFORMANCE

#### LED Display

• Displays pressure, gallon counter, and diagnostics



	 ,	and RAC X SwitchTip
ELS		PROCONTRACTOR
000		1010007

Ready to Spray: Complete with



MAX MODELS	PROCONTRACTOR
GMAX II 3900	16W867
GMAX II 5900	16W871
GMAX II 7900	16W867

# HYDRAULIC TECHNOLOGY GH HYDRAULIC TECHNOLOGY

Graco's powerful GH hydraulic units are built for high-production contractors spraying a wide range of thick materials on large commercial jobs.

Hydraulic sprayers use a gas engine or an electric motor to power a hydraulic system that drives the fluid pump.

### **INCREDIBLE DURABILITY**

#### Built to withstand the most extreme abuse

- Exclusive Crushproof Inlet Strainer
- Shroud support protects belt from jobsite damage
- Durable steel frame withstands rugged environments
- · Heavy-duty prime valve withstands high-pressure dumping

### **LESS MAINTENANCE**

#### Innovative component designs keep you spraying

- · Inside-out filter flow and oversized filter surface prevent filter collapsing
- · High-pressure form-fitted hydraulic fittings and lines eliminate leaks

### **REDUCED DOWNTIME**

- Chromex and MaxLife pumps provide long life between pump repacks
- ProConnect Pump Replacement System
- Pump removal and replacement in minutes (ProContractor Series only)
- Efficiently cooled hydraulic fluid only needs changing once per year

### **BUILT FOR HOW YOU WORK**

#### QuikReel Hose Management System

- · Increased versatility with flexible material hose
- Deploying and rewinding up to 300 feet of hose in seconds

# **UNMATCHED RELIABILITY** GAS HYDRAULIC ENDURANCE PUMPS

# AN ENDURANCE PUMP FOR EVERY APPLICATION

- Endurance Piston Pump (Standard Series)
- Lasts 2X longer than the next leading brand
- Chromex rod and hardened stainless steel sleeve deliver superior reliability and life
- Long-life V-Max Blue<sup>™</sup> Packings

#### Endurance MaxLife Piston Pump (ProContractor Series)

- Lasts 5X longer between repacks
- Exclusive MaxLife sleeve and rod are built for the most demanding jobs, delivering extended durability and life

## EASIEST SERVICE IN THE INDUSTRY

#### ProConnect Pump Replacement System

• Swap your pump in minutes—no tools (ProContractor Series only)

#### **QuikAccess Intake Foot Valve**


Clear debris faster with easy inlet ball access

### SPRAYS THE WIDEST RANGE OF COATINGS

- Oversized clearances for maximum performance
- Maximum flow and less pack-out for heavy materials











#### Endurance Chromex Pump for GH

Lasts 1X longer than competing pumps

Endurance MaxLife Pump for GH 5X longer between repacks

# **GH™ STANDARD SERIES EVERYDAY RELIABILITY**



Graco's Standard Series sprayers deliver durability and performance for painting multiple projects a week, time after time.



#### THE MOST RELIABLE PUMP **Endurance Piston Pump**

 Lasts 2X longer than the next leading brand

#### **FINISH JOBS FASTER**

**High-Efficiency Hydraulic Motor** 

- · Fast, responsive changeover
- Less maintenance and longer life with fewer moving parts



# **REDUCED DOWNTIME**

#### **High-Capacity Cooling System**

- Innovative design allows the pump to run cooler and more efficiently
- · Easier and more thorough fluid changes
- · Reservoir cooling fins deflect more heat
- No special hydraulic fluid needed

### **RELIABLE, POWERFUL,** AND EASY-TO-START

#### **Honda Engines**

- Oil Alert shuts down engine to prevent damage if oil level drops too low
- Contractor preferred

#### **FASY MAINTENANCE AND LESS CLOGGING**

#### Easy Out Pump Filter

- Easier filter cleaning and less mess with fewer tip clogs to ensure a quality finish
- Won't collapse or get stuck with inside-out filtering process

## **RUGGED AND EASY-TO-MANEUVER**

- Withstands the tough iobsite conditions while absorbing impacts and vibrations
- · Heavy-duty frame design easily fits for quick service on the jobsite

 Maintenance-free design withstands high-pressure dumping.

#### **INDOOR AND OUTDOOR USE**







# **GH PROCONTRACTOR SERIES** WORK SMARTER, FINISH MORE JOBS

Designed to deliver speed and performance so you can get to the next jobsite faster and increase your profits.



#### Endurance MaxLife Piston Pump

- Lasts 6X longer between repacks
- · Minimal pressure drop and increased performance
- · Maximum versatility no matter what you're spraving

#### EASY HOSE MANAGEMENT

#### QuikReel Hose Management System PATENTED

- Deploy and rewind up to 300 feet of hose in seconds
- No twisting, kinking, or coiling
- Use only the hose you need ---the rest stays on the reel



#### ProConnect One-Part Pump **Replacement System** (PATENTED)

- Fast and easy pump replacement pinless design needs no tools
- · Eliminates costly downtime



## IMPROVED FILTRATION

#### **Crushproof Inlet Strainer**

 Stands up to harsh impacts to maintain filtering and flow



Ready to Spray: Complete with Spray Gun, 50' Blue Max II hose, and RAC X SwitchTip

STANDARD (GAS ONLY)
24W923
24W925
24W929
24W935

#### **Durable Cart Design**

- Retractable handle doubles as coiled hose storage

### **MAINTENANCE-FREE HIGH-PRESSURE DUMPING**

#### **Heavy-Duty Prime Valve**

#### **Electric Motor Kit**

· Quickly swap the gas engine for an electric motor in secondswithout tools



#### ProContractor Series spravers also include all Standard Series features:

- High-Efficiency Hydraulic Motor
- High-Capacity Cooling System
- Honda Engine
- Easy Out Pump Filter
- · Heavy-Duty Prime Valve
- Rugged, Durable Cart Design
- Electric Motor Kit (optional)



Ready to Spray: Complete with Spray Gun, 100' Blue Max II hose, and RAC X SwitchTip

GAS HYDRAULIC MODELS	PROCONTRACTOR (GAS ONLY)
GH 200 Convertible	24W927
GH 230 Convertible	24W932
GH 300 Convertible	24W936



# **EXPAND YOUR CAPABILITIES** GRACO TEXTURE SOLUTIONS

When you need to spray thick and heavy materials, Graco offers the TexSpray<sup>™</sup> HD, TexSpray DutyMax,<sup>™</sup> and TexSpray GH Big Rig<sup>™</sup> sprayers designed to deliver maximum flow and pressure for spraying heavy coatings with ease.

## **TEXSPRAY HD AIRLESS SPRAYERS**

#### **Ideal for Exterior Applications**

- Ideal for spraying elastomerics, waterproofing, vapor barriers, roof coatings, and other heavy exterior coatings
- Easily spray the full range of paints and primers
- Unmatched fuel economy and a lifetime drivetrain warranty



### **TEXSPRAY DUTYMAX SPRAYERS**

#### Engineered for the Heaviest Texture Applications

- Designed to deliver maximum flow and pressure from pump to gun
- Easily spray everything from skim coat in a Level 5 finish, fire stop, intumescent, elastomeric, or any other high-viscosity coatings
- Ability to convert from a gas engine to an electric motor in seconds with no tools

# Check out the Texture Sprayers brochure (Part #300581), or visit graco.com/TexSpray



### **GH BIG RIG AIRLESS SPRAYERS**

#### The Highest Pressure and Flow for the Heaviest Materials

- High pressure for long hose runs and hard-to-atomize materials
- High flow rates for heavier coverage
- Maximum performance and versatility --- no need for multiple rigs
- Exclusive customizable QuikChange lowers handle multiple coatings

# Check out the GH Big Rig brochure (Part #342550), or visit graco.com/GHBigRig

		GMAX 3400	
	Maximum Tip Size	0.027	
	Maximum psi (bar)	3300 (227)	
	Maximum gpm (lpm)	0.75 (2.8)	
	Honda Engine CC (HP)	120 (4.0)	
lions	Control	SmartControl 3.0	
<b>SPECIFICATIONS</b>	Weight Ib (kg)	89 (41)	
SPEC	Gun Support (Gas): 1 Gun 2 Guns 3 Guns 4 Guns	0.027 - - -	
	Gun Support (Electric): 1 Gun 2 Guns	N/A	





					A. 14 .
	SERIES TYPE	STANDARD	LO-BOY	STANDARD	PROCONTRACTOR
MODEL	Cart Design — Part Number	16W863	16W866	16W865	16W867
	Туре	Endurance	Endurance	Endurance	Endurance
PUMP	Rod	Chromex	Chromex	Chromex	Chromex
P	Sleeve	Hardened SST	Hardened SST	Hardened SST	Hardened SST
	Removal	QuikChange	ProConnect 2	QuikChange	ProConnect 2
	NEW! Endurance Pump	•		•	Vortex
	Honda Engine			•	•
	Advantage Drive			•	•
	Easy Out			•	•
	SmartControl 3.0			•	•
	LED Display				•
BES	WatchDog				•
FEATURES	QuikReel				•
	ProConnect 2				•
	NEW! Crushproof Inlet Strainer				•
	NEW! Contractor PC Gun	•	•	•	•
	Тір	RAC X LTX 517			
	Hose	1/4 in x 50 ft (6.4 mm x 15 m) BlueMax II Airless	1/4 in x 50 ft (6.4 mm x 15 m) BlueMax II Airless	1/4 in x 50 ft (6.4 mm x 15 m) BlueMax II Airless	1/4 in x 50 ft (6.4 mm x 15 m) BlueMax II Airless
	Replacement Pump	246428	16X414	16Y598	16X414
RTS	Repair Kit	18B260	17H838	17H838	17H838
WEAR PARTS	Rod	249125	16X434	248206	16X434
We	Sleeve	-	248209	248209	248209
	Intake Seat Kits	246429	239922	239922	239922
MANUAL	Operation and Parts	3A6400	3A6400	3A6400	3A6400
MAN	Pump	3A6584	3A6583	3A6584	3A6583

GMAX II 3900	
0.036	
3300 (227)	
1.25 (4.7)	
120 (4.0)	
SmartControl 3.0	
109 (50)	

0.036 0.023 -

N/A







		<b>GMAX II 5900</b>	
	Maximum Tip Size	0.043	
	Maximum psi (bar)	3300 (227)	
	Maximum gpm (lpm)	1.60 (6.0)	
	Honda Engine CC (HP)	200 (6.5)	
SNOL	Control	SmartControl 3.0	
<b>SPECIFICATIONS</b>	Weight Ib (kg)	139 (64)	
	Gun Support (Gas): 1 Gun 2 Guns 3 Guns 4 Guns	0.043 0.029 0.023 -	
	Gun Support (Electric): 1 Gun 2 Guns	0.031 0.017	

GMAX II 7900
0.048
3300 (227)
2.20 (8.3)
200 (6.5)
SmartControl 3.0
146 (67)
0.048 0.035 0.027 0.023
N/A





	SERIES TYPE	LO-BOY	STANDARD	PROCONTRACTOR	LO-BOY	STANDARD	PROCONTRACTOR
MODEL	Cart Design— Part Number	16W870	16W869	16W871	16W884	16W883	16W885
PUMP	Туре	Endurance	Endurance	Endurance	Endurance	Endurance	Endurance
	Rod	Chromex	Chromex	Chromex	MaxLife	MaxLife	MaxLife
	Sleeve	硬化 SST	硬化 SST	硬化 SST	MaxLife	MaxLife	MaxLife
	Removal	ProConnect 2	QuikChange	ProConnect 2	ProConnect 2	QuikChange	ProConnect 2
	NEW! Endurance Pump	•	•	•	•	•	•
	Honda Engine	•	•	•			•
	Advantage Drive		•				
	Easy Out	•	•		•		•
	SmartControl 3.0		•	•	•		•
	LED Display						•
RES	WatchDog						
FEATURES	QuikReel						
	ProConnect 2	•		•	•		•
	NEW! Crushproof Inlet Strainer			•			•
	NEW! Contractor PC Gun	•	•	•	•	•	•
	Тір	RAC X LTX 517					
	Hose	1/4 in x 50 ft (6.4 mm x 15 m) BlueMax II Airless	1/4 in x 50 ft (6.4 mm x 15 m) BlueMax II Airless	1/4 in x 50 ft (6.4 mm x 15 m) BlueMax II Airless	1/4 in x 50 ft (6.4 mm x 15 m) BlueMax II Airless	1/4 in x 50 ft (6.4 mm x 15 m) BlueMax II Airless	1/4 in x 50 ft (6.4 mm x 15 m) BlueMax II Airless
	Replacement Pump	16X419	16Y706	16Y706	16X426	16X423	16X426
<b>BIS</b>	Repair Kit	17H839	17H839	17H839	17H840	17H840	17H840
WEAR PARTS	Rod	16X435	248207	16X435	16X439	249119	16X439
WE	Sleeve	248210	248210	248210	249121	249121	249121
	Intake Seat Kits	244199	244199	244199	240918	240918	240918
MANUAL	Operation and Parts	3A6400	3A6400	3A6400	3A6400	3A6400	3A6400
MAN	Pump	3A6583	3A6584	3A6583	3A6583	3A6584	3A6583

		GH 130 Convertible	GH 200 Convertible		
SPECIFICATIONS	Maximum Tip Size	0.037	0.047		
	Maximum psi (bar)	3300 (227)	3300 (227)		
	Maximum gpm (lpm)	1.30 (4.9)	2.15 (8.14)		
	Honda Engine CC (HP)	120 (4.0)	160 (5.5) Standard 160 (73) / ProContractor 188 (85)		
	Weight Ib (kg)	155 (70)			
	Gun Support (Gas): 1 Gun 2 Guns 3 Guns 4 Guns 5 Guns	0.037 0.023 - - -	0.047 0.034 0.027 0.023 -		
	Gun Support (Electric): 1 Gun 2 Guns	0.031 0.017	0.031 0.017		



	SERIES TYPE	STANDARD	STANDARD	PROCONTRACTOR
MODEL	Part Number	24W923	24W925	24W927
	Туре	Endurance	Endurance	Endurance
PUMP	Rod	Chromex	Chromex	MaxLife
E	Sleeve	Hardened SST	Hardened SST	MaxLife
	Removal	QuikChange	QuikChange	ProConnect
	Endurance Pump	•	•	•
	Honda Engine	•	•	•
	High-Capacity Cooling System	•	•	•
	Easy Out	•	•	•
RES	High-Efficiency Hydraulic Motor	•	•	•
FEATURES	QuikReel			•
	ProConnect			
	Crushproof Inlet Strainer			
	Тір	RAC X 517, 1231	RAC X 517, 1231	RAC X 517, 1231
	Hose	1/4 in x 50 ft (6.4 mm x 15 m) BlueMax II Airless	1/4 in x 50 ft (6.4 mm x 15 m) BlueMax II Airless	1/4 in x 50 ft (6.4 mm x 15 m) BlueMax II Airless AND 1/4 in x 50 ft (6.4 mm x 15 m) BlueMax II Airless
CONTROL & DRIVE	Drive	Hydraulic	Hydraulic	Hydraulic
ENDURANCE C	Replacement Pump	24B748	24W995	24W996
	Repair Kit	288471	17D601	287813
WEAR PARTS	Rod	288479	249000	288469
IEAR	Sleeve	248210	248979	249121
	Intake Seat Kit	244199	240918	240918
MANUAL	Operation Parts	334558	334558	334558





		GH 230 Convertible	GH 300	
	Maximum Tip Size	0.053	0.057	
SPECIFICATIONS	Maximum psi (bar)	3300 (227)	3300 (227)	
	Maximum gpm (lpm)	2.35 (8.9)	3.00 (11.4)	
	Honda Engine CC (HP)	200 (6.5)	270 (9.0)	
	Weight Ib (kg)	Standard 168 (76) / ProContractor 193 (88)	Standard 195 (88) / ProContractor 222 (101)	
	Gun Support (Gas): 1 Gun 2 Guns 3 Guns 4 Guns 5 Guns	0.053 0.038 0.032 0.028 0.024	0.057 0.039 0.033 0.029 0.025	
	Gun Support (Electric): 1 Gun 2 Guns	0.031 0.017	N/A	







	SERIES TYPE	STANDARD	PROCONTRACTOR	STANDARD	PROCONTRACTOR
MODEL	Part Number	24W929	24W932	24W935	24W936
ž		24₩323	2400352	240303	240330
PUMP	Туре	Endurance	Endurance	Endurance	Endurance
	Rod	Chromex	MaxLife	Chromex	MaxLife
	Sleeve	Hardened SST	MaxLife	Hardened SST	MaxLife
	Removal	QuikChange	ProConnect	QuikChange	ProConnect
	Endurance Pump	•	•	•	•
	Honda Engine	•	•	•	
	High-Capacity Cooling System	•	•	•	•
	Easy Out	•	•	•	•
ES	High-Efficiency Hydraulic Motor	•	•	•	•
FEATURES	QuikReel		•		•
	ProConnect		•		•
	Crushproof Inlet Strainer		•		•
	Тір	RAC X 517, 1231	RAC X 517, 1231	RAC X 517, 1231	RAC X 517, 1231
	Hose	3/8 in x 50 ft (9.5 mm x 15 m) BlueMax II Airless <i>AND</i> 1/4 in x 3 ft (6.4 mm x 0.9 m) BlueMax II Whip Hose	3/8 in x 50 ft (9.5 mm x 15 m) BlueMax II Airless <i>AND</i> 1/4 in x 50 ft (6.4 mm x 15 m) BlueMax II Airless	3/8 in x 50 ft (9.5 mm x 15 m) BlueMax II Airless <i>AND</i> 1/4 in x 3 ft (6.4 mm x 0.9 m) BlueMax II Whip Hose	3/8 in x 50 ft (9.5 mm x 15 m) BlueMax II Airless <i>AND</i> 3/8 in x 50 ft (9.5 mm x 15 m) BlueMax II Airless
CONTROL & DRIVE	Drive	Hydraulic	Hydraulic	Hydraulic	Hydraulic
ENDURANCE (	Replacement Pump	24W997	24W998	24W997	24W998
WEAR PARTS	Repair Kit	17D601	287813	17D601	287813
	Rod	249001	288470	249001	288470
	Sleeve	248980	287817	248980	287817
	Intake Seat Kit	240918	240918	240918	240918
MANUAL	Operation Parts	334558	334558	334558	334558

# **ACCESSORIES SPEND LESS TIME, MAKE MORE MONEY**

Maximize your performance and get to the next job faster by customizing your sprayer with proven Graco Accessories.

# **NEW CONTRACTOR PC GUNS**

# FINISH JOBS FASTER WITH LESS FATIGUE Premium Comfort for All-Day Spraying • Lightest-weight gun in its class • Up to 50% lighter trigger pull force **REDUCE DOWNTIME WITH PROCONNECT**

# • E-Z Fit adjustable trigger length (PATENT PENDING)

## Complete Gun Rebuild in Seconds (PATENT PENDING)

• Needle and all wear parts in one simple cartridge



## **RAC X LOW PRESSURE** SWITCHTIPS PATENTED

- Less prep and cleanup time
- Less mess with less overspray
- · Easiest pattern overlap
- Up to 2X life
- 46 different sizes for large surface and fine finish applications



# SIPHON KITS

- · Pump materials directly from containers
- Fits GMAX II 3900/5900/7900 and GH 130/200/230/300
- 5-Gallon Siphon Kit, 30/55-Gallon Siphon Kit, and Siphon Hose Extensions available





### **GRACO'S LONGEST-LASTING, MOST DURABLE GUN YET**

Industry-Proven Graco Quality

Made in the USA



martTi

Available in sizes 108 – 731 for fine finish and large surface applications



# **ELECTRIC MOTOR KITS**

- · Quickly swap the gas engine for an electric motor in secondswithout tools
- Available for GMAX II 5900 and GH 130/200/230





Every Graco purchase comes with A+ Customer Service.

Questions? Call 86 512 6260 5711

### For more information visit graco.com

©2021 Graco Inc. 344383 Rev. A 4/21 All written and visual data contained in this document are based on the latest product information available at the time of publication. Graco reserves the right to make changes at any time without notice. Trademarks are referenced herein for identification purposes only. All trademarks are the property of their respective owners. Product covered by issued and pending patents, see graco.com/us/en/patents For more information on Graco's intellectual property, see www.graco.com/patent or www.graco.com/trademarks.