




# GAS AIRLESS SPRAYERS

*Australia and New Zealand*

Graco's Complete Line of Professional  
Gas Airless Sprayers



PROVEN QUALITY. LEADING TECHNOLOGY.



# THERE IS NOTHING LIKE A GRACO SPRAYER

Experienced contractors know the difference. Graco gas airless sprayers are powerful, efficient investments that keep you spraying and save you money to move your business forward.

## TRUST YOUR BUSINESS AND REPUTATION TO GRACO

Graco is committed to providing the highest quality gas airless sprayers available, backed by the industry's best warranty.

## AMERICAN BUILT QUALITY SINCE 1926

100% factory-tested and field-proven Graco professional gas airless sprayers are designed, manufactured, and assembled in the USA with global components.

## INDUSTRY-LEADING WARRANTY

Behind every Graco sprayer is the industry's strongest warranty. You may never need Graco's warranty—but if you do, we will be there.



## GRACO-ONLY SOLUTIONS TO KEEP YOU SPRAYING



PATENT PENDING

### THE LONGEST LASTING PUMPS EVER BUILT

- Longest life in the industry with Vortex™ rotating piston rod
- 6X more litres sprayed between repacks
- Extends pump rod life by 3X—delivering the industry's lowest cost of ownership



PATENTED

### THE EASIEST MAINTENANCE

- Swap your pump in minutes—no tools needed
- Eliminate costly jobsite downtime
- Easier and faster than ever to service your sprayer



GRACO EXCLUSIVE

### LARGE, DURABLE FILTRATION

- Easy Out™—vertical filtration ensures a quality finish with less mess
- Crushproof Inlet Strainer—withstands harsh impacts to maintain filtering and flow



PATENTED

## EASY HOSE MANAGEMENT

- Deploy and rewind up to 90 meters of hose in seconds
- No twisting, kinking, or coiling
- Use only the hose you need—the rest stays on the reel

**SMARTCONTROL™**

GRACO EXCLUSIVE

## PRECISION SPRAYING CONTROL

- Precision pressure control that delivers a consistent spray fan without pressure fluctuations
- Ideal for Low Pressure Tips commonly used for fine finish work and low overspray applications
- Monitors sprayer litres, hours, and spray pressure

**ADVANTAGE DRIVE™**

GRACO EXCLUSIVE

## THE LONGEST LASTING DRIVE

- The most dependable, longest lasting drive in the industry, backed by a lifetime warranty
- Hardened steel gears engineered to provide extremely quiet operation





# CHOOSE THE RIGHT GAS AIRLESS SPRAYER

Our mission is to fit you to the sprayer that is sized for the work you do to get the job done right, every time.

## CURRENT AND FUTURE JOBSITE FACTS TO CONSIDER WHEN SELECTING YOUR GRACO GAS SPRAYER:

- How many litres per week will you spray?
- What hose lengths will you use?
- How many guns will you use?
- What tip sizes?
- What types of jobs will you bid?
- What types of materials will you spray?

## FIND THE SPRAYER THAT FITS

RECOMMENDED SPRAYER	GMAX® 3400	STANDARD		GMAX II 3900 GH™ 130	STANDARD	PROCONTRA
		●	●		●	●
PRODUCTION NEEDS	LOW Up to 1,000 litres per week		MEDIUM Up to 2,000 litres per week			
	LOW 1 gun Up to 0.027 tip / Up to 2.9 lpm		MEDIUM 2 gun Up to 0.037 tip / Up to 4.9 lpm			
JOB TYPES	LIGHT Small Residential, Repaint/Remodel, Property Maintenance		LIGHT / MEDIUM Medium Residential, Repaint/Remodel, Property Maintenance, Light Commercial			
MATERIALS	LIGHT Lacquers and Stains, Interior/Exterior Latex, Enamels, Acrylics		LIGHT / MEDIUM Lacquers and Stains, Interior/Exterior Latex, Enamels, Acrylics, Oil-Based Primers			



ACTOR™		STANDARD	PROCONTRACTOR	IRONMAN		STANDARD	PROCONTRACTOR	IRONMAN
●	GMAX II 5900	●	●	●	GMAX II 7900	●	●	●
	GH 200	●	●		GH 230	●	●	
					GH 300	●	●	
	<b>HIGH</b> Up to 4,000 litres per week				<b>HIGH</b> Up to 4,000 litres per week			
	<b>HIGH</b> Up to 4 guns Up to 0.047 tip / Up to 8.1 lpm				<b>HIGHEST</b> Up to 5 guns Up to 0.057 tip / Up to 11.4 lpm			
	<b>LIGHT / HEAVY</b> Interior/Exterior, Residential, Light Commercial				<b>HEAVY DUTY</b> Exterior Residential, Heavy Commercial, Industrial			
	<b>LIGHT / HEAVY</b> Interior/Exterior Latex, Oil-Based Primers, Acrylics, Block Fillers				<b>HEAVY DUTY</b> Interior/Exterior Latex, Oil-Based Primers, Epoxies, Block Fillers, Dryfall, Elastomerics			

\*All sprayers are capable of spraying with up to 90 meters of hose, but maximum length will change depending on material thickness, hose diameter, and tip size.

# CHOOSE THE RIGHT SERIES OF GAS AIRLESS SPRAYERS FOR YOUR BUSINESS

Only Graco is committed to meeting the needs of professional painting contractors by offering up to three different series of gas airless sprayer models.

## STANDARD SERIES



### EVERYDAY RELIABILITY

#### Small Residential and Repainting Contractor

- Painting multiple days a week
- Typically working on smaller jobs
- Don't need a lot of extra features

## PRO Contractor SERIES



### WORK SMARTER, FINISH MORE JOBS

#### Large Residential and Commercial Contractor

- Painting every day— frequently from job to job
- Tackling medium to large projects
- Requiring features to get you to the next jobsite faster

## IRONMAN SERIES



### BEYOND JOBSITE TOUGH

#### Large Commercial and Industrial Contractor

- Painting continuously in less-than-ideal conditions
- Working on long-duration projects with large material volumes
- Require extreme durability and reliability





# MORE PRODUCTION IN LESS TIME

## GMAX DIRECT DRIVE TECHNOLOGY

The most efficient spraying technology available, allowing you to get more work done with less effort while saving you time and money.

Through our Direct Drive Technology, an engine powers the pump from a clutch and geared drivetrain.

## SAVE UP TO \$800 PER YEAR!



### WORK EASIER

- Easier loading/unloading and jobsite portability — 20% lighter weight and a smaller footprint than hydraulic units



### BURN LESS FUEL

- Save more by using up to 30% less gas than hydraulic units



### LESS MAINTENANCE

- Save every a year with no need for hydraulic fluid or filter changes

### INCREDIBLE DURABILITY

- MaxLife® and MaxLife Extreme pumps last 6X longer between pump repacks
- Lifetime Guarantee on gear train and pinion housing



# BREAKTHROUGH ENDURANCE™ VORTEX MAXLIFE AND MAXLIFE EXTREME™ TECHNOLOGY

THE LONGEST LASTING GMAX PUMPS EVER BUILT

PATENT PENDING



**Endurance Chromex™ Pump for GMAX**  
Lasts 2X longer than competing pumps



**Endurance Vortex MaxLife Pump for GMAX**  
6X longer between repacks **NEW!**



**Endurance Vortex MaxLife Extreme Pump for GMAX**  
Extends pump rod life by 3X—delivering the industry's lowest cost of ownership **NEW!**



## SPRAYS THE WIDEST RANGE OF COATINGS

- Oversized clearances for maximum performance
- Maximum flow with heavy materials



## EASIEST SERVICE IN THE INDUSTRY

### QuikPak™ Cartridge System

- Repack the entire pump in minutes

### ProConnect™ 2 Pump Replacement

- Complete no-tools pump replacement system

### QuikAccess™ Intake Foot Valve

- Clear debris faster with easy inlet ball access





# THE BEST JUST GOT BETTER

## VORTEX ROTATING PISTON TECHNOLOGY

### KEEPS YOU SPRAYING

**PATENT PENDING**

Built with Graco exclusive EXTREME ROD that is an abrasion-resistant composite to deliver the most durable, hardest wear surface possible

6X more litres sprayed between repacks — Extreme Composite extends pump rod life by 3X, delivering the industry's lowest cost of ownership




ENDURANCE™ VORTEX™

**MAXLIFE  
EXTREME**

**PATENT PENDING**



**360°  
WEAR SURFACE**  
Delivers the longest pump life



**PATENT PENDING**

### VORTEX TECHNOLOGY

Rotating rod for extended life

### HELICAL DESIGN

Delivers high-velocity flow to rotate pump rod as you spray

## QUIKPAK CARTRIDGE REPAIR SYSTEM

**PATENT PENDING**

### OLD WAY



# VS



### NEW WAY

Modular pre-oiled cartridge packings install correctly every time

### REPACK YOUR PUMP IN MINUTES



1) Insert pre-oiled packing cartridge assembly



2) Remove disposable clip



3) Assemble pump

QuikPak available on Ultra Max™ II 695-1095, GMAX II 3900-7900, and TexSpray™ Sprayers.

# GMAX STANDARD SERIES

## EVERYDAY RELIABILITY



Unmatched durability and performance, with the capability to handle the widest range of tip sizes, longer hose lengths, and heavier coatings with ease.



### THE MOST RELIABLE PUMP

#### Endurance Chromex Piston Pump

- Lasts 2X longer than the next leading brand
- Repack the pump in minutes with the new QuikPak Cartridge System
- QuikChange™ pump design allows you to swap the pump easily on the job
- Faster cleaning with the QuikAccess intake foot valve



### CONSISTENT SPRAY FAN AND PRESSURE CONTROL

#### SmartControl™ 3.0

- Handles the widest range of coatings with the most consistent fan pattern
- Lowest dead band at any pressure



### THE LONGEST LASTING DRIVE

#### Advantage Drive™

- Hardened steel gears engineered to provide extremely quiet operation
- Lifetime Warranty



### RELIABLE, POWERFUL, AND EASY TO START

#### Honda® Engines

- Oil Alert shuts down engine to prevent damage if oil level drops too low
- Contractor preferred

### EASY MAINTENANCE AND LESS CLOGGING

#### Easy Out Pump Filter

- Exclusive inside-out filtering process won't collapse, and ensures a quality finish
- Vertical design for less mess

### MAINTENANCE-FREE HIGH-PRESSURE DUMPING

#### Heavy-Duty Prime Valve

- Maintenance-free design withstands high-pressure dumping

### RUGGED AND EASY TO MANEUVER

#### Durable Cart Design

- Thick chrome over steel frame and pneumatic wheels to handle tough jobsite conditions
- Retractable handle doubles as coiled hose storage

### ALL-DAY COMFORT AND CONTROL

#### New Contractor PC™ Gun

- Lightest weight gun in its class
- Up to 50% lighter trigger pull force
- E-Z Fit™ adjustable trigger length
- Complete no-tools gun rebuild in seconds with ProConnect

### All GMAX II 7900 sprayers feature Graco's extreme-duty MaxLife Pump:

- Lasts 6X longer between repacks
- Features exclusive hardened MaxLife sleeve and rod
- Oversized clearances ensure minimal pressure drop



Ready to Spray: Complete with Spray Gun, 15 m Blue Max™ II hose, and RAC X™ SwitchTip™

GMAX MODELS	STANDARD	LO-BOY
GMAX 3400	17E825	
GMAX II 3900	17E827	17E826
GMAX II 5900	17E831	17E829
GMAX II 7900	17E836	17E834





# GMAX PROCONTRACTOR SERIES

## WORK SMARTER, FINISH MORE JOBS

Designed to deliver speed and performance so you can get to the next jobsite faster and increase your profits.



### SUPERIOR PUMP LIFE

#### New Endurance Vortex MaxLife Piston Pump

Breakthrough Vortex Rotating Rod Technology Keeps You Spraying:

- Oversized passages for high-velocity flow to rotate rod for even wear
- Lasts 6X longer between repacks with innovative MaxLife technology
- Repack pump in minutes with new QuikPak cartridge repair system

### IMPROVED FILTRATION

#### Crushproof Inlet Strainer

- Stands up to harsh impacts to maintain filtering and flow

### PUMP DAMAGE PROTECTION

#### WatchDog™ Pump Protection System

- Automatically shuts down the pump if the material supply is too low



### ELIMINATE COSTLY DOWNTIME

#### ProConnect 2 One-Part Pump Replacement System (PATENTED)

- Pump swaps in 1 minute or less — no tools, pins, or parts to lose

### EASY-TO-READ PERFORMANCE

#### LED Display

- Displays pressure, litres counter, and diagnostics



### EASY HOSE MANAGEMENT

#### QuikReel™ Hose Management System (PATENTED)

- Deploy and rewind up to 90 meters of hose in seconds
- No twisting, kinking, or coiling
- Use only the hose you need — the rest stays on the reel

### ProContractor Series sprayers also include all Standard Series features:

- SmartControl 3.0
- Precision Advantage Drive
- Honda Engine
- Easy Out Pump Filter
- Heavy-Duty Prime Valve
- Rugged, Durable Cart Design
- **NEW** Contractor PC Gun

*Ready to Spray: Complete with Spray Gun, 15 m Blue Max II hose, and RAC X SwitchTip*



GMAX MODELS	PROCONTRACTOR
GMAX II 3900	17E828
GMAX II 5900	17E832
GMAX II 7900	17E837



# GMAX IRONMAN SERIES

## UNMATCHED DURABILITY



IronMan Series sprayers are designed and built to handle the most brutal and demanding conditions—typically found on large commercial and industrial jobsites.



### THE LONGEST LIFE EVER

#### New Endurance Vortex MaxLife Extreme Piston Pump

Breakthrough Vortex Rotating Rod Technology Keeps You Spraying:

- Oversized passages for high-velocity flow to rotate rod for even wear
- 6X more litres sprayed between repacks. Extreme rod extends pump rod life by 3X
- Graco exclusive abrasion-resistance composite delivers the most durable wear surface
- Repack pump in minutes with new QuikPak cartridge repair system



### ELIMINATE COSTLY DOWNTIME

#### ProConnect 2 One-Part Pump Replacement System (PATENTED)

- Pump swaps in 1 minute or less—no tools, pins, or parts to lose



### NEVER HAVE A FLAT AGAIN

#### Flat Proof Tires

- No tire puncturing from nails, screws, or any sharp debris



### IMPROVED FILTRATION

#### Crushproof Inlet Strainer

- Stands up to harsh impacts to maintain filtering and flow



### EASY-TO-READ PERFORMANCE

#### LED Display

- Displays pressure, litres counter, and diagnostics

### PUMP DAMAGE PROTECTION

#### WatchDog™ Pump Protection System

- Automatically shuts down the pump if the material supply is too low



#### IronMan Series sprayers also include all Standard Series features:

- SmartControl 3.0
- Precision Advantage Drive
- Honda Engine
- Easy Out Pump Filter
- Heavy-Duty Prime Valve
- Rugged, Durable Cart Design
- **NEW** Contractor PC Gun

GMAX SERIES	IRONMAN	ROOF RIG
GMAX II 5900	17E833	
GMAX II 7900	17E838	17E835



Ready to Spray: Complete with Spray Gun, 15 m Blue Max II hose, and RAC X SwitchTip

# HIGH PRODUCTION RELIABILITY GH HYDRAULIC TECHNOLOGY

Graco's powerful GH hydraulic units are built for high-production contractors spraying a wide range of thick materials on large commercial jobs.

Hydraulic sprayers use a gas engine or an electric motor to power a hydraulic system that drives the fluid pump.

## INCREDIBLE DURABILITY

**Built to withstand the most extreme abuse**

- Exclusive Crushproof Inlet Strainer
- Shroud support protects belt from jobsite damage
- Durable steel frame withstands rugged environments
- Heavy-duty prime valve withstands high-pressure dumping



## LESS MAINTENANCE

**Innovative component designs keep you spraying**

- Inside-out filter flow and oversized filter surface prevent filter collapsing
- High-pressure form-fitted hydraulic fittings and lines eliminate leaks



## REDUCED DOWNTIME

**Chromex and MaxLife pumps provide long life between pump repacks**

- ProConnect Pump Replacement System
- Pump removal and replacement in minutes (ProContractor Series only)
- Efficiently cooled hydraulic fluid only needs changing once per year



## BUILT FOR HOW YOU WORK

**QuikReel Hose Management System**

- Increased versatility with flexible material hose
- Deploying and rewinding up to 90 meters of hose in seconds



# UNMATCHED RELIABILITY

## GAS HYDRAULIC ENDURANCE PUMPS

### AN ENDURANCE PUMP FOR EVERY APPLICATION

#### Endurance Piston Pump (Standard Series)

- Lasts 2X longer than the next leading brand
- Chromex rod and hardened stainless steel sleeve deliver superior reliability and life
- Long-life V-Max Blue™ Packings

#### Endurance MaxLife Piston Pump (ProContractor Series)

- Lasts 6X longer between repacks
- Exclusive MaxLife sleeve and rod are built for the most demanding jobs, delivering extended durability and life



### EASIEST SERVICE IN THE INDUSTRY

#### ProConnect Pump Replacement System

- Swap your pump in minutes — no tools (ProContractor Series only)

#### QuikAccess Intake Foot Valve

- Clear debris faster with easy inlet ball access



### SPRAYS THE WIDEST RANGE OF COATINGS

- Oversized clearances for maximum performance
- Maximum flow and less pack-out for heavy materials



**Endurance Chromex Pump for GH**  
Lasts 2X longer than competing pumps

**Endurance MaxLife Pump for GH**  
6X longer between repacks





# GH™ STANDARD SERIES

## EVERYDAY RELIABILITY

Graco's Standard Series sprayers deliver durability and performance for painting multiple projects a week, time after time.



### THE MOST RELIABLE PUMP

#### Endurance Piston Pump

- Lasts 2X longer than the next leading brand



### FINISH JOBS FASTER

#### High-Efficiency Hydraulic Motor

- Fast, responsive changeover
- Less maintenance and longer life with fewer moving parts



### REDUCED DOWNTIME

#### High-Capacity Cooling System

- Innovative design allows the pump to run cooler and more efficiently
- Easier and more thorough fluid changes
- Reservoir cooling fins deflect more heat
- No special hydraulic fluid needed



### RELIABLE, POWERFUL, AND EASY-TO-START

#### Honda Engines

- Oil Alert shuts down engine to prevent damage if oil level drops too low
- Contractor preferred

### EASY MAINTENANCE AND LESS CLOGGING

#### Easy Out Pump Filter

- Easier filter cleaning and less mess with fewer tip clogs to ensure a quality finish
- Won't collapse or get stuck with inside-out filtering process

### RUGGED AND EASY-TO-MANEUVER

#### Durable Cart Design

- Withstands the tough jobsite conditions while absorbing impacts and vibrations
- Retractable handle doubles as coiled hose storage
- Heavy-duty frame design easily fits for quick service on the jobsite

### MAINTENANCE-FREE HIGH-PRESSURE DUMPING

#### Heavy-Duty Prime Valve

- Maintenance-free design withstands high-pressure dumping



*Ready to Spray: Complete with Spray Gun, 15 m Blue Max II hose, and RAC X SwitchTip*



GAS HYDRAULIC MODELS	STANDARD
GH 130	24W923
GH 200	24W925
GH 230	24W929
GH 300	24W935

# GH PROCONTRACTOR SERIES

## WORK SMARTER, FINISH MORE JOBS



Designed to deliver speed and performance so you can get to the next jobsite faster and increase your profits.



### LONGER PUMP LIFE

#### Endurance MaxLife Piston Pump

- Lasts 6X longer between repacks
- Minimal pressure drop and increased performance
- Maximum versatility no matter what you're spraying



### EASY HOSE MANAGEMENT

#### QuikReel Hose Management System PATENTED

- Deploy and rewind up to 90 meters of hose in seconds
- No twisting, kinking, or coiling
- Use only the hose you need — the rest stays on the reel



### ELIMINATE COSTLY DOWNTIME

#### ProConnect One-Part Pump Replacement System PATENTED

- Fast and easy pump replacement — pinless design needs no tools
- Eliminates costly downtime



### IMPROVED FILTRATION

#### Crushproof Inlet Strainer

- Stands up to harsh impacts to maintain filtering and flow



### ProContractor Series sprayers also include all Standard Series features:

- High-Efficiency Hydraulic Motor
- High-Capacity Cooling System
- Honda Engine
- Easy Out Pump Filter
- Heavy-Duty Prime Valve
- Rugged, Durable Cart Design

Ready to Spray: Complete with Spray Gun, 30 m Blue Max II hose, and RAC X SwitchTip

GAS HYDRAULIC MODELS	PROCONTRACTOR
GH 200	24W927
GH 230	24W932
GH 300	24W936



# EXPAND YOUR CAPABILITIES

## GRACO TEXTURE SOLUTIONS

When you need to spray thick and heavy materials, Graco offers the TexSpray™ HD, TexSpray DutyMax™ and TexSpray GH Big Rig™ sprayers designed to deliver maximum flow and pressure for spraying heavy coatings with ease.



### TEXSPRAY HD AIRLESS SPRAYERS

#### Ideal for Exterior Applications

- Ideal for spraying elastomerics, waterproofing, vapor barriers, roof coatings, and other heavy exterior coatings
- Easily spray the full range of paints and primers
- Unmatched fuel economy and a lifetime drivetrain warranty



### TEXSPRAY DUTYMAX SPRAYERS

#### Engineered for the Heaviest Texture Applications

- Designed to deliver maximum flow and pressure from pump to gun
- Easily spray everything from skim coat in a Level 5 finish, fire stop, intumescent, elastomeric, or any other high-viscosity coatings
- Ability to convert from a gas engine to an electric motor in seconds — with no tools

Check out the [Texture Sprayers brochure \(Part #344438A\)](#), or visit [graco.com/TexSpray](http://graco.com/TexSpray)



### GH BIG RIG AIRLESS SPRAYERS

#### The Highest Pressure and Flow for the Heaviest Materials

- High pressure for long hose runs and hard-to-atomize materials
- High flow rates for heavier coverage
- Maximum performance and versatility — no need for multiple rigs
- Exclusive customizable QuikChange lowers handle multiple coatings

Check out the [GH Big Rig brochure \(Part #344438A\)](#), or visit [graco.com/GHBigRig](http://graco.com/GHBigRig)



# GMAX GAS AIRLESS SPRAYER SPECIFICATIONS

		GMX 3400	GMX II 3900
SPECIFICATIONS	Maximum Tip Size	0.027	0.036
	Maximum bar (psi)	227 (3300)	227 (3300)
	Maximum lpm (gpm)	2.8 (0.75)	4.7 (1.25)
	Honda Engine HP (CC)	4.0 (120)	4.0 (120)
	Control	SmartControl 3.0	SmartControl 3.0
	Weight kg	41	50
	Gun Support (Gas):		
	1 Gun	0.027	0.036
	2 Guns	-	0.023
	3 Guns	-	-
4 Guns	-	-	
Gun Support (Electric):			
1 Gun	N/A	N/A	
2 Guns			



		STANDARD	LO-BOY	STANDARD	PROCONTRACTOR	LO-BOY
MODEL	SERIES TYPE	STANDARD	LO-BOY	STANDARD	PROCONTRACTOR	LO-BOY
	Cart Design— Part Number	17E825	17E826	17E827	17E828	17E829
PUMP	Type	Endurance	Endurance	Endurance	Endurance Vortex	Endurance
	Rod	Chromex	Chromex	Chromex	MaxLife	Chromex
	Sleeve	Hardened SST	Hardened SST	Hardened SST	MaxLife	Hardened SST
	Removal	QuikChange	ProConnect 2	QuikChange	ProConnect 2	ProConnect 2
FEATURES	<b>NEW!</b> Endurance Pump	●	●	●	● Vortex	●
	Honda Engine	●	●	●	●	●
	Advantage Drive	●	●	●	●	●
	Easy Out	●	●	●	●	●
	SmartControl 3.0	●	●	●	●	●
	LED Display				●	
	WatchDog				●	
	QuikReel				●	
	ProConnect 2		●		●	●
	<b>NEW!</b> Flat Proof Tires					
	<b>NEW!</b> Crushproof Inlet Strainer				●	
	<b>NEW!</b> Contractor PC Gun	●	●	●	●	●
	Tip	RAC X LTX 517	RAC X LTX 517	RAC X LTX 517	RAC X LTX 517	RAC X LTX 517
Hose	6.4 mm x 15 m BlueMax II Airless	6.4 mm x 15 m BlueMax II Airless	6.4 mm x 15 m BlueMax II Airless	6.4 mm x 15 m BlueMax II Airless	6.4 mm x 15 m BlueMax II Airless	
WEAR PARTS	Replacement Pump	246428	16X414	16Y598	17H823	16X419
	Repair Kit	244194	17H838	17H838	17H841	17H839
	Rod	249125	16X434	248206	17H876	16X435
	Sleeve	-	248209	248209	17H864	248210
	Intake Seat Kits	246429	239922	239922	239922	244199
MANUAL	Operation and Parts	3A6400	3A6400	3A6400	3A6400	3A6400
	Pump	309250	3A6583	3A6584	3A6583	3A6583

<b>GMAX II 5900</b>
0.043
227 (3300)
6.0 (1.60)
6.5 (200)
SmartControl 3.0
64
0.043 0.029 0.023 —
N/A

<b>GMAX II 7900</b>
0.048
3300 (227)
8.3 (2.20)
6.5 (200)
SmartControl 3.0
67
0.048 0.035 0.027 0.023
N/A



STANDARD	PROCONTRACTOR	IRONMAN
17E831	17E832	17E833
Endurance	Endurance Vortex	Endurance Vortex
Chromex	MaxLife	MaxLife EXTREME
Hardened SST	MaxLife	MaxLife
QuikChange	ProConnect 2	ProConnect 2
●	● Vortex	● Vortex
●	●	●
●	●	●
●	●	●
●	●	●
	●	●
	●	●
	●	●
	●	●
	●	●
	●	●
	●	●
●	●	●
RAC X LTX 517	RAC X LTX 517	RAC X LTX 517
6.4 mm x 15 m BlueMax II Airless	6.4 mm x 15 m BlueMax II Airless	6.4 mm x 15 m BlueMax II Airless
16Y706	17H824	17H826
17H839	17H842	17H843
248207	17H877	17H879
248210	257031	257031
244199	244199	17H888
3A6400	3A6400	3A6400
3A6584	3A6583	3A6583

LO-BOY	STANDARD	PROCONTRACTOR	IRONMAN
17E834	17E836	17E837	17E838 Roof Rig—17E835
Endurance Vortex	Endurance	Endurance Vortex	Endurance Vortex
MaxLife	MaxLife	MaxLife	MaxLife EXTREME
MaxLife	MaxLife	MaxLife	MaxLife
ProConnect 2	QuikChange	ProConnect 2	ProConnect 2
● Vortex	●	● Vortex	● Vortex
●	●	●	●
●	●	●	●
●	●	●	●
●	●	●	●
		●	●
		●	●
●		●	●
		●	●
		●	●
●	●	●	●
RAC X LTX 517	RAC X LTX 517	RAC X LTX 517	RAC X LTX 517
6.4 mm x 15 m BlueMax II Airless	6.4 mm x 15 m BlueMax II Airless	6.4 mm x 15 m BlueMax II Airless	6.4 mm x 15 m BlueMax II Airless
17H825	16X423	17H825	17H827
17H840	17H840	17H840	17H844
17H878	249119	17H878	17H880
249121	249121	249121	249121
240918	240918	240918	17H889
3A6400	3A6400	3A6400	3A6400
3A6583	3A6584	3A6583	3A6583

		<b>GH 130</b> <i>Convertible</i>	<b>GH 200</b> <i>Convertible</i>	<b>GH 230</b> <i>Convertible</i>	<b>GH 300</b>
<b>SPECIFICATIONS</b>	Maximum Tip Size	0.037	0.047	0.053	0.057
	Maximum bar (psi)	227 (3300)	227 (3300)	227 (3300)	227 (3300)
	Maximum lpm (gpm)	4.9 (1.30)	8.14 (2.15)	8.9 (2.35)	11.4 (3.00)
	Honda Engine HP (CC)	4.0 (120)	5.5 (160)	6.5 (200)	9.0 (270)
	Weight kg	70	Standard 73 / ProContractor 85	Standard 76 / ProContractor 88	Standard 88 / ProContractor 101
	Gun Support (Gas):				
	1 Gun	0.037	0.047	0.053	0.057
	2 Guns	0.023	0.034	0.038	0.039
3 Guns	-	0.027	0.032	0.033	
4 Guns	-	0.023	0.028	0.029	
5 Guns	-	-	0.024	0.025	
Gun Support (Electric):					
1 Gun	0.031	0.031	0.031	0.031	
2 Guns	0.017	0.017	0.017	0.017	



<b>SERIES TYPE</b>		<b>STANDARD</b>	<b>STANDARD</b>	<b>PROCONTRACTOR</b>	<b>STANDARD</b>	<b>PROCONTRACTOR</b>	<b>STANDARD</b>	<b>PROCONTRACTOR</b>
<b>MODEL</b>	Part Number	24W923 Gas 24W924 Gas with Electric Motor (NON-CSA 120V)	24W925 Gas 24W926 Gas with Electric Motor (NON-CSA 120V)	24W927 Gas 24W928 Gas with Electric Motor (NON-CSA 120V)	24W929 Gas 24W930 Gas with Electric Motor (NON-CSA 120V)	24W932 Gas 24W933 Gas with Electric Motor (NON-CSA 120V)	24W935 Gas	24W936 Gas
	Type	Endurance	Endurance	Endurance	Endurance	Endurance	Endurance	Endurance
<b>PUMP</b>	Rod	Chromex	Chromex	MaxLife	Chromex	MaxLife	Chromex	MaxLife
	Sleeve	Hardened SST	Hardened SST	MaxLife	Hardened SST	MaxLife	Hardened SST	MaxLife
	Removal	QuikChange	QuikChange	ProConnect	QuikChange	ProConnect	QuikChange	ProConnect
	Endurance Pump	●	●	●	●	●	●	●
<b>FEATURES</b>	Honda Engine	●	●	●	●	●	●	●
	High-Capacity Cooling System	●	●	●	●	●	●	●
	Easy Out	●	●	●	●	●	●	●
	High-Efficiency Hydraulic Motor	●	●	●	●	●	●	●
	QuikReel			●		●		●
	ProConnect			●		●		●
	Crushproof Inlet Strainer			●		●		●
	Gun	Contractor	Contractor	Contractor	Silver Plus	Silver Plus	Silver Plus	Silver Plus
	Tip	RAC X 517, 1231	RAC X 517, 1231	RAC X 517, 1231	RAC X 517, 1231	RAC X 517, 1231	RAC X 517, 1231	RAC X 517, 1231
	Hose	6.4 mm x 15 m BlueMax II Airless	6.4 mm x 15 m BlueMax II Airless	6.4 mm x 15 m BlueMax II Airless AND 6.4 mm x 15 m BlueMax II Airless	9.5 mm x 15 m BlueMax II Airless AND 6.4 mm x 0.9 m BlueMax II Airless	9.5 mm x 15 m BlueMax II Airless AND 6.4 mm x 15 m BlueMax II Airless	9.5 mm x 15 m BlueMax II Airless AND 6.4 mm x 0.9 m BlueMax II Airless	9.5 mm x 15 m BlueMax II Airless AND 9.5 mm x 15 m BlueMax II Airless
<b>CONTROL &amp; DRIVE</b>	Drive	Hydraulic	Hydraulic	Hydraulic	Hydraulic	Hydraulic	Hydraulic	Hydraulic
<b>ENDURANCE PUMP</b>	Replacement Pump	24B748	24W995	24W996	24W997	24W998	24W997	24W998
<b>WEAR PARTS</b>	Repair Kit	288471	17D601	287813	17D601	287813	17D601	287813
	Rod	288479	249000	288469	249001	288470	249001	288470
	Sleeve	248210	248979	249121	248980	287817	248980	287817
	Intake Seat Kit	244199	240918	240918	240918	240918	240918	240918
<b>MANUAL</b>	Operation Parts	334558	334558	334558	334558	334558	334558	334558



# ACCESSORIES

## SPEND LESS TIME, MAKE MORE MONEY

Maximise your performance and get to the next job faster by customizing your sprayer with proven Graco Accessories.

### NEW CONTRACTOR PC GUNS



#### FINISH JOBS FASTER WITH LESS FATIGUE

##### Premium Comfort for All-Day Spraying

- Lightest-weight gun in its class
- Up to 50% lighter trigger pull force
- E-Z Fit adjustable trigger length (PATENT PENDING)



#### REDUCE DOWNTIME WITH PROCONNECT

##### Complete Gun Rebuild in Seconds (PATENT PENDING)

- Needle and all wear parts in one simple cartridge

#### GRACO'S LONGEST-LASTING, MOST DURABLE GUN YET

##### Industry-Proven Graco Quality

- Made in the USA



### RAC X LOW PRESSURE SWICHTIPS (PATENTED)

- Less prep and cleanup time
- Less mess with less overspray
- Easiest pattern overlap
- Up to 2X life
- 46 different sizes for large surface and fine finish applications



Available in sizes 108-731  
for fine finish and large  
surface applications



### SIPHON KITS

- Pump materials directly from containers
- Fits GMAX II 3900/5900/7900 and GH 130/200/230/300
- Available in multiple sizes to pump from different material containers - siphon hose extensions available!



### ELECTRIC MOTOR KITS

- Quickly swap the gas engine for an electric motor in seconds—without tools
- Available for GH 130/200/230



[graco.com/accessories](http://graco.com/accessories)

## FOR PART NUMBERS AND MORE DETAILS ON ALL AIRLESS ACCESSORIES:

Visit [graco.com/accessories](http://graco.com/accessories), see **Airless Accessories Brochure** (part #344386)  
or ask your local authorized Graco Distributor



# SPRAY WITH CONFIDENCE

## Industry-Leading Warranty Protection

Every Graco gas sprayer is backed by the industry's best warranty coverage.

### 1-YEAR WARRANTY\*

Coverage against defects in materials and workmanship on the entire sprayer.

### CONVENIENT SERVICE

Graco offers many convenient distributors and service centers to assist you with your product and application needs. To find your local distributor or service center, visit [graco.com/FindADistributor](http://graco.com/FindADistributor)

*See your local Graco Distributors for country specifics.  
See printed product warranty for complete warranty terms and conditions.*

Graco Australia Pty Ltd.  
Suite 17, 2 Enterprise Drive  
Bundoora, Victoria 3083  
Australia  
Tel: 61 3 9468 8500  
Fax: 61 3 9468 8599



Every Graco purchase comes with A+ Customer Service.

Questions?  
[graco.com/techsupport](http://graco.com/techsupport)

**For more information visit [graco.com](http://graco.com)**