

SHERWIN-WILLIAMS

2024 NEW PRODUCTS

Leading Innovation and Technology




PROVEN QUALITY. LEADING TECHNOLOGY.



NEW FOR 2024

INTRODUCING GRACO'S BREAKTHROUGH XTRENE TORQUE™ NOTOR PATENT PENDING





FIRST MOTOR EVER DESIGNED SPECIFICALLY FOR AIRLESS SPRAY

BREAKTHROUGH XTREME TORQUE MOTOR MANUFACTURED BY GRACO

UNMATCHED PERFORMANCE

THE INDUSTRY'S MOST POWERFUL MOTOR

15X MORE TORQUE THAN TRADITIONAL MOTORS

8X MORE MAGNETS

DELIVER RAPID ACCELERATION AND SMOOTH PERFORMANCE

90% LOWER RUNNING SPEEDS

UP TO **10X QUIETER OPERATION**





DESIGNED, ENGINEERED & MANUFACTURED BY GRACO

EXPERIENCE PERFORMANCE LIKE NEVER BEFORE

WITH THE FULL RANGE OF XT SOLUTIONS





ULTIMATE XT

PATENT PENDING

INDUSTRY'S MOST ADVANCED LINE OF AIRLESS PAINT SPRAYERS

MARK XT

PATENT PENDING

INDUSTRY'S MOST ADVANCED AND VERSATILE SPRAYERS— FOR PAINT, HEAVY COATINGS AND TEXTURE

CONTRACTO

POWERSHOT XT™

PATENT PENDING

INDUSTRY'S FIRST ELECTRIC POWERED GUN FOR EVERY AIRLESS SPRAYER

TRUMIX XT

PATENT PENDING

INDUSTRY'S FIRST VARIABLE-RATIO MIXING SYSTEM FOR 2-COMPONENT FLOOR COATINGS

E-MIX XT

(PATENT PENDING)

THE MOST EFFICIENT AND EASIEST-TO-OPERATE VARIABLE-RATIO SPRAYER IN THE INDUSTRY

DESIGNED. ENGINEERED & MANUFACTURED BY GRACO







NEW FOR 2024

AN AIRLESS SPRAY EXPERIENCE LIKE NO OTHER

XTREME TORQUE MOTOR

Experience a new level of performance with the first motor ever designed specifically for airless spray.

THE SOUND OF QUALITY

Advanced design eliminates multistage gear trains and reduces speed by 90% and noise by up to 10X.

RAPID-RESPONSE™ CONTROL

Delivers the world's steadiest running pressure. Dial in 10 psi increments with the widest performance range (50-3,300 psi).

SELECTABLE PERFORMANCE WITH THE PUSH OF A BUTTON

Low Pressure Mode: Optimized performance range to eliminate overspray and improve finish.

High Pressure Mode: Offers maximum performance for extended hose lengths and difficult to atomize materials.

ENDURANCE VORTEX® PISTON PUMPS WITH PROCONNECT®

Auto-rotating vortex rod balances load and prolongs pump life—proven ProConnect replacement system to eliminate downtime included on all XT models.

LED DIGITAL DISPLAY

Features a bright, easy-to-read LED display. See the performance from across the room!

TURBOCLEAN™

Efficiently cleans 3X faster using half the fluid, significantly reducing recycling costs.

WATCHDOG™ PUMP PROTECTION

Intelligent auto-shutoff feature activates when the sprayer runs out of paint, safeguarding the pump and maintaining consistent performance.









THE WORLD'S WIDEST OPERATING AND STEADIEST PRESSURE RANGE

- **RAPID-RESPONSE SYSTEM** features the most expansive pressure range (50-3,300 psi) for unmatched control
- Instantly responds for the steadiest pressure and Perfect Airless Finish™
 by ensuring seamless motor transitions during pump changeovers



SELECTABLE PERFORMANCE WITH THE PUSH OF A BUTTON:

- Two selectable spray modes offer unique performance levels to boost efficiency on every job
- Expand capability and range of applications with a single sprayer — like having two sprayers in one!

LOW PRESSURE PERFORMANCE MODE 50-2,000 PSI

- Optimized performance range to eliminate overspray and improve finish with RAC X[™] LP SwitchTips[™]
- Adjustable in 10 psi increments achieve extreme control down to 50 psi

HIGH PRESSURE PERFORMANCE MODE

500 - 3,300 PSI

- Ideal for difficult to atomize materials, extended hose lengths or during cold running conditions
- Use this mode for the best finish with any RAC® SwitchTip



INTRODUCING THE NEXT ADVANCEMENT IN INDUSTRY-LEADING PUMP DURABILITY AND PERFORMANCE

SPRAY 3X MORE GALLONS THAN NEAREST COMPETITOR

- Proven Proprietary V-MAX Blue[™] packings individually supported on chrome piston rod to deliver reliability you can count on
- Endurance Vortex Technology delivers the longest pump life by automatically rotating piston rod to extend pump life

MORE PAINT APPLIED PER PISTON STROKE

- Up to 25% longer piston stroke increases paint displacement and reduces pump strokes to extend life
- Extended piston stroke design increases wear surface and improves hard part life

PROCONNECT PUMP REPLACEMENT SYSTEM

Eliminate Downtime with ProConnect on-the-job Replacement.
 Now included on ALL XT Models



Loosen the Clamping Nut



Open Door & Remove Pump



Remove Hose & Suction Tube

UPGRADE TO EXPERIENCE UNMATCHED DURABILITY WITH THE PROCONTRACTOR SERIES

- Spray 6X more gallons before service to eliminate downtime
- Longest piston life in industry with MaxLife Extreme™ proprietary composite piston rod (Included on Ultimate 1095 XT/Mark V XT ProContractor Series)
- Discover the full array of ProContractor advantages to speed up every job including QuikReel,™ Smart Display,™ FlatProof Tires and Crush-Proof Inlet Strainer

8

INTRODUCING THE 2024 BRUSHLESS ELECTRIC AIRLESS LINEUP



Ultimate MX II™ 490 PC Pro	Ultimate 490	Ultimate MX II™ 495 PC Pro	Ultimate 495 XXII	Ultimate MX II 650 PC Pro	Ultimate 650 XX	Ultimate MX II 695	Ultimate 695	Ultimate MX II 795	Ultimate 795	Ultimate MX II 1095	Ultimate 1095 XII
0.54 gpm	INCREASED FLOW 0.70 gpm	0.60 gpm	INCREASED FLOW 0.80 gpm	0.80 gpm	INCREASED FLOW 0.90 gpm	0.95 gpm	INCREASED FLOW 1.05 gpm	1.10 gpm	INCREASED FLOW 1.20 gpm	1.20 gpm	INCREASED FLOW 1.30 gpm
0.023" Max Tip	INCREASED TIP SUPPORT 0.025" Max Tip	0.025" Max Tip	INCREASED TIP SUPPORT 0.027" Max Tip	0.029" Max Tip	0.029" Max Tip	0.031" Max Tip	0.031" Max Tip	0.033" Max Tip	0.033" Max Tip	0.035" Max Tip	INCREASED TIP SUPPORT 0.037" Max Tip
Stand, Lo-Boy, Hi-Boy	Stand, Lo-Boy, Hi-Boy	Stand, Lo-Boy, Hi-Boy	Stand, Lo-Boy, Hi-Boy	Lo-Boy, Hi-Boy	Lo-Boy, Hi-Boy	Lo-Boy, Standard Series	Lo-Boy, Standard & ProContractor Series	Standard Series	Standard & ProContractor Series	Standard Series	Standard & ProContractor Series

THE	Ultimate 490 XT - 1095 XT Mark IV XT-V XT Standard Series	Ultimate 695 XT - 1095 XT Mark IV XT-V XT ProContractor Series
XT Motor with Reduced Drive Train	✓	✓
Up To 10X Quieter	✓	✓
Rapid-Response Pressure Control	✓	✓
Selectable Performance Modes with LED Display	✓	✓
Endurance Vortex Pump	✓	✓
Piston and Sleeve Construction	Chromex / Hardened SST	MaxLife (695 XT, 795 XT, Mark IV XT) MaxLife Extreme (1095 XT, Mark V XT)
ProConnect	✓	✓
TurboClean	✓	✓
WatchDog	✓	✓
QuikReel™ Hose Management System		✓
Smart Display with BlueLink™		✓
CrushProof Inlet Strainer		✓
Flat Proof Tires		✓



Mark IV	Mark IV XII	Mark V	Mark V XII	
1.10 gpm	INCREASED FLOW 1.20 gpm	1.35 gpm	INCREASED FLOW 1.50 gpm	
0.033" Max Tip	0.033" Max Tip	0.039" Max Tip	0.039" Max Tip	
Standard Series	Standard & ProContractor Series	Standard Series	Standard & ProContractor Series	

SEE THE XT DIFFERENCE
graco.com/UltimateXT





CONTRACTOR POWERSHOT



THOUSANDS OF CONTRACTORS WANT EXPANDED USE OF ELECTRONIC GUN TECHNOLOGY!

FOR EVERY SPRAYER



FOR EVERY APPLICATION



New Residentia and Repaint




Maintenance and Remodeling



Finishing and Refinishing



Commercial and Multifamily



CONTRACTORS ASKED AND GRACO DELIVERED

"I need this gun for my Ultimate 490 PC Pro!" "Can we buy the gun by itself?"

INTRODUCING THE INDUSTRY'S ONLY ELECTRIC-POWERED AIRLESS GUNS





ELECTRIC-POWERED GUN VIRTUALLY ELIMINATES SPITS

• Instant-Response trigger actuates 80X faster than traditional guns

INDUSTRY'S LIGHTEST TRIGGER PULL FORCE

·All day comfort with 80% less force on each trigger pull

LIGHTEST AIRLESS GUN EVER BUILT FASTEST SERVICE ON THE JOBSITE





INCLUDES ALL FEATURES OF THE CONTRACTOR POWERSHOT STANDARD PLUS

REMOTELY ADJUST PRESSURE AT THE GUN



• Electrically connected gun-to-sprayer eliminates material blast on each trigger pull



CONTRACTOR POWERSHOT XXI

INDUSTRY'S MOST ADVANCED AIRLESS GUN EVER BUILT

ELECTRIC-POWERED GUN VIRTUALLY ELIMINATES SPITS

INDUSTRY'S LIGHTEST TRIGGER PULL FORCE

LIGHTEST AIRLESS GUN EVER BUILT

ELIMINATES PRESSURE SURGE & GUN KICKBACK

Less fatigue with a superior, more consistent finish on the wall



REMOTELY ADJUST PRESSURE AT THE GUN

Quickly adjust your pressure from anywhere up to 200 feet away

(((*))) INSTANT **GUN-TO-SPRAYER COMMUNICATION**

WORKS EXCLUSIVE WITH ULTIMATE XT SPRAYERS

HANDS-FREE POWERPAK™ **ATTACHMENT**

- Quickly & easily attach the PowerPak[™] control for hands-free hose management
- · Works with any belt and provides unlimited operating configurations



ERGONOMIC IN-LINE HANDLE WITH EASYOUT™ GUN FILTER

- · Provides contractors a comfortable handle to hold
- · Keeps dirt & debris out of your pattern for a better finish!

GUN WHIP HOSE 6 FT x 1/8 IN Provides superior spray

control and reduces

user fatique



FASTEST SERVICE ON THE JOBSITE

Rebuild your gun in seconds with the ProConnect replacement cartridge





MATERIAL SUPPLY WHIP **HOSE & SWIVEL**

1 ft x 1/8 in whip hose delivers easy tangle-free hose management



SPRAY ALL DAY LONG WITH A SINGLE BATTERY

207

DEWALT

Delivered with two batteries and a charger

SEE IT IN ACTION

graco.com/PowerShot









THE INDUSTRY'S FIRST VARIABLE-RATIO MIXING SYSTEM FOR 2-COMPONENT FLOOR COATINGS

MEET YOUR NEW MIX STATION

FREES UP LABOR FROM MIXING

ELIMINATES MIX ERRORS

MIXES UP TO 120 GALLONS PER HOUR

SUPPORTS FULL RANGE OF RATIOS FROM 1:1 TO 6:1

REDUCES MATERIAL WASTE

MAXIMIZES MATERIAL WORKING TIME

REMOTELY MIX UP TO 250 GALLONS PER CHARGE WITH ON-BOARD, HIGH-CAPACITY LITHIUM BATTERY

-0R-



USE IT AS A STATIONARY MIX STATION



TAKE IT TO THE FLOOR!

A PERFECT MIX EVERYTIME

PRECISE RATIO CONTROL


SmartSync™ Control

 Advanced control system monitors system performance 1000 times per second and makes instantaneous adjustments to ensure the best possible mix



Xtreme Torque Brushless Motor

for superior ratio accuracy and control





SUPERIOR MIX CONSISTENCY

CrossLink™ Multi-Stage Mix Hose

• Patent-pending multi-stage mixing process provides superior mix quality over traditional bucket-batch methods

PEACE OF MIND

RatioGuard Ratio Assurance

· Multi-point monitoring system actively detects potential off-ratio conditions before they can be dispensed

Integrated Ratio Check

· Quick and easy ratio check procedure at start-up ensures a smooth and successful application



SEE TRUMIX XT **IN ACTION**

graco.com/TruMixXT





E-MIX

THE EASIEST-TO-OPERATE VARIABLE-RATIO SPRAYER IN THE INDUSTRY



SPRAYS THE FULL RANGE OF PROTECTIVE COATINGS

HANDLES 100% SOLIDS, RATIOS FROM 1:1 TO 6:1

ELECTRIC POWERED, NO AIR COMPRESSOR NEEDED

LESS HASSLE AND EXPENSE — SAVE \$1000'S PER WEEK!

EASY TOUCHSCREEN OPERATION

SET RATIO, PRESSURE, HEATER TEMPERATURES AND SPRAY!

OFFERS SUBSTANTIAL SOLVENT AND COATING SAVINGS COMPARED TO "HOT-POTTING"

QUIET OPERATION ALLOWS EXTENDED SPRAY TIMES IN NOISE-SENSITIVE AREAS

IDEAL FOR EVERY INDUSTRIAL CONTRACTOR A PERFECT FIRST PLURAL SOLUTION OR PLURAL FLEET ADDITION



XTREME TORQUE MOTORS

· Low RPM, high torque design offers long life and unmatched performance

ENDURANCE® PUMPS WITH PROCONNECT

• Flow rates up to 1.5 gpm and pressures up to 5000 psi to easily handle the toughest coatings

SMARTSYNC™ CONTROL WITH TOUCH-SCREEN INTERFACE

 Provides next level precision mixing controlled from a single screen—nothing is easier

RATIOGUARD PROTECTION

· Provides continuous ratio monitoring with automatic shut down if problems arise

DUALFLO™ ON-DEMAND FLUID HEATER

• Offers touchscreen selectable A & B independent heat settings for maximum control

INTEGRATED RATIO CHECK

· Visually assures your mix is on ratio perfect for inspections

FASTCLEAN™ SOLVENT PUMP

· Allows quick flushing during stoppage to protect your equipment

EASY-TO-MANEUVER DESIGN

· Heavy-duty painted steel construction with integrated lift points



INCREASE PROFIT & QUALITY WITH E-MIX XT!







Valuable Graco Tools Available in English, Spanish and French

SCAN & SELECT LANGUAGE TO MEET ALL YOUR CUSTOMERS NEEDS



graco.com/SellingTools

Quick Reference Tools for Store Associates and Sales Reps



graco.com/ContractorTools

Quick Reference Tools for End-User Contractors



Every Graco purchase comes with A+ Customer Service.

Questions? Call (844) 241-9499

For more information visit graco.com/contractor

©2024 Graco Inc. 344397G 3/24 All written and visual data contained in this document are based on the latest product information available at the time of publication. Graco reserves the right to make changes at any time without notice. Trademarks are referenced herein for identification purposes only. All trademarks are the property of their respective owners. Product covered by issued and pending patents, see graco.com/patents. DeWALT® and the DeWALT Logo are trademarks of DeWALT Industrial Tool Co. and are used under license. With respect to 20V MAX, maximum initial battery voltage (measured without workload), is 20 volts. Nominal is 18 volts.