FINE FINISH SPRAYERS

GRACO

Graco's Complete Line of Fine Finish Sprayers and Accessories



PROVEN QUALITY. LEADING TECHNOLOGY.



THERE IS NOTHING LIKE A **GRACO SPRAYER**

Experienced contractors know the difference. Graco professional fine finish sprayers are solid investments that perform reliably, year after year.

TRUST YOUR BUSINESS AND REPUTATION TO GRACO

Graco is committed to providing the highest quality finish sprayers available, backed by the industry's best warranty.

AMERICAN BUILT QUALITY SINCE 1926

100% factory-tested and field-proven Graco fine finish sprayers are designed, manufactured, and assembled in the USA.

INDUSTRY-LEADING WARRANTY

Behind every Graco sprayer is the industry's strongest warranty. You may never use Graco's warranty—but if you do, we will be there.



GRACO-ONLY SOLUTIONS TO PROVIDE THE BEST FINISH AND KEEP YOU SPRAYING



PATENTED

PROFESSIONAL FINISH QUALITY

Precision-Cut RAC X™ FF LP SwitchTip

- Finer atomization and soft edges for easier overlapping with pre-orifice design
- Sprays at lower pressures with less overspray and up to 2X life
- Reduces prep and cleanup



PATENTED

LIGHTWEIGHT, **ERGONOMIC DESIGN**

- G40 Spray Gun with RAC X[™] FF LP Fine Finish Low Pressure Spray SwitchTips™
- Ultralight trigger pull
- Gun filter integrated into the gun to minimize tip clogs

CORDLESS

PATENT PENDING

EXCLUSIVE BREAKTHROUGH CORDLESS TECHNOLOGY

- Industry's only high performance cordless finishing sprayer
- Spray up to 6 gallons before charging. Includes 2 DEWALT® FlexVolt® batteries for all day spraying.
- Expanded application capability with freedom from power cords and outlets



SUPERIOR FINISH AND VERSATILITY

- EDGE® II Plus Gun—independent controls for material volume, airflow, and spray fan size
- 4X more productivity
- Quick Release Needles easily change or clean needle sets, without tools



PATENTED

LONGER LIFE AND QUIETER JOBSITES

SmartStart/SmartComp™ Systems

- On-demand power control if you're not spraying, it's not running
- Reduces jobsite noise, resulting in less fatigue



(PATENTED)

SPRAY IN ANY DIRECTION FlexLiner™ Bag System

- Spray at any angle with no adjustment — even upside down
- Easy cleanup: reuse liner or toss, no suction tube to clean



COMPLETE FINE FINISH SPRAYING SOLUTIONS

Graco has the right sprayer for your fine finishing applications. Whether it's a FinishPro HVLP, FinishPro Air-Assisted Airless sprayer, or an Airless sprayer, Graco's line of fine finish sprayers yield unmatched results in productivity and quality of finish.



HVLP (HIGH-VOLUME LOW PRESSURE)

- Spray small to medium extreme control jobs
- Standard, ProContractor[™] and ProComp packages to fit your needs



FINISHPRO

HVLP

EXTREME CONTROL

High volume, low pressure air results in fine

Automotive Quality

1/8 in - 8 in Fan Width

(0.3 cm - 20 cm)

85 - 95%

Small, Detailed Work

Railings, Shutters, Mantels, Tubs, Trim,

Staircases, Cabinets, Furniture

Most Control

Under 3 Gallons

Corded

professional finish with extreme control

CLASSIFICATION

Technology

Finish Quality

Spray Pattern Size

Transfer Efficiency (% of material sprayed

that adheres to the surface vs. in the air) **Typical Applications**


Characteristics

Average Job Size **Power Source**



AIRLESS

- Spray small to large project without thininna
- · High end finsh quality with RAC X FF LP SwitchTips



Furniture/Cabinet Quality

2 in - 12 in Fan Width

(4 cm - 30 cm)

Medium - Large Surfaces

Doors, Trim. Cabinets, Molding, Garage Doors, Lockers, Decorative Steel Structures, and

much more



70 - 80%

Best Balance Between

Speed and Quality

Over 3 Gallons

Corded



50 - 60%

Fast Application

Soultions for every job size

Corded or Cordless



AIR-ASSISTED AIRLESS

- Large projects requiring large material volumes
- Precision spraying and increased productivity
- Softer pattern, more control, higher transfer, and





HVLP SOLUTIONS FOR EVERY APPLICATION

Engineered for superior atomization in the widest range of materials, Graco HVLPs are one of the coolest running, longest life HVLP sprayers on the market. Only Graco is committed to the needs of professional contractors by offering three different series of fine finish airless sprayers: Standard, ProContractor, and ProComp models, to make sure you deliver a quality finish on every job.



GREATER CONTROL (PATENTED)

- Simplified flow control and easy operation — EDGE II gun
- Independent pattern, airflow, and fluid flow controls EDGE II PLUS gun



INCREASED PRODUCTIVITY

- Convenient FlexLiner Bag System makes filling and spraying fast
- Spray a full quart in any direction, even upside down, without losing prime
- Quick color change and storage of materials with additional FlexLiner cups



EASY CLEANUP

- Reuse FlexLiner cups or toss, no suction tube to clean
- Fast gun cleaning with quick-release needle and no-tools nozzle removal

COOL RUNNING SYSTEMS

- Systems only run when trigger is pulled with SmartStart feature extending life and reducing heat*
- Set TurboControl turbine speed to match the performance required

ON-DEMAND POWER CONTROL

SmartStart Turbine* (PATENTED)

- Automatically shuts off when not in use —if you're not spraying, it's not running
- Reduces jobsite noise, resulting in less fatigue

SMALLER AND LIGHTER

- Maximum jobsite portability—get jobs done faster and easier
- Supreme durability and turbine protection with rugged stainless steel enclosure
- Easier transport and refilling with onboard gun and cup holder*

*ProContractor and ProComp systems only.

EDGE II HVLP GUNS

ACHIEVE THE HIGHEST QUALITY FINISH

Gain the competitive edge you need with the cutting-edge technology available only in the HVLP EDGE II and EDGE II PLUS guns.



HVLP EDGE II Gun with FlexLiner — 17P481



HVLP EDGE II Plus Gun with FlexLiner - 17P483



SINGLE USER CONTROL

EDGE II Gun

- One simple control to adjust both material and airflow together
- Optimized for most fine finish applications
- Quick adjustment with 360° rotation indicator for repeatable spraying



- Independent user controls
- Material volume control
- Air flow control
- Spray fan size control
- Quick adjustment with full 360° rotation
- · Separate material volume and air controls
- · Turn to adjust pattern height



ULTIMATE CONTROL

EDGE II Plus Gun



GRACO-ONLY TECHNOLOGY ON ALL EDGE II AND EDGE II PLUS GUNS:





FINISH JOBS FASTER

- 4X more productivity to finish jobs in 25% less time
- Increased fluid flow in every needle with exclusive Graco air cap design



MAINTENANCE-FREE SPRAYING IN ANY DIRECTION

FlexLiner Bag System PATENTED

- Spray at any angle with no adjustment—even upside down
- Easy cleanup: reuse liner or toss, no suction tube to clean
- · Easy color change with extra cups on hand



THE EASIEST MAINTENANCE

Quick Release Needles (PATENTED)

- · Change out needles with just a click
- Easy to change, easy to cleanno tools needed

ALL-DAY SPRAYING COMFORT

Ergonomic Gun Handle

- · Lightweight and comfortable design
- · Form-fitted handle stavs cool to the touch

ULTRALIGHT TRIGGER

EasyGlide™

- 75% lighter trigger pull than the competition
- 2-finger design provides ultimate control

EASY SPRAY PATTERN ADJUSTMENTS

Adjustable Air Cap

• 3-position rotation quickly changes spray pattern—horizontal, vertical, round











Round Pattern

1/8 in-4 in (0.3 cm-10 cm) Diameter

Horizontal Fan

1 in-8 in (2.5 cm-20 cm) Width

Vertical Fan

1 in-8 in (2.5 cm-20 cm) Width





SEE WHY CUSTOMERS CHOOSE FINISHPRO HVLP

HVLP GUNS	PART #
HVLP EDGE II Gun with FlexLiner	17P481
HVLP EDGE II Gun with Metal Cup	17P653
HVLP EDGE II Plus Gun with FlexLiner	17P483
HVLP EDGE II Plus Gun with Metal Cup	17P484





CHANGE OUT NEEDLES WITH JUST A CLICK—NO TOOLS NEEDED!

How It Works:



1) Remove front air cap and nozzle



2) Slide trigger lever to 3) Pull needle out



FINISHPRO HVLP 7.0 AND 9.0



EVERYDAY RELIABILITY, EXCLUSIVE TURBOFORCE™ TECHNOLOGY

- Perfect for small jobs
- Only the essential features you need



HIGHER PRODUCTION AND PERFORMANCE

Exclusive TurboForce Technology

- More pressure throughout each stage
- Less material thinning required with higher airflow and air pressure
- Generates less heat and provides longer turbine life



QUIET, ADJUSTABLE POWER

Turbo Control System

- Adjust the TurboForce turbine speed to match the performance required
- Runs quieter and extends turbine system life
- Reduces heat buildup



SUPERIOR FILTERING

Standard Filtration System

- Washable filter extends motor life and ensures a quality finish
- · No tools required to remove
- Outperforms foam filters used on other HVLP sprayers



FINISHPRO HVLP STANDARD SPRAYERS

FinishPro HVLP 7.0

SINGLE USER CONTROL

EDGE II Gun PATENTED

- One simple control to adjust both material and airflow together
- Optimized for most fine finish applications
- Quick adjustment with 360° rotation indicator for repeatable spraying

MAINTENANCE-FREE SPRAYING IN ANY DIRECTION

FlexLiner Bag System

- Spray at any angle with no adjustment — even upside down
- Easy cleanup: reuse liner or toss, no suction tube to clean
- · Easy color change with extra cups on hand

MORE CONTROL AT THE GUN

Super-Flex[™] Air Hose

- 15% lighter weight than other leading brands
- No tools needed to connect
- 20 ft length (Standard Series) or 30 ft length (ProContractor and ProComp Series)

SMARTER AND LIGHTER

Stainless Steel "Tough Box" Design

 Supreme durability and turbine protection with rugged stainless steel enclosure



Ready to spray: complete with Edge II Spray gun, #3 Fluid Set, and 20' Super-Flex Air Hose

FINISHPRO HVLP 7.0, 9.0 AND 9.5



WORK SMARTER, FINISH MORE JOBS

- Ideal for small-to-medium jobs
- Loaded with features that offer convenience, control, and produce a superior spray finish



ON-DEMAND POWER CONTROL

SmartStart On-Demand Turbine

- Automatically shuts off when not in use—if you're not spraying, it's not running
- Reduces jobsite noise, resulting in less fatigue
- Reduces heat and extends turbine life



USER-FRIENDLY OPERATION

TurboControl System with LED Display

- Highly visible LED display to indicate turbine setting
- Light blinks to indicate filters need cleaning



ULTIMATE CONTROL

EDGE II Plus Gun

- With independent user controls for material volume, air flow, and spray fan size
- High flow design increases productivity over other brands
- FlexLiner Bag System

ProContractor Series sprayers also include most Standard Series features:

- Turbo Control System
- Exclusive TurboForce Technology
- · FlexLiner Bag System
- Super-Flex Air Hose
- Stainless Steel "Tough Box" Design

Ready to spray: complete with Edge II PLUS Spray gun, multiple Fluid Sets, and 30' Super-Flex Air Hose

SUPERIOR FILTRATION

Industry-Leading DualFiltration System

- Automotive-grade filter has high-performance filtration
- Outperforms foam and traditional paper filters used on most HVLP systems

CONVENIENT TOOL STORAGE

Utility Toolbox

• Separate tool storage for extra needles and nozzles

USER-FRIENDLY GUN STORAGE

Onboard Gun and Cup Holder

- Holds gun when not in use
- Allows for easy paint refills with less spills



FINISHPRO HVLP PROCONTRACTOR SPRAYERS	PART #
FinishPro HVLP 7.0	17N265
FinishPro HVLP 9.0	17N266
FinishPro HVI P 9.5	17N267

FinishPro HVLP 9.0 17N264

PART#

17N263

FINISHPRO HVLP 9.5

SUPERIOR PRODUCTIVITY AND DURABILITY

- Ideal for medium-to-large jobs
- Higher production and more control with an expanded range of coatings, producing a superior spray finish
- Double the fluid capacity
- Lighter gun weight minimizes fatigue throughout the day
- Material hose designed to provide easier spraying in tight areas



ON-DEMAND AIR SUPPLY

Integrated Compressor

- Lighter gun weight minimizes fatigue throughout the day
- Pressurize remote cup up to 25 psi
- · Allows spraying of thicker materials
- Quick connect hose connections



FEWER REFILLS

2-Quart Remote Cup

- Increase productivity and ease-of-use without cup mounted on the gun
- Fine tune pressure with pressure regulator and gauge
- Includes belt hook and convenient shoulder strap



SMALL JOB FLEXIBILITY

1-Quart FlexLiner Cup

• Includes conversion kit to use gun-mounted 1 qt FlexLiner cup



ProComp Series sprayers also include ALL ProContractor Series features:

- Turbo Control System with LED Display
- Exclusive TurboForce Technology
- FlexLiner Bag System
- Super-Flex Air Hose
- SmartStart On-Demand Turbine
- EDGE II Plus Gun
- Industry-Leading Dual Filtration System
- Utility Toolbox
- Onboard Gun and Cup Holder



FINISHPRO HVLP PROCOMP SPRAYER	PART #
FinishPro HVLP 9.5	17N269





ARTISAN AIR VALVE KIT

Provides the ultimate air control for specialty, multi-spec applications Plugs directly into back of EDGE II guns

HVLP EDGE II GUN EXTENSION, 12 IN (30 CM)

17P491

Attaches directly to the HVLP EDGE II gun for extended reach and spraying hard-to-reach areas Ability to spray in any direction -360° rotation

QUICK-RELEASE FLUID SETS

For HVLP EDGE II guns only

Change out needles from the front of the gun with just a click

PART #	NEEDLE	SIZE	MATERIAL
17P485	#2	.032 in (0.8 mm)	Ultra fine finish with inks, dyes, non-wiping stains, automotive finishes
17P486	#3	.051 in (1.3 mm)	Fine finish lacquers, stains, enamels, epoxies, urethane, varnish
17P487	#4	.071 in (1.8 mm)	High output with enamels, epoxies, urethane, varnish, primers
17P488	#5	.087 in (2.2 mm)	Higher output with enamels, epoxies, urethane, varnish, primers, latex, multi-spec
17P489	#6	.098 in (2.5 mm)	Higher output with enamels, epoxies, urethane, varnish, primers, latex, multi-spec
17P490	#7	.115 in (2.8 mm)	Highest output with enamels, epoxies, urethane, varnish, primers, latex, multi-spec



HVLP CUPS, POTS AND LINERS

17R462	32 oz (.94 L) FlexLiner HVLP Assembly (Cup, Liner, Lid, Cap)
17A226	32 oz (.94 L) FlexLiner Bags (3-Pack)
17P212	32 oz (.94 L) FlexLiner Bags (25-Pack)
244130	1 qt (.9 L) Siphon Metal Cup
196468	1 qt (.94 L) Siphon metal cup adapter
17S115	1/2 qt (.47 L) Cup over kit – EDGE II only
17S116	1/2 qt (.47 L) Cup over kit – EDGE II PLUS only
287819	2 of (1.9 L) Cup with Lid and 5 ft (1.5 m) Material and Air Hose – for use with ProComp Sprayer



FILTERS AND STRAINERS 17R296 Standard Ser

17R296 Standard Series Filter Kit

17R298 ProContractor and ProComp Series Filter Kit

SUPER-FLEX HOSES AND FITTINGS

Super-Flex Air Hose, 20 ft (6.1 m)



17R299 Super-Flex Whip Air Hose, 4 ft (1.2 m)

17R300

Super-Flex Air Hose, 30 ft (9 m)

Super-Flex Material and Air Hose Assembly with Quick Connects, 30 ft (9 m) – Use with Remote Gun (not included)

Material Hose, 3/8 in x 30 ft (4.8 mm x 9 m) – Use with Remote Gun (not included)

Quick Disconnect Ball Valve (Air Hose to Gun)

Quick Disconnect Fitting (Air Hose to Sprayer)



24



	240069	2 Gun y Connector (1/m/m)
	MAINTEN	ANCE AND REPAIR KITS
	256960	HVLP EDGE II Gun Packing Repair Kit
	17P708	HVLP EDGE II Gun Full Seal Kit
5	17P709	HVLP EDGE II Gun Air Cap
	256957	Quick Clean Check Valve (Full Assembly)
	256956	Quick Clean Check Valve Repair Kit (3-Pack)
(1)	256953	Cleaning Brush Kit
P	256954	Deluxe Cleaning Kit-Includes Detailed Brushes and Picks
	M71425	2 qt (1.9 L) Remote Cup Gaskets (5-Pack)
	256959	Remote Cup Shoulder Strap
	M70702	#4 Ford Viscosity Cup

FINISHPRO GX 19 CORDED

AIRLESS SPRAYER

The fast, portable, and affordable solution for small finishing jobs that every finishing contractor encounters. Perfect for a dedicated lacguer or water based sprayer.

GRACO-ONLY TECHNOLOGY TO PROVIDE THE PERFECT FINISH AND KEEP YOU SPRAYING:

EASY MATERIAL HANDLING

1.5 Gallon Hopper

- Ideal for spraying small amounts of material
- Faster cleanup with smooth inside surface — solvent resistant
- Never mess with a drain line again drain line hook keeps drain tube in place



EASY MAINTENANCE AND LONG LIFE

ProX[™] Power-Piston Pump

- Exceptional durability and long-life piston pump
- · Exclusive, lifetime lubricated wiper pad for maintenance-free operation
- Modular pump components for easy maintenance

PERFECT AIRLESS FINISH

RAC X™ Fine Finish Low Pressure (FF LP) Switchtip™

- Perfect Airless Finish
- Easiest pattern overlap
- Up to 2X the tip life of standard tips

MAXIMUM CONTROL AND COMFORT

FTx™ Spray Gun

- Easy Out[™] 100 mesh gun filter installed to minimize tip clogs and protect finish
- EasyGlide Swivel provides maximum flexibility for effortless hose management

EXTREMELY PORTABLE

- Lighter than any competitive system
- Easy Carry Handle makes transportation easy

GET MORE WORK DONE

· Powerful Brushed DC Motor





ELIMINATE DOWNTIME

Service the piston pump in 4 simple steps with a modular pump cartridge — no tools needed



1) Remove hopper





2) Unlatch and lift door







PART# **AIRLESS SPRAYERS** 17F924 FinishPro GX 19 Corded

FINISHPRO GX 19 CORDLESS

IMPROVE YOUR FINISH WITH UNMATCHED PERFORMANCE, PORTABILITY, AND MOBILITY

INCLUDES ALL THE FEATURES OF THE GX 19 CORDED, PLUS THE FOLLOWING ADDED CAPABILITIES



ULTIMATE POWER AND PROVEN PERFORMANCE

Powered By DEWALT®

- High capacity 6ah FlexVolt batteries — spray up to 6 gallons before charging is required
- Delivered complete with two batteries

Brushless DC Motor

- Powerful brushless DC motor provides extended battery run time
- Lightweight, compact design allows for increased portability

PERFECT AIRLESS FINISH

RAC X[™] Fine Finish Low Pressure (FFLP) Switchtip™ PATENTED

- Perfect Airless Finish
- Easiest pattern overlap
- Up to 2X the tip life of standard tips

SPRAY IN THE TIGHTEST AREAS WITH EASE

Contractor PC Compact™ Gun PATENTED

- Smallest most light weight gun on the market
- 50% lighter trigger pull
- ProConnect cartridge allows you to rebuild the gun in seconds



THE INDUSTRY'S FASTEST, MOST PORTABLE **FINISHING SPRAYER EVER BUILT!**

> PART # **AIRLESS SPRAYERS** 25U341 FinishPro GX 19 Cordless

graco.com/GX19CordlessReview

AIR-ASSISTED AIRLESS TECHNOLOGY

Material is delivered to the gun at lower pressure than traditional airless (500-1500 psi vs. 1500-3000 psi) and partially atomized through a small tip. Full atomization is achieved by adding a small amount of air (5-35 psi) to the edges of the spray fan, resulting in a softer pattern, more control, higher transfer, and less overspray.

HVLP QUALITY FINISH AT THE SPEED OF AN AIRLESS SPRAYER



FINISH EVERY JOB, EVERY DAY — FASTER WITH GRACO'S AIR ASSISTED AIRLESS SPRAYERS



PRODUCTION FINE FINISH DELIVERS:

- · High end finish quality at production speeds with no thinning
- Low overspray 70-80% transfer efficiency
- Ultra light trigger pull and ergonomic gun provides you the ability to easily spray all day



SWAP YOUR PUMP IN LESS THAN 1 MINUTE — NO SPECIAL TOOLS, PINS OR PARTS TO LOSE

Fast Pump Removal - 3 Simple Steps



1) Loosen the clamping nut



2) Open door and remove pump



3) Remove hose and suction tube



ELIMINATE COSTLY DOWNTIME

ProConnect

(Available on FinishPro II Models)

- No-Tools Pump Replacement System
- · Quickly repair your pump on the jobsite
- Eliminate downtime waiting on replacement parts or service
- · Exceptional durability and long life piston pump

FINISHPRO II 395 PC AIR-ASSISTED AIRLESS

With features that make a great sprayer even better, the FinishPro II 395 PC is Graco's premier solution to fine finishing. It delivers a high-quality finish at a high production rate and can handle the most challenging materials.



ULTIMATE APPLICATION VERSATILITY

Two Sprayers in One

 Switch between air-assisted to airless spraying modes with the flip of a switch

Single Selector Switch

• Simple, color-coded labels easily identify airless and air-assisted modes



PRO 🕌

SUPERIOR FINISH AND LONG LIFE

SmartComp

- Gun trigger-activated compressor it's only running when you're spraying!
- · Instant air to the gun with zero lag
- Reduces jobsite noise, resulting in less fatique
- Reduces moisture entering the system and extends compressor life

High-Output Onboard Air Compressor

- Ideal for on-site finish jobs
- Delivers 3.2 cfm at 35 psi—enough air to break up the heaviest materials

ELIMINATE COSTLY DOWNTIME

ProConnect Pump Replacement System

- No-tools Pump Replacement System
- Quickly repair your pump on the jobsite
- Eliminate downtime waiting on replacement parts or service
- Exceptional durability and long-life piston pump

SELF-CONTAINED AND PORTABLE

• One plug runs the entire unit, simplifying jobsite operation

INCREASED SPRAY PERFORMANCE

SmartControl with Digital Display

- Consistent spray fan without pressure fluctuations at all spraying pressures
- Digital display accurately shows spraying pressure

THE MOST RELIABLE PUMP

Chromex™ Endurance Piston Pump

- Lasts 2X Longer than the next
- Faster cleaning with the QuikAccess intake foot valve

LESS OVERSPRAY AND INCREASED PUMP LIFE

Precision-Cut RAC X FF LP SwitchTip

- Sprays at lower pressures with less overspray delivering up to 2X life
- Pre-orifice design produces a perfect airless finish
- Finer atomization and soft edges for easier overlapping
- Reduces prep and cleanup
- · Includes solvent seal for hot solvents

INCREASED FLEXIBILITY AND MANEUVERABILITY

Super-Flex Hose Set

- Enables you to work in tight spaces and deliver the best finish quality
- Extremely lightweight to reduce fatigue
- Reduced material buildup and increased durability with Flex Wrap hose skin

PREMIER PERFORMANCE

G40 Spray Gun

- Industrial-grade quality delivers superior finishing results
- Integrated air valve improves gun handling
- Precision-Cut RAC X FF LP SwitchTip
- Precision-Cut Fine Finish Flat Tip

FINISHPRO II 595 PC PRO AIR-ASSISTED AIRLESS

The FinishPro II 595 PC Pro is ideal for large commercial and industrial jobs with more features and higher performance to get the job done faster.

TWO SPRAYERS IN ONE — RIGHT OUT OF THE BOX!

1. HIGH PRODUCTION AIR ASSISTED AIRLESS DEAL FOR HIGH END FINE FINISH JOBS

2. HIGH PRODUCTION AIRLESS SPRAYER
IDEAL FOR EXTERIOR AND INTERIOR JOBS



INCLUDES ALL THE FEATURES OF THE FINISHPRO II 395 PC, PLUS

EXTRA AIRLESS GUN AND LOW PRESSURE TIP MEET ALL YOUR APPLICATIONS NEEDS

New Contractor PC™ Spray Gun with RAC X LP SWitchTip

- · Lightest weight gun in its class
- Up to 50% lighter trigger pull force
- E-Z Fit[™] adjustable trigger length
- RAC X LP SwitchTips deliver the industry's best finish at the lowest airless spray pressure
- RAC X LP SwitchTips reduce overspray by up to 50% while also providing 2X the tip life

HIGHER FLOW FOR MORE PRODUCTIVITY



• The highest performing air-assisted airless sprayer! 50% more performance to support fine finish and high production needs.

INCREASED SPRAY CONSISTENCY

SmartControl with Digital Display

- Delivers a consistent spray fan without pressure fluctuation
- Ideal for low pressure tips for fine finish work and low overspray applications
- Digital display accurately shows spraying pressure

MORE SPRAYING AND LESS

CLEANING

FastFlush™ System

- · Clean the pump 4X faster
- High-velocity fluid flow delivered with higher motor speed





AIR-ASSISTED AIRLESS SPRAYERS	PART #
FinishPro II 595 PC	17E908

FinishPro II 395 PC 17C417

PART#

AIR-ASSISTED AIRLESS SPRAYER

-

G40 AIR-ASSISTED AIRLESS GUN

The premier Air-Assisted Airless gun in the industry provides an ultra-light trigger pull and ergonomic fit. The G40 comes standard with all FinishPro II sprayers.

GRACO-ONLY TECHNOLOGY FOR THE ULTIMATE FINISH



INDUSTRIAL FINISH QUALITY

 An industrial-grade finishing gun, built for years of uninterrupted service

LIGHTWEIGHT, ERGONOMIC **DESIGN**

• Becomes an extension of your hand so you deliver a perfect finish—every time

SOFTER SPRAY PATTERN RAC X Air Cap

- Accepts RAC X SwitchTips for guick and easy tip clog clean-out
- Softer, more consistent spray pattern eight air ports inject air closer to the tip

MINIMIZE TIP CLOGS

Gun Filter

- Integrated into the gun
- superior finish

FAST AND EASY ADJUSTMENTS

Air Adjustment Valve

• Air control at the gun allows "on the fly" adjustments to maximize performance

ULTIMATE PERFORMANCE

Precision Cut Fine Finish Flat Tip Kit

- Air cap utilizes flat tips
- · Extremely high performance in low-viscosity, light-bodied materials

INLINE MOISTURE REMOVAL

Air Moisture Filter

- Desiccant material removes all moisture from air supplied by the compressor
- · Improved performance when spraying solvent-based finishes
- Disposable filter design



TIP TECHNOLOGY FINISHPRO AIRLESS

Only Graco gives you the ability to customize your air-assisted airless sprayer to fit your needs whether you need fast high-production spraying or a smooth HVLP-like finish.





RAC X LOW PRESSURE SWITCHTIPS

Characteristics:

Graco's exclusive RAC X Low Pressure SwitchTips are for all applications; delivering the industry's best finish at the lowest airless spray pressure.

Recommended Uses:

- · When speed and finish quality are equally important
- Up to 50% less overspray
- Up to 2X longer tip life
- Perfect airless finish
- · Easiest pattern overlap
- · Reduced prep and cleanup



(dieen nanule)			UIII	ice size -	· IIICHES			
	in	(mm)	.006	.008	.010	.012	.014	.016
	2-4	(51-102)	106	108	110	112		
듚	4-6	(102-152)	206	208	210	212	214	
Fan Width	6-8	(152-203)		308	310	312	314	
Fan	8-10	(203-254)		408	410	412	414	
	10-12	(254-305)			510	512	514	516
	12-14	(305-356)						616
	Flow Rate (gpm)*		.04	.07	.11	.15	.21	.27
	Flow Rate	(lpm)*	.15	.26	.41	.59	.80	1.04
Recommended Filter Size		200	200	200	200	100	60	



PRECISION-CUT FINE FINISH FLAT TIPS

Characteristics:

The Precision-Cut Flat Tip is designed with stains and lacquers in mind and produces the best atomization for extremely smooth finishes for furniture and similar applications.

Recommended Uses:

- Where finish quality is the #1 requirement
- · Delivers softest spray fan
- · Offers fan width control
- Closer to HVLP quality
- Zero air cap buildup



Water @ 1000 psi (70 bar, 7.0 Mpa) - paints with a higher

viscosity will decrease the flow rate. Order desired tip (part Example: for a tip with a 0.009 orifice and a 6 in (250 mm)

PRECISION-CUT FLAT TIPS **AAM FLAT TIP (AAMXXX)**

	IN	MM	.007	.009	.011	.013	.015	.017
	2-4	(51-102)		109	111			
	4-6	(102-152)	207	209	211	213	215	217
Ŧ	6-8	(152-203)	307	309	311	313	315	317
	8-10	(203-254)		409	411	413	415	417
FAN WIDTH	10-12	(254-305)		509	511	513	515	517
E	12-14	(305-356)			611	613	615	617
	Flow R	ate (gpm)	.05	.09	.12	.18	.24	.31
	Flow R	ate (lpm)	.20	.33	.49	.69	.91	1.17

RAC X LOW PRESSURE SWITCHTIPS (LPxxx)

(Neon Handle)			0	rifice S	Size - I	nches						
	in	(mm)	.013	.015	.017	.019	.021	.023	.025	.027	.029	.031
	4-6	(102-152)			217							
₽	6-8	(152-203)	313	315	317	319						
Width	8-10	(203-254)		415	417	419	421	423	425			
Fan	10-12	(254-305)		515	517	519	521	523	525	527		
	12-14	(305-356)			617	619	621	623	625	627	629	631
	14-16	(356-406)						723	725		729	731
Flow Rate (gpm)*		.18	.24	.31	.38	.47	.57	.67	.77	.90	1.03	
Flow Rate (lpm)*		.69	.91	1.17	1.47	1.79	2.15	2.54	2.96	3.42	3.90	
Recommended Filter Size			100	60	60	60	60	60	60	60	60	30

USE THE CORRECT FILTER TO REDUCE TIP CLOGS

MESH SIZE	SIZE 200 100		60	30
COATINGS	Stains, Varnishes, Polyurethane, Solvent-Based Paints	Lacquers, Enamels (Solvent), Solvent-Based Paints	Latex, Enamels (Latex)	Block Filler, Elastomeric
TIP SIZES	.006 – .013 in	.013 – .015 in	.015 – .029 in	.031 in +

ACCESSORIES

FINISHPRO AIR-ASSISTED AIRLESS & AIRLESS

GUNS & HOSES

	PART #	DESCRIPTION
	19Y443	Contractor PC Compact & RAC X FF LP 210 SwitchTip
	17J261	FTx Gun with RAC X FF LP 210 SwitchTip
3	262929	G40 Air-Assisted Airless Gun
	24U891	G40 Gun with RAC X Tip and 50 ft Super-Flex Hose Set
1	24U578	25 ft (7.6 m) Super-Flex Fluid and Air Hose Set
)	24U579	50 ft (15.2 m) Super-Flex Fluid and Air Hose Set
	278750	1/8 in x 6 ft (3.2 mm x 1.8 m) Super-Flex Whip-Fluid
	278751	1/4 in x 6 ft (6.4 mm x 1.8 m) Super-Flex Whip-Air
	24U577	50 ft (15.2 m) Flex Wrap Hose Protector
	24U576	25 ft (7.6 m) Flex Wrap Hose Protector
	214698	3/16 in x 25 ft (4.76 mm x 7.6 m) Blue Max II Hose

BATTERY & CHARGER

	PART #	DESCRIPTION
	20A162	DEWALT 20V/60V MAX FlexVolt 6ah Battery
,	20A165	DEWALT Fan-Cooled Fast Charger

PISTON PUMP REPAIR PARTS

PART #	DESCRIPTION
17C487	Replacement Pump—replace pump on the job (for use on FinishPro II 395 PC and 595 PC Pro sprayers only)
24Y472	ProXChange Repair Kit (for use on FinishPro GX19 sprayer only)

FILTERS & STRAINERS

PART #	DESCRIPTION
224454	G40 Gun Filter, 60 Mesh (5-Pack)
224453	G40 Gun Filter, 100 Mesh (5-Pack)
25N894	G40 Gun Filter, 200 Mesh (3-Pack)
287032	Contractor PC, Contractor, and FTx Guns, 60 Mesh (1 per card)
287033	Contractor PC, Contractor, and FTx Guns, 100 Mesh (1 per card)
257130	Contractor PC, Contractor, and FTx Guns, 200 Mesh (1 per card)
19Y355	Contractor PC Compact Gun Filter 60 Mesh (1 per card)
19Y356	Contractor PC Compact Gun Filter 100 Mesh (1 per card)
19F826	Contractor PC Compact Gun Filter 200 Mesh (1 per card)
246384	Easy Out Manifold Filter, Black 60 Mesh - Short
246382	Easy Out Manifold Filter, Blue 100 Mesh - Short
246383	Easy Out Manifold Filter, Red 200 Mesh - Short
257094	ProX™ Power-Piston Pump Manifold Filter, 40 Mesh
246385	Pump Inlet Strainer
127465	Disposable, Inline Air Moisture Filter (single)
24U981	Disposable, Inline Air Moisture Filter (5-Pack)
24U982	Inline Air Moisture Filter (25-Pack)

MAINTENANCE & REPAIR KITS

	PART #	DESCRIPTION
è	17H171	Hopper Assembly 1.5 gal (5.7 L) molded hopper attaches to sprayer in place of inlet suction hose. Ideal for spraying small amounts of material. Lid included. Smooth inside cleans up fast.
	288514	Precision Cut Flat Tip Conversion Kit-G40 Gun
	288839	RAC X Conversion Kit-G40 Gun
	289108	Severe Solvents Suction Set (for use on FinishPro II 395 PC and 595 PC Pro sprayers only)
	288839	G40 RAC X Air Cap

NEW CONTROL SPRAY STARTER KITS

Includes RAC X FF LP SwitchTip, gun and manifold filters for complete solution delivering ultimate control. (Compatible with 390-650 sprayers)

Control Spray Kit

21A106 - RAC X FF LP 106 & 200 Mesh Filter Control Spray Kit 21A206 - RAC X FF LP 206 & 200 Mesh Filter

QUICKSHOT™ REVOLUTIONIZE THE WAY YOU COMPLETE ALL SMALL JOBS

The next generation small application airless sprayer—designed to deliver higher quality results faster and easier with water-based, solvent and flammable architectural coatings.

BREAKTHROUGH ELECTRIC POWERED AIRLESS GUN

- Instant response electronic gun virtually eliminates spits
- Lightest and smallest airless gun ever built

ON-DEMAND PRESSURE & FLOW CONTROL AT THE GUN

- Electrically connected gun to sprayer responds instantly to produce the best finish
- Quickly dial into the performance you need for any job

ULTIMATE HANDS-FREE PORTABILITY

- 6 ft flexible hose for full reach and easy hose management
- Maximum portability delivered with hands-free Belt & Holster
- Refill faster with large-mouth Pour-N-Go Cup







20% VS PURCHASING INDIVIDUAL COMPONENTS

Includes: 1.5 Gallon Hopper, RAC X Fine Finish Low Pressure SwitchTip FFLP 210, BlueMax II Airless Hose 3/16" x 25', BlueMax II Airless Whip Hose 1/8" x 3', 100 mesh Easy Out" manifold and gun filters

Quick – SET UP

Quick - APPLICATION SPEED

Quick - REFILLS / COLOR CHANGE **Ouick** - CLEAN UP

19

		EXTREME CONTROL					
		Small Jobs / Thin Viscosity Materials			Medium to Large Jobs / Capable of Atomizing Thicker Coatings		
		FINISHPRO FINISHPRO FINISHPRO HVLP 7.0 HVLP 9.0 HVLP 7.0			FINISHPRO HVLP 9.0	FINISHPRO HVLP 9.5	FINISHPRO HVLP 9.5
	Technology	High Volume Low Pressure	High Volume Low Pressure	High Volume Low Pressure	High Volume Low Pressure	High Volume Low Pressure	High Volume Low Pressure
	Maximum psi (bar)	7.0 (.48)	9.0 (.62)	7.0 (.48)	9.0 (.62)	9.5 (.65)	9.5 (.65)
NS	Turbine Stages	3-Stage	4-Stage	3-Stage	4-Stage	5-Stage	5-Stage
SPECIFICATIONS	Cup qt (L)	1 (1)	1 (1)	1 (1)	1 (1)	1 (1)	2 (1.9)
CIFIC	Weight lb (kg)	18 (8.1)	19 (8.6)	23 (10.4)	24 (10.8)	26 (11.7)	30 (13.6)
SPE	Max Hose	40 ft (12 m)	40 ft (12 m)	60 ft (18 m)	60 ft (18 m)	60 ft (18 m)	60 ft (18 m)
	Air Ball Valve Included	No	No	Yes	Yes	Yes	Yes
	Artisan Air Valve Installed	No	No	Yes	Yes	Yes	Yes













SERIES TYPE		STANDARD		PROCONTRACTOR			PROCOMP	
MODEL	Part Number	17N263	17N264	17N265	17N266	17N267	17N269	
	Gun	EDGE II	EDGE II	EDGE II PLUS	EDGE II PLUS	EDGE II PLUS	EDGE II PLUS	
	Hose	20 ft (6 m) Super-Flex Air Hose	20 ft (6 m) Super-Flex Air Hose	30 ft (9 m) Super-Flex Air Hose	30 ft (9 m) Super-Flex Air Hose	30 ft (9 m) Super-Flex Air Hose and	30 ft (9 m) Super-Flex Air Hose and	
S	Whip Hose	_	_	_	_	Yes	Yes	
INCLUDES	Quick Release Fluid Set	#3 (.051 in, 1.3 mm)	#3 (.051 in,1.3 mm)	#3 (.051 in, 1.3 mm)	#3 (.051 in, 1.3 mm) #4 (.071 in, 1.8 mm)	#3 (.051 in,1.3 mm) #4 (.071 in,1.8 mm) #5 (.087 in, 2.2 mm)	#3 (.051 in,1.3 mm) #4 (.071 in,1.8 mm) #5 (.087 in, 2.2 mm)	
	Filter	Foam	Foam	Automotive Main Filter	Automotive Main Filter	Automotive Main Filter	Automotive Main Filter	
WEAR	Gun Maintenance Kit	256960	256960	256960	256960	256960	256960	
WE	Gun Repair Kit	17P708	17P708	17P708	17P708	17P708	17P708	
MANUAL	Turbine	3A4967	3A4967	3A4967	3A4967	3A4967	3A4967	
MAN	Gun	3A4980	3A4980	3A4980	3A4980	3A4980	3A4980	

		HIGH PRODUCTIVITY				
		Small / Medium Jobs			Medium / Large Jobs	
		FINISHPRO GX 19 CORDED	FINISHPRO GX 19 CORDLESS	FINISHPRO II 395 PC	FINISHPRO II 595 PC PRO	
	Technology	Airless	Airless	Air-Assisted Airless	Air-Assisted Airless	
	Flow gpm (lpm)	.38 (1.44)	.38 (1.44)	.47 (1.78)	.70 (2.6)	
SNO	Max Tip – Airless	.019	.019	.021	.027	
SPECIFICATIONS	Weight Ib (kg)	31 (14.1)	29 (13.2)	107 (48.5)	108 (49.0)	
SPEC	Motor hp (dc)	1/2	1/2 Brushless	7/8 TEFC	1.6 Brushless	
	Hose Wrap	-	-	Flex Wrap	Flex Wrap	
	Compressor Output	-	-	3.2 cfm at 35 psi	3.2 cfm at 35 psi	









MODEL	Part Number	ber 17F924 25U341 17C417		17E908	
	Power Source	Corded	(2) DEWALT 60VMax FlexVolt 6.0 ah Batteries and (1) Fan-Cooled Fast Charger	Corded	Corded
	Filter(s)	100 Mesh Gun Filter	100 Mesh Gun Filter	100 Mesh Gun Filter	60 Mesh Gun Filter 100 Mesh Gun Filter
	Tips	RAC X FFLP210	RAC X FFLP210	RAC X FFLP210 AAM309	RAC X FFLP210 RAC X LP517 AAM309
INCLUDES	Fluid Hose	3/16 in x 25 ft (4.8 mm x 7.6 m)	3/16 in x 25 ft (4.8 mm x 7.6 m)	1/4 in x 50 ft (6.4 cm x 15.2 m)	(2) 1/4 in x 50 ft (6.4 cm x 15.2 m)
	Fluid Whip Hose	-	-	1/8 in x 6 ft (3.2 mm x 1.8 m)	1/8 in x 6 ft (3.2 mm x 1.8 m)
2	Air Hose	-	-	3/8 in x 50 ft (9.5 mm x 15.2 m)	3/8 in x 50 ft (9.5 mm x 15.2 m)
	Air Whip Hose	-	-	1/4 in x 6 ft (6.4 mm x 1.8 m)	1/4 in x 6 ft (6.4 mm x 1.8 m)
	Gun	FTx with RAC X FF LP SwitchTip	Contractor PC Compact with RAC X FF LP SwitchTip	G40 with RAC X FF LP SwitchTip and Flat Tip	G40 with RAC X FF LP SwitchTip and Contractor PC with RAC X LP SwitchTip
	SmartComp	-	-	Yes	Yes
	Display	Pressure Gauge	Pressure Gauge	Digital	Digital
MANUAL	Operation/Parts	3A3212	3A8429	334730	334598
PUMP	Replacement Pump	24Y472 ProX (Replacement Kit)	24Y472 ProX (Replacement Kit)	17C487 (Full Endurance Pump)	17C487 (Full Endurance Pump)



SPRAY WITH CONFIDENCE

Industry-Leading Warranty Protection

Every Graco electric sprayer is backed by the industry's best warranty coverage.

LIFETIME ELECTRIC MOTOR WARRANTY*

If the motor fails from normal use, we'll replace it under warranty for the original owner for the life of the sprayer.

LIFETIME DRIVETRAIN WARRANTY* †

If the drivetrain fails from normal use, we'll replace it under warranty for the original owner for the life of the sprayer.

30-DAY "JUST ADD PAINT" REPLACEMENT GUARANTEE*

Dissatisfied? Simply return the sprayer to the place you bought it within 30 days. They'll either exchange it for an identical sprayer or you can tradeup to a larger sprayer at an additional cost.

3-YEAR WARRANTY* †

Coverage against defects in materials and workmanship on the entire sprayer, FinishPro compressors and turbine motors.

DOWNTIME ELIMINATOR PROGRAM*

Part needed for a warranty repair not in stock at your distributor? Get FREE next business day air freight delivery when distributor orders the part by 2 p.m. CT.

CONVENIENT SERVICE

Graco offers more than 5,500 authorized distributor locations in North America and over 700 locations to administer warranty repair.

3-YEAR DeWALT DEFECT WARRANTY*

Coverage against defects in materials and workmanship on batteries and charger

*NORTH AMERICA ONLY. See your local Graco Distributors for country specifics. See printed product warranty for complete warranty terms and conditions.

*Excludes FinishPro 6X 19.



SAVE TIME AND MONEY ON EVERY JOB

You can't afford costly downtime. Stop worrying with the Endurance Advantage Program.

Receive a FREE repair kit by following the registration instructions included with your sprayer.



Every Graco purchase comes with A+ Customer Service.

Questions? Call (844) 241-9499

For more information visit graco.com/contractor