



ULTIMATE™ AND ULTIMATE MX™ AIRLESS HANDHELD

Graco's Complete Line of Professional
Handheld Paint Sprayers

AVAILABLE EXCLUSIVELY THROUGH



PROVEN QUALITY. LEADING TECHNOLOGY.



ULTIMATE AIRLESS HANDHELDS

THE BEST IN PERFORMANCE, FINISH AND RELIABILITY

Airless handheld sprayers are the essential tool for turning small jobs around fast, and the Graco Ultimate handhelds are the most advanced sprayers in the world — delivering top-notch speed, Perfect Airless Finish™ and next-use reliability.

THE FASTEST WAY TO FINISH SMALL JOBS—PROVEN BY PROS

FlexLiner™ Bag System (PATENTED)

- Allows quick start-up, spray, and cleanup
- Ability to spray in any direction—even upside down
- Delivers unmatched portability

DeWALT® 20 V MAX Lithium-Ion Battery

- Powered by DeWALT—Compatible with any 20 V Lithium-Ion DeWALT battery

PERFECT AIRLESS FINISH—SMOOTH AND EVEN AT ANY SPEED

SmartControl™

- Smooth, single-coat finishes with no thinning required

ProControl™ II Pressure Control

- Exclusive pressure management technology
- Delivers the same performance as the Ultimate Nova™ 395 PC—right in the palm of your hand

WIDE PRESSURE RANGE AND TIP SUPPORT

RAC X™ Fine Finish (PATENTED) LowPressure Tips

- Full pressure range: 500-2,000 PSI
- Full range tip support: .008-.016
- The only tip necessary for full performance out of all Ultimate Handheld and Ultimate MX handheld sprayers—available in multiple sizes

RELIABILITY DELIVERED—EVERY JOB, EVERY TIME

Triax™ Pump (PATENTED)

- Clean up in minutes with all new easy-to-clean design
- No inlet check valve to get stuck—prime and spray in seconds
- Reliable priming with Automatic Outlet Ball Kocker

ProConnect™

- ProConnect design allows for easy on-the-job replacement



BREAKTHROUGH PERFORMANCE, RELIABILITY AND FINISH



ULTIMATE™
CORDED AIRLESS HANDHELD



ULTIMATE™
CORDLESS AIRLESS HANDHELD



ULTIMATEMX™
CORDLESS AIRLESS HANDHELD

SPRAYS WATER AND MINERAL SPIRITS-BASED MATERIALS ONLY
(NO FLAMMABLE MATERIALS)

SPRAYS WATER, SOLVENT, AND FLAMMABLE-BASED MATERIALS

Triax Pump with ProConnect (PATENT PENDING)

Depend on the durable, lightweight, and full tip support from the Triax triple piston pump — built from durable stainless steel and carbide components, and using ProConnect for a modular, drop-in on-the-job pump replacement.



REPLACE IN THREE EASY STEPS!



1) Remove the cover with a screwdriver



2) Remove the old pump from the sprayer



3) Place new pump into sprayer

FROM START TO FINISH, THE WORLD'S MOST ADVANCED HANDHELD PAINT SPRAYER

**FASTEST WAY TO FINISH
SMALL JOBS, PROVEN BY PROS**

**PERFECT AIRLESS FINISH AT
ANY SPEED, WITHOUT THINNING**

**RELIABILITY DELIVERED
— EVERY JOB, EVERY TIME**



EXCLUSIVE BREAKTHROUGH TECHNOLOGY

RAC X FF LP Tips

Reverse-A-Clean® (RAC) SwitchTips deliver exceptional spraying results and make clearing tip clogs simple. Spray at lower pressure with ANY Graco Sprayer

TRIAx TRIPLE PISTON PUMP

Durable carbide pistons built to deliver extended reliability

32 OZ (0.95 L) FLEXLINER ALL NEW EASY-TO-CLEAN DESIGN

Disposable liners eliminate cleanup time

Spray in ANY direction — even upside down

ULTIMATE™ AIRLESS HANDHELD

PRO CONNECT

Drop-in on-the-job Triax pump replacement
(PATENT PENDING)

PROCONTROL II PRESSURE CONTROL

Adjust motor speed and flow for TOTAL control with thin and thick materials

SMARTCONTROL

Delivers consistent spray fan at all spray pressures



LED FUEL GAUGE

Compatible with any 20 V MAX Lithium Ion DEWALT battery

LIGHTEST PRO AIRLESS HANDHELD

Sprays most materials that can be cleaned with water or mineral spirits. Do not use materials that state "flammable" on packaging. See Operation Manual online at graco.com.

FOR MORE INFORMATION, VISIT GRACO.COM/UltimateHH

ULTIMATE MX CORDLESS HANDHELD

UNMATCHED PERFORMANCE

EXCLUSIVE FEATURES FOUND ONLY ON ULTIMATE MX AIRLESS HANDHELDS:



BRUSHLESS DC MOTORS

- Most dependable, long-life motors
- Spark-free operation



SOLVENT RESISTANCE

- Sprays everything including water-based, mineral spirit-based, flammable, and solvent-based materials

STATIC SHOCK PROTECTION

- Safely spray flammable coatings

THE ONLY HANDHELD SPRAYER CAPABLE OF
SPRAYING WATER-BASED, SOLVENT & FLAMMABLE
ARCHITECTURAL COATINGS



Ultimate MX Sprayers also include all Ultimate Handheld Features:

- Triax Piston Pump with ProConnect
- Precision Advantage Drive
- FlexLiner Bag System
- DeWALT 20 V Lithium Ion Battery & Chargers
- SmartControl
- ProControl II Pressure Control
- RAC X Low Pressure SwitchTips

LOOKING FOR CORDLESS CONVENIENCE FOR LARGER JOBS?

NEW! NOVA 390 PC CORDLESS AIRLESS PAINT SPRAYER

THE MOST POWERFUL CORDLESS SPRAYER
EVER BUILT DELIVERS THE FREEDOM TO SPRAY
EVERY LARGE JOB FASTER

- The first and ONLY high-performance cordless sprayer—up to 3,300 psi with 0.021" max tip
- Spray up to 3 gallons on a single battery charge—two batteries included for all day spraying
- Spray anywhere with freedom from power cords, electrical outlets or generators



FOR MORE INFORMATION,
VISIT WWW.GRACO.COM/NOVA390CORDLESS



SPECIFICATIONS		ULTIMATE CORDED AIRLESS HANDHELD	ULTIMATE CORDLESS AIRLESS HANDHELD		ULTIMATE MX CORDLESS AIRLESS HANDHELD	
	SPRAYER MODEL	COMPLETE	COMPLETE	TOOL-ONLY	COMPLETE	TOOL-ONLY
	Part Number	17N162	17N164	17P516	17N222	17P929
	"Hot" Solvent Capable	No	No	No	Yes	Yes
	Pressure Control	Yes	Yes	Yes	Yes	Yes
	Pressure Adjustment	500-2,000 psi (34-138 bar)	500-2,000 psi (34-138 bar)	500-2,000 psi (34-138 bar)	500-2,000 psi (34-138 bar)	500-2,000 psi (34-138 bar)
	Tip Support	RAC X FFLP Tips ONLY .008-.016	RAC X FFLP Tips ONLY .008-.016	RAC X FFLP Tips ONLY .008-.016	RAC X FFLP Tips ONLY .008-.016	RAC X FFLP Tips ONLY .008-.016
	Tip(s) Included	RAC X FFLP 514	RAC X FFLP 514	RAC X FFLP 514	RAC X FFLP 514 and RAC X FFLP 210	RAC X FFLP 514 and RAC X FFLP 210
	32 oz FlexLiner Bags Included	4	4	4	6	6
	Power/Battery*	—	(2) DeWALT 20 V MAX* COMPACT 2.0 ah Lithium-Ion Batteries and (1) Charger	—	(2) DeWALT 20 V MAX* COMPACT 2.0 ah Lithium-Ion Batteries and (1) Charger	—
	Filter Mesh Included	60 Mesh	60 Mesh	60 Mesh	60 & 100 Mesh	60 & 100 Mesh
	Fully Repairable	Yes	Yes	Yes	Yes	Yes

*With respect to 20 V MAX, maximum initial battery voltage (measured without workload), is 20 V. Nominal is 18 V.

ACCESSORIES



NOW AVAILABLE AS TOOL ONLY* MODELS

*Works with any DeWALT 20 V MAX battery. The use of different or improperly cared for DeWALT batteries may affect the runtime of the sprayer.

FLEXLINER ACCESSORIES

PART #	DESCRIPTION
17A226	32 oz (0.95 l) FlexLiner Paint Bags (3 pack)
17P212	32 oz (0.95 l) FlexLiner Paint Bags (25 pack)
17F005	42 oz (1.2 l) FlexLiner Paint Bags (3 pack)
17P549	42 oz (1.2 l) FlexLiner Paint Bags (25 pack)
17M879	FlexLiner Storage Plug
17R611	FlexLiner Storage Plug (Solvent Based)

EXTRA FLEXLINER CUP ASSEMBLIES

PART #	DESCRIPTION
17P550	32 oz (0.95 l) FlexLiner System
17P551	32 oz (0.95 l) FlexLiner System (Solvent Based)
17P552	42 oz (1.2 l) FlexLiner System
17P553	42 oz (1.2 l) FlexLiner System (Solvent Based)

BATTERIES

PART #	DESCRIPTION
17P474	DeWALT 20V MAX Lithium-Ion Battery
17P475	DeWALT 20V MAX Lithium-Ion Charger

TRIAx PUMP

PART #	DESCRIPTION
17P185	Ultimate Corded Triax Replacement Pump
17P186	Ultimate Cordless Triax Replacement Pump
17P187	Ultimate MX Cordless Triax Replacement Pump

FILTERS

PART #	DESCRIPTION
17P554	60 Mesh (3-Pack)
17P555	100 Mesh (3-Pack)

MISC

PART #	DESCRIPTION
17M883	Storage Case
17P712	VacuValve™ Cap Replacement (3 Pack)
287019	10 in (25cm) RAC X Tip Extension (Ultra Models Only)
287020	15 in (38cm) RAC X Tip Extension (Ultra Models Only)
287030	CleanShot™ Shut-Off Valve (Ultra Models Only)
235486	180° Easy Turn Directional Spray Nozzle (Ultra Models Only)

TIP GUARDS

PART #	DESCRIPTION
246215	Ultimate Corded & Ultimate Cordless Tip Guard
17P573	Ultimate MX Cordless Tip Guard

FINE FINISH LOW PRESSURE RAC X SWITCHTIPS (FFLPXXX)

FAN WIDTH	IN	MM	.008	.010	.012	.014	.016
	2-4	(51-102)	108	110	112		
	4-6	(102-152)	208	210	212	214	
	6-8	(152-203)	308	310	312	314	
	8-10	(203-254)		410	412	414	
	10-12	(254-305)		510	512	514	516
	12-14	(305-356)					616

Lowering spray pressure can reduce flow in some materials.
Increase tip orifice size to maintain speed and material flow if needed.

FOR PART NUMBERS AND MORE DETAILS
ON ALL AIRLESS ACCESSORIES:

Visit graco.com/accessories, see Airless Accessories Brochure (part #344386)
or ask your local authorized Graco Distributor



graco.com/accessories



SPRAY WITH CONFIDENCE

Industry-Leading Warranty Protection

Every Graco handheld sprayer is backed by the industry's best warranty coverage.

30-DAY "JUST ADD PAINT" REPLACEMENT GUARANTEE*

Dissatisfied? Simply return the sprayer to the place you bought it within 30 days. They'll either exchange it for an identical sprayer or you can trade up to a larger sprayer at an additional cost. Excludes corded version.

1-YEAR WARRANTY*

Coverage against defects in materials and workmanship on the entire sprayer.

3-YEAR DeWALT DEFECT WARRANTY*

Coverage against defects in materials and workmanship on batteries and charger.

CONVENIENT SERVICE

Graco offers more than 5,500 authorized distributor locations in North America and over 700 locations to administer warranty repair.

**Please see written product warranty for all terms and conditions.*



Finish Every Job, Every Time

Downtime is costly. With the Endurance Advantage Program, you'll never need to worry about it again as you can receive **50% OFF the list price of a Triax Pump** with your purchase.

Follow the registration instructions included with your sprayer.



Every Graco purchase comes with A+ Customer Service.

Questions?
Call (844) 241-9499

For more information visit graco.com

©2020 Graco Inc. 344402 Rev. C 12/20 All written and visual data contained in this document are based on the latest product information available at the time of publication. Graco reserves the right to make changes at any time without notice. Trademarks are referenced herein for identification purposes only. DeWALT® and the DeWALT Logo are trademarks of DeWALT Industrial Tool Co. and are used under license. All trademarks are the property of their respective owners. Product covered by issued and pending patents, see graco.com/patents