

ELECTRIC SPRAYERS

Graco's Complete Line of Professional Electric Airless Sprayers





THERE IS NOTHING LIKE A GRACO ELECTRIC SPRAYER

Experienced contractors know the difference. Graco professional electric sprayers are solid investments that perform reliably, year after year.

TRUST YOUR BUSINESS AND REPUTATION TO GRACO

Graco is committed to providing the highest quality electric airless sprayers available, backed by the industry's best warranty.

AMERICAN BUILT QUALITY SINCE 1926

100% factory-tested and field-proven Graco professional electric sprayers are designed, manufactured, and assembled in the USA.

INDUSTRY-LEADING WARRANTY

Behind every Graco sprayer is the industry's strongest warranty. You may never use Graco's warranty — but if you do, we will be there.



GRACO-ONLY SOLUTIONS THAT KEEP YOU SPRAYING



(PATENT PENDING)

STREAMLINE YOUR BUSINESS WITH BLUELINK™ SYSTEM

- Track every sprayer exact location and hourly productivity
- Know job progress on-demand productivity facts and reporting from anywhere
- Maximize uptime set maintenance schedules, alerts, and jobsite notes



PATENTED

THE EASIEST MAINTENANCE

- Swap your pump in minutes with no tools
- Eliminate costly jobsite downtime
- Easier and faster than ever to service your sprayer

SMARTCONTROL™

(GRACO EXCLUSIVE)

PRECISION SPRAYING CONTROL

- Precision pressure control that delivers a consistent spray fan without pressure fluctuations
- Ideal for Low Pressure tips commonly used for fine finish work and low overspray applications
- Monitors sprayer gallons, hours, and spray pressure



(GRACO EXCLUSIVE)

MORE SPRAYING AND LESS CLEANING

- Clean the pump 4X faster using 50% less water
- High-velocity fluid flow delivered with 60% higher motor speed



(GRACO EXCLUSIVE)

EASY HOSE MANAGEMENT

- Deploy and rewind up to 300 feet of hose in seconds
- No twisting, kinking, or coiling
- Use only the hose you need the rest stays on the reel





STREAMLINE YOUR BUSINESS

BlueLink connects the people and equipment that drive your business in a completely new way. Whether on the jobsite, at the office, or anywhere in between, BlueLink provides the critical information you need every day—including real-time jobsite access, instant maintenance alerts, on-demand productivity reports, and much more!



TRACK EVERY SPRAYER

- Know exact locations and hourly productivity
- Make fewer trips to jobsites



KNOW JOB PROGRESS

- On-demand productivity facts and reporting from anywhere
- Ensure you're on time with needed materials



MAXIMIZE UPTIME

- Set preventive maintenance schedules and receive alerts
- Ensure your sprayer is ready for every job



PERFECT FOR ANY COMPANY SIZE

- · Streamline existing operations
- Owner-operators to large contractors



FASTER SERVICE AND SUPPORT

- Quick access to Graco product information and your nearby distributor
- Helpful application, maintenance, and parts resources



FLEXIBLE PLATFORM

- · Available in multiple languages
- Available on Apple® and Android® devices

NO MONTHLY FEES

Local data carrier rates may apply.

Put BlueLink to work for your business today DOWNLOAD THE BLUELINK APP NOW!



CHOOSE THE RIGHT ELECTRIC SPRAYER

Our mission is to fit you to the sprayer that is sized for the work you do to get the job done right, every time.

CURRENT AND FUTURE JOBSITE FACTS TO CONSIDER WHEN SELECTING YOUR GRACO ELECTRIC SPRAYER:

- How many gallons per week will you spray?
- What hose lengths will you use?
- How many guns will you use? What tip sizes?
- What types of materials will you spray?
- What types of jobs will you bid?



FIND THE SPRAYER THAT FITS

| | | | STANDARD PROCONTRACTOR™ | | STANDARD | PROCONTRACTOR™ |
|------------------------|---|--|---|------------------|--|-----------------------|
| RECOMMENDED SPRAYER | 390™ PC Ultra® 395 PC | Ultra Max II 490 PC Pro Ultra Max II 495 PC Pro Ultra Max II 595 PC Pro | Ultra Max II 695 Ultra Max II 795 | | Ultra Max II 1095 Ultra Max II 1595 | |
| | LOW Up to 190L per week | MEDIUM 190-380L per week | HIGH 380-760L per week | | HIGH Over 760L per week | |
| PRODUCTION NEEDS | LOW / MEDIUM Up to 60m of hose | LOW / MEDIUM Up to 60m of hose | HIGH Up to 90m of hose | | HIGH Up to 90m of hose | |
| | LOW 1 gun Up to 0.023 / Up to 2.0lpm | MEDIUM 1 gun Up to 0.027 / Up to 2.6lpm | HIGH Up to 2 guns Up to 0.033 / Up to 4.2lpm | | HIGHEST Up to 3 guns Up to 0.035 / Up to 4.5lpm | |
| JOB TYPES | LIGHT Small Residential, Repaint/ Remodel, Property Maintenance | LIGHT / MEDIUM Medium Residential, Repaint/Remodel, Property Maintenance, Light Commercial | LIGHT / HEAVY Interior/Exterior, Residential, | Light Commercial | HEAVY DUTY Exterior Residential, Heavy Co | ommercial, Industrial |
| MATERIALS | LIGHT Lacquers and Stains, Interior/Exterior Latex, Enamels, Acrylics | LIGHT / MEDIUM Lacquers and Stains, Interior/ Exterior Latex, Enamels, Acrylics, Oil-Based Primers | LIGHT / HEAVY Interior/Exterior Latex, Oil-Ba Acrylics, Block Fillers | sed Primers, | HEAVY DUTY Interior/Exterior Latex, Oil-Ba Block Fillers, Dryfall, Elastom | |

SMALL ELECTRIC SPRAYERS

SMALL SIZE—LARGE CAPABILITY

Built with the same quality as Graco's large electric sprayers, Graco's small electric airless sprayers deliver exceptional power and performance.

MIDSIZE ELECTRIC SPRAYERS INCREASED PRODUCTIVITY—UNMATCHED RELIABILITY

Graco's midsize electric airless sprayers make it easier to get more work done in a day with increased flow and production rates.



390 PC FEATURES:

DURABLE ENDURANCE PUMP

- Lasts 2X longer than competing pumps
- Long life V-Max Blue[™] Packings, Chromex rod, and hardened stainless steel cylinder
- Faster cleaning with the QuikAccess intake valve

EASY MAINTENANCE AND LESS CLOGGING

Easy Out™ Pump Filter

- Exclusive inside-out filtering process ensures a quality finish
- Large filtration area reduces tip clogs

ELIMINATE COSTLY DOWNTIME

ProConnect One-Part Pump Replacement System

 Pump swaps in minutes no tools, pins, or parts to lose

THE LONGEST LASTING DRIVE

Advantage Drive™

 Hardened steel gears provide extremely quiet operation and a lifetime warranty



ULTRA 395 PC ALSO INCLUDES:

GET MORE WORK DONE

Durable TEFC DC Motor

High torque produces the most power possible for all painting applications

EVEN PRESSURE DELIVERY

SmartControl™ 1.0

- Constantly monitors performance and adjusts motor speed to match your tip size and spraying needs
- Ideal for RAC X[™] LP tips commonly used in fine finish and low overspray applications

ALL-DAY COMFORT AND CONTROL

New Contractor PC™ Spray Gun

- · Lightest weight gun in its class
- Up to 50% lighter trigger pull force
- E-Z Fit[™] adjustable trigger length





ULTRA MAX II 490-595 PC PRO MODELS:



INCREASED SPR AY CONSISTENCY

SmartControl with Digital Display

- Even pressure delivery on every job
- Constantly monitors performance and adjusts motor speed to match your tip size and spraying needs



ALL-DAY COMFORT AND CONTROL

Contractor PC Spray Gu

- Lightest weight gun in its class
- Up to 50% lighter trigger pull force

GET MORE WORK DONE

MaxPower™ Motor and Advantage drive

 Geates more torque and delivers maintenance-free performance

FastFlush™ High-Flow Cleaning System

 4X faster cleaning with ½ the water

DURABLE ENDURANCE PUMP

- Lasts 2X longer than competing pumps
- Long life V-Max Blue[™] Packings, Chromex rod, and hardened stainless steel cylinder
- Faster cleaning with the QuikAccess intake valve

THE LONGEST LASTING DRIV E

Advantage Drive™

 Hardened steel gears provide extremely quiet operation and a lifetime warranty

ELIMINATE COSTLY DOWNTIME

ProConnect One-Part Pump Replacement System

 Pump swaps in minutes no tools, pins, or parts to lose

EASY TRANSPORT

- Only 34 lbs (Stand model)
- Kickstand for easy one-person bucket changes (Hi-Boy only)

EASY MAI NTENANCE AND LESS CLOGGING

Easy Out™ Pump Filter

• Exclusive inside-out filtering process ensures a quality finish

Large filtration area reduces tip clog











| MIDSIZE ELECTRIC MODELS | STAND | HI-BOY | LO-BOY |
|-------------------------|-------|--------|--------|
| Ultra Max II 490 PC Pro | • | | |
| Ultra Max II 495 PC Pro | • | | |
| Ultra Max II 595 PC Pro | | • | • |

CHOOSE THE RIGHT SERIES FOR ALL YOUR APPLICATIONS

Graco's large electric sprayers deliver the highest production rates to handle the most demanding jobs and applications.

Choose the Right Series of Large Electric Sprayers for Your Business

Only Graco is committed to professional painting contractors by offering three different series of large electric airless sprayers.



EVERYDAY RELIABILITYSmall Residential and Repainting Contractor

- Painting multiple days a week
- Typically working on smaller jobs
- Don't need a lot of extra features



WORK SMARTER, FINISH MORE JOBS

Large Residential and Commercial Contractor

- Painting every day frequently from job to job
- Tackling medium to large projects
- Requiring features to get you to the next jobsite faster



Ready to Spray: Complete with Contractor PC Spray Gun, 50 ft Blue Max II hose, and RAC X SwitchTip



STANDARD SERIES EVERYDAY RELIABILITY

Larger painting jobs demand the proven quality and performance of Graco's Standard Series large electric sprayers to deliver a job well done, every time.



DURABLE ENDURANCE PUMP

Endurance Chromex Piston Pump

- · Lasts 1X longer than competing pumps
- Repack the pump in minutes with the new QuikPak Cartridge System
- Faster cleaning with the QuikAccess intake foot valve



PRECISION PRESSURE CONTROL

New SmartControl 4.0 with ProGuard™ Protection System

- Lowest dead band at any pressure delivers a consistent spray fan without pressure fluctuation
- ProGuard prevents electrical damage from extreme jobsite power conditions
- WatchDog[™] Pump Protection System automatically prevents pump damage if the material supply is too low



STREAMLINE YOUR BUSINESS

BlueLink Job and Sprayer Management App

- · Track every sprayer
- Know job progress
- Maximize uptime

THE LONGEST LASTING DRIVE

Advantage Drive

Hardened steel gears provide extremely quiet operation and a lifetime warranty

ALL-DAY COMFORT AND CONTROL

New Contractor PC Spray Gun

- Lightest weight gun in its class
- Up to 50% lighter trigger pull force with E-Z Fit adjustable trigger length
- Complete no-tools gun rebuild in seconds with ProConnect cartridge

MAINTENANCE-FREE HIGH-PRESSURE DUMPING CAPABILITY

Heavy-Duty Prime Valve

FAST CLEANING NOW EVEN FASTER

New FastFlush 2 System

- Clean the pump 5X faster using 1/2 the water
- High-velocity fluid flow delivered with 60% higher motor speed

GET MORE WORK DONE

MaxPower Motor

- Proven performance for all painting applications
- High-torque brushless design with a Lifetime Warranty

EASY MAINTENANCE AND LESS CLOGGING


Easy Out Filters

- Exclusive inside-out filtering process ensures a quality finish
- · Vertical design for less mess



| LARGE ELECTRICS | LO-BOY | STANDARD | PROCONTRACTOR |
|-------------------|--------|----------|---------------|
| Ultra Max II 695 | • | • | • |
| Ultra Max II 795 | | • | • |
| Ultra Max II 1095 | | • | • |

PROCONTRACTOR SERIES







ELIMINATE COSTLY DOWNTIME

ProConnect 2 Pump Replacement System

 Exchange pump in minutes pinless design needs no tools



EASY HOSE MANAGEMENT

QuikReel™ Hose Management System

- Deploy and rewind up to 300 feet of hose in seconds
- · No twisting, kinking, or coiling
- Use only the hose you need the rest stays on the reel



Ultra Max II 795

Ultra Max II 1095

DURABLE FILTRATION

Crushproof Inlet Strainer

Stands up to harsh impacts to maintain flow through filter

26C984

26C987



ProContractor Series sprayers also include all Standard Series features:

- NEW SmartControl 4.0 with ProGuard
- **NEW** FastFlush 2
- NEW Contractor PC Spray Gun
- · Easy Out Filter Manifold
- · Precision Advantage Drive
- MaxPower Motor
- · Heavy-Duty Prime Valve
- · Rugged, Durable Cart Design



• **NEW** BlueLink Job and Sprayer Management App



JETROLLER TM (PATENT PENDING)

and fine finish applications

· Less prep and cleanup time

- 2-in-1 Spray and Rolling System
- · Use as a spray extension or hand

CONTRACTOR

NEW CONTRACTOR PC GUNS

SPEND LESS TIME, MAKE MORE MONEY

Maximize your performance and get to the next job faster by

customizing your sprayer with proven Graco accessories.

ACCESSORIES

Premium Comfort for All-Day Spraying (PATENT PENDING)

FINISH JOBS FASTER WITH LESS FATIGUE

- Lightest weight gun in its class
- Up to 50% lighter trigger pull force
- E-Z Fit adjustable trigger length

REDUCE DOWNTIME WITH PROCONNECT

Industry-Proven Complete Gun Rebuild in Seconds With ProConnect (PATENT PENDING)

· Needle and all wear parts in one simple cartridge



GRACO'S LONGEST-LASTING, MOST DURABLE GUN YET

Industry-Proven Graco Quality

· Made in the USA



Easiest pattern overlap

• Up to 2X life

- · Finish your job 4X faster
- · Back rolling and spraying in one pass
- roller separately



QUIKPAK CARTRIDGE REPAIR SYSTEM









Modular pre-oiled cartridge packings install correctly every time









1) Insert pre-oiled packing 2) Remove disposable clip cartridge assembly

3) Assemble pump

GRACO ELECTRIC SPRAYER SPECIFICATIONS GRACO ELECTRIC SPRAYER SPECIFICATIONS

| | | 390 PC | ULTRA 395 PC |
|----------------|-----------------------|---------------|---------------|
| | Maximum Tip Size | 0.021 | 0.023 |
| | Maximum psi (bar) | 3300 (227) | 3300 (227) |
| NOL | Maximum gpm (lpm) | 0.47 (1.8) | 0.54 (2.0) |
| SPECIFICATIONS | Motor hp | 5/8 DC | 7/8 TEFC DC |
| SPEC | Weight lb (kg) | 30 (14) Stand | 42 (19) Stand |
| | Gun Support: 1 Gun | 0.021 | 0.023 |

| ULTRA MAX II 490 PC PRO | ULTRA MAX II 495 PC PRO | ULTRA MAX II 595 PC PRO |
|-------------------------|-------------------------|-------------------------|
| 0.023 | 0.025 | 0.027 |
| 3300 (227) | 3300 (227) | 3300 (227) |
| 0.54 (2.0) | 0.60 (2.3) | 0.70 (2.6) |
| 1.0 Brushless DC | 1.2 Brushless DC | 1.6 Brushless DC |
| 34 (15) Stand | 34 (15) Stand | 72 (33) Hi-Boy |
| 0.023 | 0.025 | 0.027 |








| SMALL ELECTRICS | | | |
|----------------------|-----------------------------|--|--|
| MODEL | Cart Design– Part Number | 17C386 | 26C968 |
| | Endurance Pump | • | • |
| | ProConnect | • | • |
| | Digital Display | | |
| | Control | Electronic | SmartControl 1.0 |
| | Motor | DC | TEFC DC |
| 90 | Advantage Drive | • | • |
| | Easy Out (60 Mesh) | • | • |
| E | Fast Flush | | |
| | Gun | FTx | Contractor PC |
| | Hose | 1/4 in x 50 ft (6.4 mm x 15 m) Blue Max II Airless | 1/4 in x 50 ft (6.4 mm x 15 m) Blue Max II Airless |
| | Tip | RAC X LTX 515 | RAC X LTX 517 RAC X LP 519 |
| • | | | |
| PS EN | Endurance Pump | 17C487 | 17C487 |
| REPLACEMENT Pumps | Express Pump | 17J552 | 17J552 |
| | Repair Kit | 244194 | 244194 |
| WEAR PARTS | Rod | 24W617 | 24W617 |
| WEAR | Cylinder | 24W619 | 24W619 |
| | Intake Seat Kit | 246429 | 246429 |
| MANUAL | Operation/Parts | 334593 | 3A6544 |

| MIDSIZE ELECTRICS | | | |
|--|--|---|--|
| 26C970 | 26C974 | Hi-Boy 26C976 Lo-Boy 26C977 | |
| • | • | • | |
| • | • | • | |
| • | • | • | |
| SmartControl 3.0 | SmartControl 3.0 | SmartControl 3.0 | |
| MaxPower Brushless | MaxPower Brushless | MaxPower Brushless | |
| • | • | • | |
| • | • | • | |
| • | • | • | |
| Contractor PC | Contractor PC | Contractor PC | |
| 1/4 in x 50 ft (6.4 mm x 15 m) Blue Max II Airless | 1/4 in x 50 ft (6.4 mm x 15 m) Blue Max II Airless | 1/4 in x 50 ft (6.4 mm x 15 m) W II Airless | |
| RAC X LTX 517 RAC X LP 519 | RAC X LTX 517 RAC X LP 519 | RAC X LTX 517 RAC X LP 519 | |
| 17C487 | 17C487 | 17C487 | |
| 17J552 | 17J552 | 17J552 | |
| 244194 | 244194 | 244194 | |
| 24W617 | 24W617 | 24W617 | |
| 24W619 | 24W619 | 24W619 | |
| 246429 | 246429 | 246429 | |
| 3A6516 | 3A6516 | 3A6516 | |

| | | ULTRA MAX II 695 |
|----------------|---|---------------------|
| | Maximum Tip Size | 0.031 |
| • | Maximum psi (bar) | 3300 (227) |
| SPECIFICATIONS | Maximum gpm (lpm) | 0.95 (3.6) |
|)FICA | Weight lb (kg) | 93 (42) Standard |
| SPEC | Gun Support: 1 Gun 2 Guns 3 Guns | 0.031 0.023 — |

| 5 | ULTRA MAX II 795 | |
|---|-------------------------|--|
| | 0.033 | |
| | 3300 (227) | |
| | 1.10 (4.1) | |
| | 98 (44) Standard | |
| | 0.033 0.025 0.019 | |
| | CC | |













| | | | -1 |
|------------|----------------------------------|--|--|
| | SERIES TYPE | STANDARD | PROCONTRACTOR |
| MODEL | Cart Design – Part Number | Hi-Boy-17E574 Lo-Boy-17E572 | 26C981 |
| _ | Туре | Endurance | Endurance |
| PUM | Rod | Chromex | Chromex |
| | Sleeve | Hardened SST | Hardened SST |
| | Removal | QuikChange | ProConnect 2 |
| | NEW! BlueLink Management App | • | • |
| | MaxPower Brushless DC Motor (hp) | • (2.0) | • (2.0) |
| | Advantage Drive | • | • |
| | Easy Out (60 Mesh) | • | • |
| | NEW! SmartControl 4.0 | • | • |
| | NEW! FastFlush 2 | • | • |
| | WatchDog | • | • |
| | QuikReel | | • |
| | ProConnect 2 | | • |
| | NEW! Crushproof Inlet Strainer | | • |
| | NEW! Contractor PC Gun | • | • |
| | Tip | RAC X LTX 517 | RAC X LTX 517 |
| | Hose | 1/4 in x 50 ft (6.4 mm x 15 m) Blue Max II Airless | 1/4 in x 50 ft (6.4 mm x 15 m) Blue Max II Airless |
| | Replacement Pump | 16Y598 | 17H823 |
| RTS | Repair Kit | 17H838 | 17H838 |
| WEAR PARTS | Rod | 248206 | 17H876 |
| WE | Sleeve | 248209 | 17H864 |
| | Intake Seat Kit | 239922 | 239922 |
| MANUAL | Operation and Parts | 3A6346 | 3A6346 |

| STANDARD | PROCONTRACTOR | |
|--|--|--|
| 26C981 | 17E582 | |
| Endurance | Endurance | |
| Chromex | Chromex | |
| Hardened SST | Hardened SST | |
| QuikChange | ProConnect 2 | |
| • | • | |
| • (2.2) | • (2.2) | |
| • | • | |
| • | • | |
| • | • | |
| • | • | |
| • | • | |
| | • | |
| | • | |
| | • | |
| • | • | |
| RAC X LTX 517 | RAC X LTX 517 | |
| 1/4 in x 50 ft (6.4 mm x 15 m) Blue Max II Airless | 1/4 in x 50 ft (6.4 mm x 15 m) Blue Max II Airless | |
| 16Y598 | 17H823 | |
| 17H838 | 17H838 | |
| 248206 | 17H876 | |
| 248209 | 17H864 | |
| 239922 | 239922 | |
| 3A6346 | 3A6346 | |

| STANDARD | PROCONTRACTOR |
|--|--|
| 17E620 | 26C987 |
| Endurance | Endurance |
| Chromex | Chromex |
| Hardened SST | Hardened SST |
| QuikChange | ProConnect 2 |
| • | • |
| • (2.4) | ● (2.4) |
| • | • |
| • | • |
| • | • |
| • | • |
| • | • |
| | • |
| | • |
| | • |
| • | • |
| RAC X LTX 517 | RAC X LTX 517 |
| 1/4 in x 50 ft (6.4 mm x 15 m) Blue Max II Airless | 1/4 in x 50 ft (6.4 mm x 15 m) Blue Max II Airless |
| 16Y706 | 17H824 |
| 17H839 | 17H839 |
| 248207 | 17H877 |
| 248210 | 257031 |
| 244199 | 244199 |
| 3A6346 | 3A6346 |



ABOUT GRACO

PROVEN QUALITY, LEADING TECHNOLOGY.

Founded in 1926, Graco is a world leader in fluid handling systems and components. Graco products move, measure, control, dispense and apply a wide range of fluids and viscous materials used in vehicle lubrication, commercial and industrial settings.

The company's success is based on its unwavering commitment to technical excellence, world-class manufacturing and unparalleled customer service. Working closely with qualified distributors, Graco offers systems, products and technology that set the quality standard in a wide range of fluid handling solutions. Graco provides equipment for spray finishing, protective coating, paint circulation, lubrication, and dispensing sealants and adhesives, along with power application equipment for the contractor industry. Graco's ongoing investment in fluid management and control will continue to provide innovative solutions to a diverse global market.

GRACO LOCATIONS

MAILING ADDRESS

P.O. Box 1441

Minneapolis, MN 55440-1441

Tel: +612-623-6000 Fax: +612-623-6777

AMERICAS

MINNESOTA

Worldwide Headquarters Graco Inc. 88-11th Avenue N.E.

Minneapolis, MN 55413

EUROPE

BELGIUM

European Headquarters Graco N.V. Industrieterrein-Oude Bunders Slakweidestraat 31 3630 Maasmechelen.

Belgium

Tel: +32 89 770 700 Fax: +32 89 770 777

ASIA PACIFIC

AUSTRALIA

Graco Australia Pty Ltd. Suite 17, 2 Enterprise Drive Bundoora, Victoria 3083 Australia

Tel: +61 3 9468 8500 Fax: +61 3 9468 8599

CHINA (AP Headquarters)

Graco Fluid Equipment (Shanghai) Co., Ltd Building 7, NO, 1 - 2, Wenshi

Building 7, NO. 1 - 2, Wenshui Road 299

Jing'an District, Shanghai 200436, P.R.China Tel: +86 512 6260 5711 Fax: +86 21 6495 0077

INDIA

Graco India Pvt Ltd Plot No 295, Udyog Vihar Phase-IV Gurugram - 122015 (Haryana)

India

Phone: +91 124 661 0200 Fax: +91 124 661 0201

JAPAN

Graco K.K. 1-27-12 Hayabuchi Tsuzuki-ku

Yokohama City, Japan 2240025 Tel: +81 45 593 7300 Fax: +81 45 593 7301

KOREA

Graco Korea Inc. 38, Samsung 1-ro 1-gil, Hwaseong-si, Gyeonggi-do. 18449

Republic of Korea Tel: +82 31 8015 0961 Fax: +82 31 613 9801

SALES/ DISTRIBUTION/ SERVICE

Call today for product information or to request a demonstration.

CHINA/SOUTH EAST ASIA: + 86 512 62605711

INDIA: +91 124 6610200

AUSTRALIA and NEW ZEALAND: +61 3 9468 8500

Or visit us at www.graco.com



EVERY GRACO PRODUCTS COMES WITH A+ CUSTOMER SERVICE. 3-YEAR WARRANTY*

Coverage against defects in materials and workmanship on the entire striper.