



ToughTek®

Complete Line of Self-Leveling Solutions



PROVEN QUALITY. LEADING TECHNOLOGY.



GET THE JOB DONE FASTER!

With flooring materials evolving to dry faster and other trades demanding to get access to rooms sooner, it's time to switch to equipment that will help you get the job done quickly and efficiently. Let Graco's pumps do the hard work and deliver self-leveling materials directly to the floor. Whether you are applying self-leveling "underlayment" to create a flat surface for additional floor coverings, or a self-leveling "topping" that will become the final floor surface, look to Graco to get the job done - fast!

SOLUTIONS FOR ALL YOUR SELF-LEVELING NEEDS

Every job has different requirements and demands, and we have you covered! Whether you are applying Self-Leveling Toppings or Self-Leveling Underlayments, we have a solution for you!

	SL340e	P30-HT	P40	MP40	CM20	CM40
Self-Leveling Toppings	X	X	X			
Self-Leveling Underlayments		X	X	X	X	X



ROTOR STATOR SOLUTIONS

When you are looking for a simple, yet capable pump, look no further than a Graco rotor stator pump. Consisting of only 2 parts, these innovative pumps are easy to maintain and can pump the widest range of materials with a steady, consistent flow.

MIX AND PUMP WITH ONE MACHINE!



ToughTek MP40

The ultimate solution for self-leveling underlayments! The system automatically mixes dry powder material with water and then pumps the mix through its integrated rotor stator pump — nothing could be more convenient!

See the MP40 in action!



graco.com/MP40Video

Material Output:	Up to 200 Bags Per Hour
Max psi (bar):	300 (21)
Power Input:	240V, 25A, 3PH

LET THE PUMP DO THE WORK!

ToughTek® SL340e PISTON PUMP PERFORMANCE

Designed with Graco's proven piston-pump technology and low-profile hopper, the SL340e eliminates the need to move mixers around the jobsite. Now you can keep the mixer and material in one spot, while using the hose to reach the work area.

Convenient 120V Power

- Works on a standard 120V wall outlet
- No electrician or rewiring needed

Adjustable Material Flow Control

- Dial in the exact flow needed for your job
- High or low flow — you decide!

Low Profile 30 Gallon Hopper

- Easily mix and pour with standard barrel mixers
- All steel construction for years of service
- Sloped design allows maximum flow to pump

Compact and Portable

- Weighs only 210 lb
- Easy to transport

MaxPower DC Brushless Motor

- High-torque = more work done
- Maintenance free design
- Totally-enclosed design keeps dust and debris out

Durable Quick Access Piston-Pump

- Heavy-duty steel construction for long life and everyday performance
- Oversized inlet and internal passages for trouble-free pumping
- Quick-access design for fast and easy maintenance

No-tools Hopper Removal

- Disconnect in seconds for easy cleaning and transport



graco.com/SL340eVideo

See the SL340e in action!

Material Output:	Up to 130 Bags Per Hour
Max psi (bar):	600 (42)
Power Input:	120V, 15A

ToughTek P30HT

When you need increased productivity and the capability to pump materials with larger particles, look no further than the P30HT. This rotor stator system offers a smooth, continuous flow to quickly get the job done.



Material Output:	Up to 150 Bags Per Hour
Max psi (bar):	300 (21)
Power Input:	240V, 30A, 1PH

ToughTek P40

Known as the workhorse because of its 600 psi output pressure, the ToughTek P40 is built for high volume applications. The high flow rate and high pressure allows contractors to pump with extended hose lengths to reach anywhere.



Material Output:	Up to 300 Bags Per Hour
Max psi (bar):	600 (42)
Power Input:	240V, 25A, 3PH

CONTINUOUS MIXING SOLUTIONS

Remove the manual process of measuring and mixing by hand and switch to a continuous mixer for automatic mixing

ToughTek CM20

Achieve higher output than traditional mixing methods with the CM20 continuous mixer! Designed to deliver the most consistent, high-quality mix throughout the Job, this mixer is simple to operate and transport. Convenient 120V power enables it to be used virtually anywhere.



Material Output:	Up to 100 Bags Per Hour
Max gpm (lpm):	6.5 (24)
Power Input:	120V, 15A

ToughTek CM40

Ideal for larger projects, this mixer will improve your production rates with an output of up to 300 bags per hour. Complete with integrated water meter and water pump, this mixer provides a consistent mix throughout the job.



Material Output:	Up to 300 Bags Per Hour
Max gpm (lpm):	18.0 (68)
Power Input:	240V, 30A, 1PH

PRODUCT SPECIFICATIONS



	SL340e	MP40	P30HT	P40	CM20	CM40
Type	Piston Pump	Mixing RS Pump (R7-1.5)	RS Pump (R8-1.5)	RS Pump (U356)	Continuous Mixer	Continuous Mixer
Material Output	130 bags per hr	200 bags per hr	150 bags per hr	300 bags per hr	100 bags per hr	300 bags per hr
Maximum Flow Rate	12 gpm (45 lpm)	13 gpm (49.2 lpm)	9.8 gpm (37.1 lpm)	18.7 gpm (70.8 lpm)	6.5 gpm (24 lpm)	18.0 gpm (70 lpm)
Maximum Pressure	600 psi (42 bar)	300 psi (21 bar)	300 psi (21 bar)	600 psi (42 bar)	N/A	N/A
Maximum Particle Size	5/16 in (8 mm)	1/4 in (6 mm)	1/4 in (6 mm)	1/4 in (6 mm)	5/16 in (8 mm)	5/16 in (8 mm)
Maximum Hose Length	150 ft (46 m)	200 ft (61 m)	150 ft (45 m)	400 ft (184 m)	N/A	N/A
Power Input	120V, 15A,	240V, 25A, 3PH	240V, 30A, 1PH	240V, 25A, 3PH	240V, 15A	240V, 30A, 1PH
Pump Outlet Size	1.5 in (38 mm) Camlock	1.5 in (38 mm) Camlock	1.5 in (38 mm) Camlock	2.0 in (51 mm) Camlock	N/A	N/A
Chemical Compatibility	Water Based Materials	Water Based Materials	Water Based Materials	Water Based Materials	Water Based Materials	Water Based Materials
Hopper Capacity	30 gal (114 l)	38 gal (144 l)	19 gal (72 l)	19 gal (72 l)	N/A	N/A
System Weight	210 lb (95 kg)	450 lb (204 kg)	320 lb (145 kg)	550 lb (240 kg)	210 lb (95 kg)	440 lb (200 kg)
System Options	Remote Switch	Static Mixer, Dust Collector	Remote Switch	Remote Switch	N/A	N/A
Manual	3A7382	3A4349	3A4361	3A4361	3A5202	3A4350
Part Numbers	25B510 (Pkg, includes: (2) 1-3/8 in x 50 ft Hose), 25B509 (Bare)	25M162 (Pkg, includes: w/Water Pump, (2) 1-3/8 in x 50 ft Hose), 25M062 (bare, w/Water Pump)	25M032 (Bare)	25M050 (Bare)	25M530	25M081

ACCESSORIES

25T298 S340e Hopper Kit Converts S340e to a SL340e Includes: Hopper, Hose, Foot valve, Ball Stop, Elbow, Clamp	MTA750 High Output Rotor/Stator Kit: R8-1.5	MTA787 Remote Switch, 40 ft	MTA787 Remote Switch, 40 ft
25A467 Check Ball Kit (Includes inlet and piston balls)	MTA724 Rotor/Stator Kit: R7-1.5	MTA788 Remote Switch Extension, 50 ft	MTA788 Remote Switch Extension, 50 ft
27A004 1-3/8 in x 50 ft (35 mm x 15 m) Material Hose	25E528 Dust Collection Kit: 27A004 1-3/8 in x 50 ft (35 mm x 15 m) Material Hose	27A004 1-3/8 in x 50 ft (35 mm x 15 m) Material Hose	25D854 Camlock Adapter: 2.0 in (f) x 1.5 in (m) (50 mm x 35 mm)



Every Graco purchase comes with A+ Customer Service.

Questions?
Call (844) 241-9499

Contact us today! Visit www.graco.com/toughtek to learn more or have a Graco representative contact you.

For more information visit graco.com