# CONTRACTOR POWERSHOT™ GUNS

GRAÇO

Introducing the Industry's Only Electric-Powered Airless Guns







### YOU ASKED AND WE DELIVERED!

WE'VE EXPANDED ELECTRIC-POWERED GUN TECHNOLOGY BY POPULAR DEMAND!



FOR EVERY
AIRLESS PAINT
SPRAYER

FOR EVERY PAINTING AND FINISHING APPLICATION



New Residential and Repaint



Maintenance and Remodeling



Finishing and Refinishing



Commercial and Multifamily



PATENT PENDING

## INTRODUCING THE INDUSTRY'S ONLY ELECTRIC-POWERED AIRLESS GUNS



## ELECTRIC-POWERED GUN VIRTUALLY ELIMINATES SPITS

 Instant-Response trigger actuates 80X faster than traditional guns

#### INDUSTRY'S LIGHTEST TRIGGER PULL FORCE

· All day comfort with 80% less force on each trigger pull

LIGHTEST AIRLESS GUN EVER BUILT FASTEST SERVICE ON THE JOBSITE



OPERATES WITH **EVERY**AIRLESS SPRAYER

#### CONNECT TO XT SPRAYERS TO UNLOCK A NEW LEVEL OF PERFORMANCE





INCLUDES ALL FEATURES OF THE CONTRACTOR POWERSHOT STANDARD

## **PLUS**

**INSTANT GUN-TO-SPRAYER COMMUNICATION** 

REMOTELY ADJUST PRESSURE AT THE GUN

SMARTSTALL™ ELIMINATES MATERIAL BLAST



2

## CONTRACTOR POWERSHOT STANDARD (PATENT PENDING)

## REVOLUTIONARY AIRLESS GUN PERFORMANCE

Breakthrough airless gun technology designed to deliver the best airless finish, reduce user fatigue and increase your production rate.

#### **ELECTRIC-POWERED GUN VIRTUALLY ELIMINATES SPITS**

#### **Instant-Response Trigger**

• Deliver a Perfect Airless Finish by virtually eliminating spits with the industry's fastest trigger speed — 80X faster than traditional guns

#### SPRAY LONGER WITH GREATER COMFORT

#### **Reduced Fatique**

- The world's lightest gun ever built Only 1.1 lbs (0.49 kg) in-hand weight
- Industry's lightest trigger pull force Only 0.8 lbs (0.36 kg) at any spray pressure
- · Allowing you to spray all day long with ease

#### FIRST EVER AIRLESS GUN DESIGNED FOR EASY HOSE MANAGEMENT

#### Flexible Whip Hose

- Gun whip hose provides superior spray control and reduces fatigue -1/8 in x 6 ft (0.3 cm x 1.8 m)
- PowerPak™ whip hose & swivel delivers easy tangle free hose management −1/8 in x 1.5 ft (0.3 cm x 45 cm)

#### ALL DAY SPRAYING POWER & CONVENIENCE

#### **PowerPak System**

• Spray all day long on a single battery charge • Ergonomic in-line handle provides contractors a comfortable handle to hold

 Easy Out<sup>™</sup> gun filter keeps debris out of your coating



#### RAC X™ LP® 517 SwichTip™and Guard

 Delivers Perfect Airless Finish<sup>™</sup> at 50% less pressure resulting in up to 2X longer tip life



#### HANDS-FREE HOSE MANAGEMENT

#### **PowerPak Belt & Holster**

· Quickly attach the PowerPak system for hands-free hose management





#### **EASY OUT GUN FILTER**

#### **FASTEST SERVICE ON** THE JOBSITE

• Rebuild your gun in seconds with the ProConnect® replacement cartridge





Contractor PowerShot Standard 18H300



SPRAY ALL DAY ON A SINGLE CHARGE



#### **EVERY GUN COMES PRE ASSEMBLED AND INCLUDES:**

- ✓ PowerPak System
- ✓ Gun Whip Hose: 1/8 in x 6 ft (0.3 cm x 1.8 m) ✓ 60 Mesh Easy Out Gun Filter
- ✓ PowerPak Whip Hose: 1/8 in x 1.5 ft (0.3 cm x 45 cm)
- ✓ EasyGlide<sup>™</sup> Swivel

- ✓ RAC X<sup>™</sup> LP 517 Reversible SwitchTip & quard
- ✓ PowerShot Belt & Holster
- √ (2) DEWALT® 20V Compact Lithium-ion batteries and a charger



# CONTRACTOR POWERSHOT



INCLUDES ALL FEATURES FOUND ON CONTRACTOR POWERSHOT STANDARD

PLUS INSTANT GUN-TO-SPRAYER COMMUNICATION



SINGLE CHARGE

## SEE IT IN ACTION graco.com/PowerShot

#### REMOTELY ADJUST PRESSURE AT THE GUN

- Quickly adjust your pressure from anywhere up to 200 feet (60 m) away
- Adjust your spray pressure by increments of 25 psi (.7 bar) in Low Pressure Mode or 50 psi (3.4 bar) in High Pressure Mode





ADJUST YOUR PRESSURE EVEN FROM A LIFT

### **AUTOMATICALLY ELIMINATE** MATERIAL BLAST AND GUN KICK BACK ON EACH TRIGGER PULL

- Provides most consistent stall and running pressure for the Perfect Airless Finish
- Spray at the industries lowest pressures eliminate material blast on each trigger pull

#### INSTANTLY STARTS AND STOPS THE MOTOR WITH EACH TRIGGER PULL







STOP THE MOTOR



#### **EVERY GUN COMES PRE ASSEMBLED AND INCLUDES:**

- ✓ PowerPak System
- ✓ Gun Whip Hose: 1/8 in x 6 ft (0.3 cm x 1.8 m) ✓ 60 Mesh Easy Out Gun Filter
- ✓ PowerPak Whip Hose: 1/8 in x 1.5 ft (0.3 cm x 45 cm)

1. Pull the trigger to **START THE MOTOR** 

✓ EasyGlide Swivel

- ✓ RAC X LP 517 Reversible SwitchTip & guard
- ✓ PowerShot Belt & Holster
- ✓ (2) DEWALT 20V Compact Lithium-ion batteries and a charger

# SMART DISPLAY I

### EASILY UNLOCK THE BENEFITS OF THE POWERSHOT XT WITH SMARTDISPLAY XT

#### **INSTANT GUN-TO-SPRAY COMMUNICATION**

- · Remotely adjust you spray pressure right from the gun from anywhere up to 200 feet (60 m) away
- · Eliminate pressure surge and gun kickback on each trigger pull



#### **BLUELINK® JOBSITE** MANAGEMENT

- Track every sprayer exact location and hourly productivity
- Know job progress on-demand productivity, facts and reporting from anywhere







to Connect with

490 XT-1095 XT Standard Series Requires Purchase of SmartDlsplay XT

695 XT-1095 XT **ProContractor Series** SmartDlsplav XT


STAY IN CONTROL WITH BLUELINK • Free to use — no monthly fees







Select from 13 languages





1. Install SmartDisplay XT in seconds



2. Pair gun to sprayer with a push of a button never before



3. Experience airless like

**CONNECTING IS AS EASY AS 1-2-3**:



## CONTRACTOR POWERSHOT AIRLESS GUNS

Description	Contractor PowerShot Standard	Contractor PowerShot XT	Contractor PowerShot XT with SmartDisplay XT
Maximum Tip Size	0.039"	0.039"	0.039"
Maximum psi (bar)	3300 (227)	3300 (227)	3300 (227)
In-Hand Weight lbs (kg)	1.1 (0.49)	1.1 (0.49)	1.1 (0.49)
Trigger Pull Force lbs (kg)	0.8 (0.36)	0.8 (0.36)	0.8 (0.36)







Part Number	18H300	18H301	18H313
Compatible Airless Sprayers	Every Airless Sprayer	Graco XT Sprayers	Graco XT Sprayers
PowerPak System	PowerPak Standard	PowerPak XT	PowerPak XT
Electric-Powered Gun	✓	✓	✓
Virtually Eliminates Spits	✓	✓	✓
Remote Pressure Adjustment		✓	✓
SmartStall		✓	✓
SmartDisplay XT Included			✓



#### RAC X LOW PRESSURE SWITCHTIPS (LPxxx)

(Neon Handle) Orifice Size - Inches												
	in	(mm)	.013	.015	.017	.019	.021	.023	.025	.027	.029	.031
_	4-6	(102-152)			217							
Width	6-8	(152-203)	313	315	317	319						
	8-10	(203-254)		415	417	419	421	423	425			
Fan	10-12	(254-305)		515	517	519	521	523	525	527		
ш.	12-14	(305-356)			617	619	621	623	625	627	629	631
	14-16	(356-406)						723	725		729	731
Flow	rate (gpr	n)*	.18	.24	.31	.38	.47	.57	.67	.77	.90	1.03
Flow	rate (Ipn	1)*	.69	.91	1.17	1.47	1.79	2.15	2.54	2.96	3.42	3.90
Reco	mmende	d filter size	100	60	60	60	60	60	60	60	60	30

Note: Lowering spray pressure can reduce flow in some materials. Increase tip orifice size to maintain speed and material flow if needed.



## RAC X FINE FINISH LOW PRESSURE SWITCHTIPS (FFLPxxx)

(Gr	(Green Handle)			Orifice Size - Inches					
	in	(mm)	.006	.008	.010	.012	.014	.016	
₽	2-4	(51-102)	106	108	110	112			
₽	4-6	(102-152)	206	208	210	212	214		
Fan Width	6-8	(152-203)		308	310	312	314		
굡	8-10	(203-254)		408	410	412	414		
	10-12	(254-305)			510	512	514	516	
Flow	Flow Rate (gpm)*		.04	.07	.11	.15	.21	.27	
Flow	Flow Rate (lpm)*			.26	.41	.59	.80	1.04	
Recor	Recommended filter size			200	200	200	100	60	



## RAC X WIDERAC™ LOW PRESSURE SWITCHTIPS (WRLPxxxx)

1)	leon Hand			0ri	fice S	ize - I	nches	;	
Fan Width	in	(mm)	.021	.023	.025	.027	.029	.031	.033
Fan	24	(610)	1221	1223	1225	1227	1229	1231	1233
Flow rate (gpm)*		.47	.57	.67	.77	.90	1.03	1.17	
Flow rate (lpm)*		1.79	2.15	2.54	2.96	3.42	3.90	4.42	
Recommended filter size			60	60	60	60	60	30	30

<sup>\*</sup> Water @ 2000 psi, 138 bar, 13.8 MPa—paints with a higher viscosity will decrease the flow rate. Example: for a tip with a .027 orifice and a 24 in (305 mm) pattern, order WRLP1227.

WideRAC Low Pressure Conversion Chart				
Traditional Tip Size	WRLP Tip Size			
414 or 515	1221 or 1223			
417 or 517	1223 or 1225			
419 or 519	1225 or 1227			
421 or 621	1229 or 1231			
523 or 623	1233 or 1235			
525 or 625	1235 or 1237			

#### **ACCESSORIES**

Part number	Replacement Parts
2006609	PowerShot Material Supply Whip Hose 1/8 in x 1.5 ft (0.3 cm x 45 m)
2006608	PowerShot Gun Whip Hose 1/8 in x 6 ft (0.3 cm x 1.8 m)
2005788	PowerShot ProConnect Cartridge
20B432	SmartDisplay XT Modular Accessory
18F891	Replacement Belt
2006715	PowerShot Holster

Part Number	Contractor Easy Out Gun Filters				
287032	60 Mesh Gun Filter (Black)				
287033	100 Mesh Gun Filter (Blue)				
257130	200 Mesh Gun Filter (Red)				





#### **EVERY PART COUNTS**

Replacement parts are often purchased solely on the basis of price. However, the small amount of money saved will ultimately put your performance and your business at risk.

#### **Why Demand Genuine Graco Parts?**

#### **TIME AND MONEY**

Cheaper parts ultimately cost you more time and money in extra repair costs, extra labor hours, etc.

#### PERFORMANCE AND RELIABILITY

Only genuine Graco parts deliver the legendary Graco standard of performance and the lowest downtime.

#### **SAFETY**

One non-Graco part can lead to injury and downtime. Graco parts deliver best possible quality to deliver safest experience.

#### WARRANTY

Warranty conditions only remain valid with genuine Graco parts. Defects or damage caused by non-Graco parts are not covered.

#### 1-YEAR WARRANTY\*

Coverage against defects in materials and workmanship on the entire sprayer.

#### 3-YEAR DEWALT DEFECT WARRANTY\*

Coverage against defects in materials and workmanship on batteries and charger.

See your local Graco Distributors for country specifics. See printed product warranty for complete warranty terms and conditions.

#### How to Recognize Genuine Graco Parts

#### **ENGRAVED GRACO LOGO**

The Graco logo is engraved on all of our piston rods, cylinders, and sleeves.

#### **HOLOGRAPHIC STICKER**

A holographic sticker is always on the packaging of a genuine Graco repair kit.

#### **GRACO QUALITY YOU CAN FEEL**

Genuine Graco parts are built tough and feel more robust than other manufacturers' parts.



#### gracopartsbook.com

The fast and easy way to look up common Graco parts.



Every Graco purchase comes with A+ Customer Service.

Questions? Call (844) 241-9499

#### For more information visit graco.com/contractor

©2024 Graco Inc. 3J0652B 7/24 All written and visual data contained in this document are based on the latest product information available at the time of publication. Graco reserves the right to make changes at any time without notice. Trademarks are referenced herein for identification purposes only. All trademarks are the property of their respective owners. Product covered by issued and pending patents, see graco.com/patents. DeWALT\* and the DeWALT Logo are trademarks of DeWALT Industrial Tool Co. and are used under license. With respect to 20V MAX, maximum initial battery voltage (measured without workload), is 20 volts. Nominal is 18 volts.