



ULTRA®

Small Electric Airless Sprayers
Europe, Middle-East and Africa



PROVEN QUALITY. LEADING TECHNOLOGY.

INTRODUCING THE NEW ENTRY-LEVEL LINE UP

NEW

ULTRA[®] SMALL ELECTRIC SPRAYERS PATENT PENDING

- **INDUSTRY'S LIGHTEST FULL-PERFORMANCE PROFESSIONAL SPRAYERS**
- **BEST-IN-CLASS PERFORMANCE & DURABILITY**
- **MAXIMISE UPTIME WITH FASTEST ON-THE-JOB SERVICE**



ULTRA[®] 390 CORDED FEATURES

EASY TRANSPORT

Stand Model – only 12.2 kg!

- Lightweight and compact for easy transport and more room in your vehicle

SPRAYS 3X MORE LITERS THAN THE NEAREST COMPETITOR

Endurance™ Vortex® Piston Pump

- Delivers the longest pump life by automatically rotating piston rod to extend pump life

POWERFUL BRUSHLESS MOTOR

1.0 HP Brushless DC Motor with Advantage Drive™

- Delivers up to 227 bar for full performance with the ease of maintenance-free operation
- Hardened steel gears ensure reliable performance

ELIMINATE COSTLY DOWNTIME

ProConnect® Pump Replacement System

- Pump swaps in minutes – no tools, pins, or parts to lose

EASY MAINTENANCE & LESS CLOGGING

Easy Out® Pump Filter

- Inside-out filtering with a large surface area ensures a quality finish with fewer tip clogs

SUPERIOR FINISH WITH LESS OVERSPRAY

Contractor FTx™ Spray Gun with RAC X™ LP SwitchTip™

- Contractor proven design, built for dependable everyday performance
- Achieve up to 2X longer tip life, 50% less overspray and deliver a Perfect Airless Finish™



CLASSIC 390 PC
Cordless Stand
CEE : 25T863
UK : 25T943

ULTIMATE POWER AND PORTABILITY

CLASSIC 390 PC CORDLESS POWERED BY DEWALT®

- High capacity 6ah FlexVolt® batteries — spray up to 23 liters before charging
- Delivered complete with two batteries and a fan-cooled fast charger that recharges a battery in under 60 minutes.
- Durable Endurance Pump with Long life V-Max Blue™ Packings, Chromex™ rod, and hardened stainless steel cylinder



ONLY 12.2 KG!

.021" MAX TIP
1,8 L/M

Ultra 390 Stand
CEE : 25F509
UK : 25F511

SEE IT IN ACTION
graco.com/Ultra



ULTRA® 395 FEATURES

EASY TRANSPORT

Stand Model – only 12.7 kg!

- Lightweight and compact for easy transport and more room in your vehicle

SPRAYS 3X MORE LITERS THAN THE NEAREST COMPETITOR

Endurance Vortex Piston Pump

- Delivers the longest pump life by automatically rotating piston rod to extend pump life

ELIMINATE COSTLY DOWNTIME

ProConnect Pump Replacement System

- Pump swaps in minutes – no tools, pins, or parts to lose

EASY MAINTENANCE & LESS CLOGGING

Easy Out Pump Filter

- Inside-out filtering with a large surface area ensures a quality finish with fewer tip clogs

GET MORE WORK DONE

1.1 HP Brushless DC Motor with Advantage Drive

- Higher horsepower boosts performance and productivity for every job
- Hardened steel gears ensure reliable performance

EVEN PRESSURE DELIVERY

SmartControl®

- Ensures even pressure on every job by automatically adjusting motor speed to match tip size and spraying needs

ALL-DAY COMFORT WITH A PERFECT AIRLESS FINISH

Contractor PC™ Spray Gun with RAC X LP SwitchTip

- Lightest weight gun in its class with up to 50% lighter trigger pull force
- Achieve up to 2X longer tip life, 50% less overspray and deliver a Perfect Airless Finish



SEE IT IN ACTION
graco.com/Ultra

EXPERIENCE ULTRA PORTABLE PRODUCTIVITY



ULTRA® 450 & 470

INCLUDES ALL ULTRA 395 FEATURES **PLUS:**



INCREASED SPRAY CONSISTENCY

SmartControl with Digital Display

- Ensures even pressure on every job by automatically adjusting motor speed to match tip size and spraying needs
- Displays real-time pressure, liters, and diagnostics —ideal for monitoring performance and maintenance tracking

PUMP WEAR PREVENTION

Watchdog™ Pump Protection

- Intelligent auto-shut-off feature activates when the sprayer runs out of paint, safeguarding the pump and maintaining consistent performance

CLEAN 2X FASTER

FastFlush™ High-Flow Cleaning System

- Delivers high-velocity fluid flow to clean the pump 2X faster using half the fluid



FOR EVEN MORE PERFORMANCE

UPGRADE TO **ULTRA XT**TM TO EXPERIENCE AIRLESS LIKE NEVER BEFORE

PATENT PENDING

NEW



UP TO 10X QUIETER WITH THE NEW SOUND OF QUALITY

UNRIVALED FINISH QUALITY WITH THE WORLD'S STEADIEST RUNNING PRESSURE

SELECTABLE PERFORMANCE MODESTM

LONGEST LIFE BEFORE SERVICE

FASTEST SERVICE ON JOBSITE

PUMP WEAR PREVENTION

FASTEST CLEANING USING LESS FLUID

LOWEST COST OF OWNERSHIP

AN AIRLESS SPRAY EXPERIENCE LIKE NO OTHER

XTREME TORQUE MOTOR

Experience a new level of performance with the first motor ever designed specifically for airless spray.

THE SOUND OF QUALITY

Advanced design eliminates multistage gear trains and reduces speed by 90% and noise by up to 10X.

RAPID-RESPONSETM CONTROL

Delivers the world's steadiest running pressure. Dial in 1 bar increments with the widest performance range (3-227 bar).

SELECTABLE PERFORMANCE WITH THE PUSH OF A BUTTON

Low Pressure Mode: Optimised performance range to eliminate overspray and improve finish.

High Pressure Mode: Offers maximum performance for extended hose lengths and difficult to atomise materials.

ENDURANCE VORTEX PISTON PUMPS WITH PROCONNECT

Auto-rotating vortex rod balances load and prolongs pump life — proven ProConnect replacement system to eliminate downtime included on all XT models.

LED DIGITAL DISPLAY

Features a bright, easy-to-read LED display. See the performance from across the room!

TURBOCLEANTM

Efficiently cleans 3X faster using half the fluid, significantly reducing recycling costs.

WATCHDOG PUMP PROTECTION

Intelligent auto-shutoff feature activates when the sprayer runs out of paint, safeguarding the pump and maintaining consistent performance.



LEARN MORE
graco.com/UltraXT

Ultra 495 XT Stand
CEE : 19D527
UK : 19D529





| | Ultra 390 Corded | Classic 390 PC Cordless | Ultra 395 Corded | Ultra 450 Corded | Ultra 470 Corded | Ultra 490 <i>XT</i> Corded |
|--------------------------|------------------|-------------------------|------------------|------------------|------------------|----------------------------|
| MAXIMUM TIP SIZE | 0.021 in | 0.021 in | 0.023 in | 0.023 in | 0.025 in | 0.025 in |
| MAXIMUM BAR (PSI) | 227 (3,300) | 227 (3,300) | 227 (3,300) | 227 (3,300) | 227 (3,300) | 227 (3,300) |
| MAXIMUM LPM (GPM) | 1.8 (0.47) | 1.8 (0.47) | 2.0 (0.54) | 2.0 (0.54) | 2.3 (0.6) | 2.6 (0.7) |
| MOTOR (HP) | 1.0 Brushless | 7/8 Brushless | 1.1 Brushless | 1.1 Brushless | 1.2 Brushless | 1.3 Xtreme Torque |
| WEIGHT KG (LG) | 12.2 (27) | 14 (31) Stand | 12.7 (28) | 12.7 (28) | 13 (28) Stand | 14 (31) Stand |



| | | SMALL ELECTRICS | | | | | MIDSIZE ELECTRICS |
|-------------------|-----------------------------------------|-------------------------------------------|------------------------------------------------------------------------------------|-------------------------------------------|-------------------------------------------|-------------------------------------------|-------------------------------------------|
| MODEL | CART DESIGN - PART NUMBER (230V) | STAND - 25F509 HI-CART - 25F510 | STAND (CEE) - 25T863 STAND (UK) - 25T943 | STAND - 25F512 HI-CART - 25F513 | STAND - 25F515 HI-CART - 25F516 | STAND - 25F526 | STAND - 19D525 HI-CART - 19D526 |
| | CART DESIGN - PART NUMBER (110V) | STAND - 25F511 | | STAND - 25F514 | | | |
| PUMP | PISTON PUMP | Endurance Vortex | Endurance | Endurance Vortex | Endurance Vortex | Endurance Vortex | Endurance Vortex |
| | PISTON ROD | Chromex | Chromex | Chromex | Chromex | Chromex | Chromex |
| FEATURES | PROCONNECT REPLACEMENT SYSTEM | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ |
| | PRESSURE CONTROL | Mechanical | Mechanical | SmartControl | SmartControl | SmartControl | Rapid-Response |
| | DISPLAY | | | | ✓ LCD | ✓ LCD | ✓ Bright LED |
| | SMARTDISPLAY XT | | | | | | Optional |
| | CLEANING FEATURE | | | | FastFlush | FastFlush | TurboClean |
| | WATCHDOG PUMP PROTECTION | | | | ✓ | ✓ | ✓ |
| | PROGUARD | | | | ✓ | ✓ | ✓ |
| | EASY OUT FILTER (60 MESH) | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ |
| | AIRLESS GUN | Contractor FTx | Contractor FTx | Contractor PC | Contractor PC | Contractor PC | Contractor PC |
| | SWITCHTIP | RAC X LP 517 | RAC X LP 517 | RAC X LP 517 | RAC X LP 517 | RAC X LP 517 | RAC X LP 517 |
| HOSE | | 1/4 in x 15 m Blue Max II Airless Hose | 1/4 in x 15 m Blue Max II Airless Hose | 1/4 in x 15 m Blue Max II Airless Hose | 1/4 in x 15 m Blue Max II Airless Hose | 1/4 in x 15 m Blue Max II Airless Hose | 1/4 in x 15 m Blue Max II Airless Hose |
| | POWER SOURCE | Corded | (2) DEWALT 54V Max FlexVolt 6.0 ah Batteries and (1) Fan-Cooled Fast Charger | Corded | Corded | Corded | Corded |
| WEAR PARTS | REPLACEMENT PUMP | 19D873 | 17C487 | 19D873 | 19D873 | 19D873 | 19D873 |
| | REPAIR KIT | 18B260 | 18B260 | 18B260 | 18B260 | 18B260 | 18B260 |



SEE IT IN ACTION
graco.com/Ultra

For more information visit graco.com/contractor

©2025 Graco Inc. 3J0719ENEU-A 5/25 All written and visual data contained in this document are based on the latest product information available at the time of publication. Graco reserves the right to make changes at any time without notice. Trademarks are referenced herein for identification purposes only. All trademarks are the property of their respective owners. Product covered by issued and pending patents, see graco.com/patents. DEWALT® and the DeWALT Logo are trademarks of DeWALT Industrial Tool Co. and are used under license. With respect to 20V MAX, maximum initial battery voltage (measured without workload), is 60 volts. Nominal is 54 volts.