



SaniSpray HP™

High production electrostatic and airless sprayers to apply sanitisers, disinfectants and deodorisers faster



SPRAY WITH CONFIDENCE

DELIVERS HIGH SPEED & PRODUCTIVITY

Choose the SaniSpray HP model with a flow rate to match your job requirements

DELIVERS THE HIGHEST ELECTROSTATIC POWER TO WRAP COMPLEX OBJECTS

Turn on the electrostatic power with the simple flip of a switch

DELIVERS CONSISTENT ATOMISATION & COVERAGE

Delivers the proper atomisation required to quickly, and consistently coat surfaces to disinfect and sanitise efficiently

IS BUILT FOR YOUR APPLICATIONS

Uniquely built with the highest-grade materials that are compatible with disinfectants, sanitisers and deodorisers - unlike traditional airless paint equipment

COMES WITH EVERYTHING YOU NEED TO START NOW

Ready to spray out of the box with everything you need — just add disinfectant and get to work

SaniSpray HP

The fastest, most complete coverage

Graco SaniSpray HP sprayers provide the highest airless and electrostatic spraying power on the market. Only SaniSpray HP sprayers deliver consistent coverage faster, using less labour—allowing businesses to operate safely.



Global leader of airless and electrostatic technology

With over 50 years of airless and electrostatic innovations, major industries around the world rely on proven Graco quality every day.

American built quality since 1926

100% factory-tested and field-proven, Graco's professional spray equipment is designed, manufactured, and assembled in the USA with global components.

A+ customer service and support

Every purchase comes with our commitment to provide A+ customer service and support to our customers. Our industry-leading service and support will have you 100% covered with full product support.

Use SaniSpray HP for high production sanitising, disinfecting and deodorising jobs... EVERYWHERE



FOOD SERVICES

TRANSPORTATION

ARENAS & ATHLETIC FACILITIES

HEALTH CARE

HOUSING & EDUCATION

HOSPITALITY

ONLY SANISPRAY HP :



DELIVERS THE HIGHEST
SPEED & PRODUCTIVITY
USING AIRLESS TECHNOLOGY



DELIVERS THE HIGHEST
ELECTROSTATIC POWER TO
WRAP COMPLEX OBJECTS*



DELIVERS CONSISTENT
AIRLESS ATOMISATION &
COVERAGE



BUILT WITH THE HIGHEST
GRADE MATERIALS FOR THE
LONGEST LIFE



COMES WITH EVERYTHING
YOU NEED TO START NOW

THE SANISPRAY HP WAY


THE OLD WAY



Incomplete
coverage



COMPLETE
AND CONSISTENT
COVERAGE
from edge
to edge



30% MORE WRAPPING
ON COMPLEX OBJECTS
delivers superior
coverage*

- Fastest disinfectant application method available
- Accurately meet chemical dwell time requirements
- High production or fine mist spray methods
- Always meet production needs with RAC X™ low pressure spray tips

- Highest-powered electrostatic sprayers available
- Ensures efficient chemical usage to reduce material costs
- Dual grounding design ensures effective wrapping coverage

*Available on selected models


Highest-powered AIRLESS technology

**10X FASTER APPLICATION SPEED
USING LESS MATERIAL**

Airless spraying is the fastest application method today -
you will complete more jobs in less time, delivering a reduction in labour expense.

COMPLETE AND CONSISTENT COVERAGE

SANISPRAY HP SUPERIOR COVERAGE




COMPETITORS HAVE LIMITED COVERAGE




SUPERIOR MATERIAL DELIVERY

SANISPRAY HP SUPERIOR PERFORMANCE



COMPETITORS HAVE LIMITED POWER




EXCLUSIVE GRACO TECHNOLOGIES



Highest-powered **ELECTROSTATIC** technology

**A 30% HIGHER CHARGE
FOR SUPERIOR COVERAGE**



SUPERIOR COVERAGE

on complex objects



TRIPLE-CHARGED PISTON PUMPS

delivers more reliable
charging power than any
other sprayer



RELIABLE EARTHING

with an oversized
earthing bar

Earthing bar



*Positive contact wrist and boot straps are
included to ensure effective operation*




Complete coverage on complex objects

1 *SPRAY TEST TO COMPARE WRAPPING PERFORMANCE*



2 *COMPARE COVERAGE ON THE REAR SIDE*



3 *ONLY SANISPRAY HP DELIVERS SUPERIOR WRAPPING COVERAGE*



**SANISPRAY HP
ELECTROSTATIC
SUPERIOR WRAPPING
COVERAGE**



**OTHER OFFER
ELECTROSTATIC
LIMITED COVERAGE**



**SEE THE DIFFERENCE!
WATCH NOW**

Solutions for every application


HOTEL



1.25 l FlexLiner™
(small areas)



11.5 l ProPack™
(larger areas)



UNIVERSITY



Libraries



Lifts and
stairwells



Classrooms



Science laboratories

Common
areas




Auditoriums



Stadium

Offices





PATENTED TECHNOLOGY

SaniSpray HP 20*

CORDED AIRLESS HANDHELD SPRAYER

SPRAY UP TO 0.6 L PER MINUTE

FILL & SPRAY 1.25 L FLEXLINER BAG SYSTEM

- Extended spraying between refills
- Spray in any direction—even upside down

TRIAx™ AIRLESS PISTON PUMP WITH PROCONNECT™

REVERSE-A-CLEAN RAC X LP TIPS

- Choose from 9 RAC X LP tips to meet your disinfectant's dwell time and requirements

40 CM SPRAY EXTENSION

- Provides additional reach
- Reduces operator chemical exposure



PATENTED TECHNOLOGY

SaniSpray HP 20

CORDLESS AIRLESS HANDHELD SPRAYER

SPRAY UP TO 0.6 L PER MINUTE

FILL & SPRAY 1.25 L FLEXLINER BAG SYSTEM

- Extended spraying between refills
- Spray in any direction—even upside down

TRIAx™ AIRLESS PISTON PUMP WITH PROCONNECT™

REVERSE-A-CLEAN RAC X LP TIPS

- Choose from 9 RAC X LP tips to meet your disinfectant's dwell time and requirements

40 CM SPRAY EXTENSION

- Provides additional reach
- Reduces operator chemical exposure

SaniSpray HP 20 cordless includes:

BRUSHLESS DC MOTOR

- A dependable motor with spark-free operation provides ability to spray alcohol-based (flammable) chemicals

(2) DEWALT® 18V LITHIUM-ION BATTERIES & CHARGER**

- Sprays up to 9.5 litres on each charge

* Not for use with alcohol-based (flammable) materials.

** DEWALT® and the DEWALT logo are trademarks of DEWALT Industrial Tool Co. and are used under licence.



60
litres or less
every week

PATENT PENDING

SaniSpray HP 20 ProPack™*

AIRLESS DISINFECTANT SYSTEM

SPRAY LONGER WITH FEWER REFILLS

OVER 9X THE CAPACITY WITH A HIGHER LEVEL OF PORTABILITY

- Holds up to 11.5 l of material - continuous spraying without refilling on a single battery charge
- Spray larger facilities with ultimate portability

COMFORTABLE, ERGONOMIC BACKPACK

- Evenly distributes the weight of the material on your back
- Adjustable all-day-support straps for a comfortable, secure fit
- Portable carrying handle

LIGHTWEIGHT DESIGN

- Spray for a longer period of time with less fatigue

WIDE MOUTH FILL PORT

- Allows easy filling without spills or drips

REMOVABLE INLET FILTER

- Ensures reliable operation
- Removes contaminants from the system
- Removable for easy cleaning







PATENT PENDING

SaniSpray HP 20*

CORDLESS **ELECTROSTATIC** AIRLESS SPRAYER

THE MOST POWERFUL *ELECTROSTATIC* SYSTEM

CONSISTENT ELECTROSTATIC CHARGE

- Reliable charge from low and high battery levels

EFFICIENT CHEMICAL USAGE

- Electrostatic technology delivers wrapping power to completely coat complex surfaces faster with less chemicals

REAL WORLD EARTHING

- Dual earthing design ensures positive contact and effective operation

ELECTROSTATIC POWER SWITCH

- Turn on electrostatic power with the flip of a switch

HIGH POWER LED LIGHT

- Provides light in dark spaces to ensure complete coverage is delivered



PATENT PENDING

SaniSpray HP 20 Electrostatic ProPack™*

3-IN-1 DISINFECTANT SYSTEM

THE ONLY 3-IN-1 COMPLETE AND PORTABLE SYSTEM

THREE CHOICES TO APPLY DISINFECTANTS WITH COMPLETE COVERAGE

AIRLESS DISINFECTANT HANDHELD

- Up to 69 bar of unmatched spraying power delivering 10x more productivity with consistent coverage from edge to edge

ELECTROSTATIC DISINFECTANT HANDHELD

- 30% more wrapping power for superior coverage around complex objects
- Two real world earthing options ensure consistent wrapping power
- Efficient chemical usage

PROPACK DISINFECTANT SYSTEM

- Over 9X the capacity for a higher level of productivity
- A comfortable, ergonomic and portable high production system
- The wide mouth fill port provides easy filling without spills or drips
- The removable inlet filter removes contaminants and provides easy cleaning
- QuickChange™ between ProPack and the FlexLiner cup

* Not for use with alcohol-based (flammable) materials.

Airless disinfecting sprayers



200
litres or less
every week

PATENTED TECHNOLOGY

SaniSpray HP

PORTABLE HOPPER SPRAYER

SPRAY 3X FASTER THAN SANISPRAY HP 20

POUR & GO 5.7 L HOPPER

- The hopper delivers an extended spray time along with self contained portability

GRAB & GO SELF-CONTAINED SYSTEM

- Carry the sprayer and material together — the lid prevents splashes and spills while carrying

EXTENDED REACH TO SPRAY ANYWHERE

- Add up to 90 m of hose to spray anywhere

POWERFUL DC MOTOR

- The DC motor with spark arrestor provides the ability to spray alcohol-based (flammable) chemicals

ADJUSTABLE PRESSURE CONTROL

PROX™ AIRLESS PISTON PUMP WITH PROXCHANGE™

LIGHTWEIGHT SANISPRAY HP GUN

- Allows products to be applied faster to speed up the disinfection process

REVERSE-A-CLEAN RAC X LP TIPS

- Choose from 12 RAC X spray tips to meet your coating's dwell time and atomisation requirements

40 CM SPRAY EXTENSION

- Provides additional reach
- Reduces operator chemical exposure



PATENTED TECHNOLOGY

SaniSpray HP 130

2-GUN CART SPRAYER

SPRAY 3X FASTER THAN WITH SANISPRAY HP 20

2-GUN PRODUCTIVITY DELIVERED

- Simultaneous dual gun performance for maximum disinfection rates

SPRAY FROM ANY CONTAINER

- Extended spraying without refills

EXTENDED REACH TO SPRAY ANYWHERE

- Add up to 90 m of hose to spray anywhere

SMARTCONTROL™ ADJUSTABLE PRESSURE CONTROL

- Full range control delivers even coverage on specific objects or area fine misting

ROLL & GO CART DESIGN

- Easily move the sprayer and chemical bucket together

ENDURANCE™ PISTON PUMP WITH PROCONNECT

LIGHTWEIGHT SANISPRAY HP GUN

- Allows faster application to speed up the disinfection process

REVERSE-A-CLEAN RAC X LP TIPS

- Choose from 17 RAC X spray tips to meet your coating's dwell time and atomisation requirements

40 CM SPRAY EXTENSION

- Provides additional reach
- Reduces operator chemical exposure

MAXPOWER™ MOTOR & ADVANTAGE DRIVE™

- A dependable motor with spark-free operation provides the ability to spray alcohol-based (flammable) chemicals



PATENTED TECHNOLOGY

SaniSpray HP 750

4-GUN OR 8-GUN CART SPRAYER

SPRAYS UP TO 22 LITRES PER MINUTE

UP TO 8-GUN PRODUCTIVITY DELIVERED

- Highest production airless disinfectant sprayer available on the market
- Sanitise and disinfect up to 37160 m² (400,000 sq. ft.) from one central location for maximum production

MATERIAL FEED OPTIONS

- Siphon from a 20 - 200 l (4 - 44 Gal) container or easily fill the 38 l (8 Gal) stainless steel hopper

MAXIMUM REACH

- Up to 150 metres (500 ft) of hose per gun to spray anywhere for high production applications

ADJUSTABLE PRESSURE CONTROL

- Multiple tips provided to meet your disinfectant's dwell time and atomisation requirements

HEAVY DUTY CART WITH WHEELS

- For portability and maneuverability
- Puncture-proof tyres

LIGHTWEIGHT SANISPRAY HP GUNS

- Allows disinfectants to be applied faster

RAC X® LP SPRAY TIPS

- Choose from a wide variety of RAC X LP tips to meet your disinfectant's dwell time and atomisation requirements

A QUIET ELECTRIC MOTOR

Technical specifications



| Model name: | SaniSpray HP 20* | SaniSpray HP 20 | SaniSpray HP20 ProPack |
|----------------------------|---|--|---|
| | Corded airless Handheld sprayer | Cordless airless Handheld sprayer | Cordless airless Disinfecting system |
| Part numbers: | 25R943 (230V CEE) 25R949 (230V UK) | 25R945 (230V CEE) 25R950 (230V UK) | 20A257 (230V CEE) 20A256 (230V UK) |
| Max. flow (l/min.) | 0.6 | 0.6 | 0.6 |
| Max. Tip size | .019" | .019" | .019" |
| Pressure bar (psi) | Adjustable 69 bar (0-1,000 psi) | Adjustable 69 bar (0-1,000 psi) | Adjustable 69 bar (0-1,000 psi) |
| Particle ** Micron size | Adjustable particle size Fine mist to coarse spray | Adjustable particle size Fine mist to coarse spray | Adjustable particle size Fine mist to coarse spray |
| Capacity | Fill and spray 1.25 l reservoir | Fill and spray 1.25 l reservoir | Fill and spray 1.25 l reservoir & 11.5 l ProPack |
| Power sources | 230V CEE corded 230V UK corded | DEWALT 18V cordless lithium ion batteries | DEWALT 18V cordless lithium ion batteries |
| Includes | <ul style="list-style-type: none"> • 313 fine spray tip • 515 & 619 coarse spray tips • 40 cm spray extension (25T282) • 5 FlexLiner bags • Storage plug & storage bag | <ul style="list-style-type: none"> • 313 fine spray tip • 515 & 619 coarse spray tips • 40 cm spray extension (25T282) • (2) DEWALT 18V max. 2.0 ah Lithium-Ion Batteries • Charger • 5 FlexLiner bags • Storage plug & storage bag | <ul style="list-style-type: none"> • 11.5 l ProPack backpack • 1.8 m material Hose • Fine mist spray tip (310) • Medium spray tip (313) • Coarse spray tip (515) • 40 cm spray extension (25T282) • (2) DEWALT 18V max. 2.0 ah Lithium-Ion Batteries • (5) FlexLiner bags • Storage plug & storage bag |
| Modular repair | ✓ | ✓ | - |

* SaniSpray HP20 corded handheld sprayers and SaniSpray HP20 electrostatic sprayers cannot spray alcohol based (flammable) products.

** Particle size will vary based on tip size, pressure and disinfection product used. Average particle size measured when spraying water ranges from 30-110 microns.



| | | |
|------------------------------------|--|--|
| Model name: | SaniSpray HP 20* Cordless electrostatic Handheld sprayer | SaniSpray HP 20 Cordless electrostatic Airless disinfecting system |
| Part numbers: | 25T756 (230V CEE) 25T772 (230V UK) | 20A244 (230V CEE) 20A249 (230V UK) |
| Max. flow (l/min.) | 0.6 | 0.6 |
| Max. Tip size | .019" | .019" |
| Pressure bar (psi) | Adjustable 69 bar (0-1,000 psi) | Adjustable 69 bar (0-1,000 psi) |
| Particle ** Micron size | Adjustable particle size Fine mist to coarse spray | Adjustable particle size Fine mist to coarse spray |
| Capacity | Fill and spray 1.25 l reservoir | Fill and spray 1.25 l reservoir & 11.5 l ProPack |
| Power sources | DEWALT 18V cordless lithium ion batteries | DEWALT 18V cordless lithium ion batteries |
| Includes | <ul style="list-style-type: none"> • Fine mist spray tip (310) • Medium spray tip (313) • Coarse spray tip (515) • Wrist & boot earthing straps • Storage plug & storage bag • (2) DEWALT 18V max 2.0 ah lithium-ion batteries & charger • (5) FlexLiner bags | <ul style="list-style-type: none"> • 11.5 l ProPack backpack • 1.8 m material hose • Fine mist spray tip (310) • Medium spray tip (313) • Coarse spray tip (515) • Wrist & boot earthing straps • Storage plug & storage bag • (2) DEWALT 18V max 2.0 ah lithium-ion batteries & charger • (5) FlexLiner bags |
| Modular repair | ✓ | ✓ |

Compatible disinfectants

Approved alcohol-based (flammable) active ingredients ethanol, isopropanol (except for SaniSpray HP20 corded and SaniSpray HP20 electrostatic models)

Approved non-alcohol based active ingredients—aldehydes, phenols, quaternary ammonium compounds, sodium hypochlorite (bleach), peroxyacetic acid, hydrogen peroxide, hypochlorous acid

Consult with your material manufacturer to confirm spray application and equipment compatibility



Technical specifications



| Model name: | SaniSpray HP Portable hopper sprayer | SaniSpray HP 130 2-gun cart sprayer | SaniSpray HP 750 Cart airless Sprayer |
|----------------------------|---|--|---|
| Part numbers: | 25R946 (230V CEE) 25R948 (230V IT/DK/CH/UK) | 25R947 (230V CEE) 25R951 (110V UK) | 273216 (4 GUN CART SPRAYER) 273217 (8 GUN CART SPRAYER) |
| Max. flow (l/min.) | 1.9 | 3.8 Ability to use 2 guns simultaneously | 22 Ability to use 4 - 8 guns simultaneously |
| Max. Tip size | .023" | .031" | .031" |
| Pressure bar (psi) | Adjustable 69 bar (0-1,000 psi) | Adjustable 69 bar (0-1,000 psi) | Adjustable 83 bar (0-1,200 psi) |
| Particle ** Micron size | Adjustable particle size Fine mist to coarse spray | Adjustable particle size Fine mist to coarse spray | Adjustable particle size Fine mist to coarse spray |
| Capacity | Pour & Go 5.7 l reservoir | High production Use ANY container | 38 l (8 gal) hopper or siphon feed |
| Power sources | 230V CEE corded 230V IT, DK, CH, UK corded | 230V CEE corded 110V UK corded | 240V CEE corded |
| Includes | <ul style="list-style-type: none"> • SaniSpray HP gun (25T289) • 1/4" x 15 m BlueMax II hose • 1/8" x 1.4 m BlueMax II Whip hose • Fine spray tip (515) • Medium & coarse high production spray tips (617 & 619) • 40 cm spray extension (25T282) | <ul style="list-style-type: none"> • (2) SaniSpray HP guns (25T289) • (2) 1/4" x 15 m BlueMax II hose • (2) 1/8" x 1.4 m BlueMax II Whip hose • (2) 40 cm spray extensions (25T282) • Fine spray tips (2 - 617) • Medium & coarse high production spray tips (2 - 619 & 2 - 621) | <ul style="list-style-type: none"> • 4 or 8 - SaniSpray HP guns (273226) <p><u>PARTS SUPPLIED PER GUN:</u></p> <ul style="list-style-type: none"> • (3) 1/4" x 30m (100 ft) BlueMax II hoses • (1) 1/8" x 1.4m (4.5 ft) BlueMax II whip hose • (1) RAC X LP 617 spray tips • (1) RAC X LP 619 spray tips • (1) RAC X LP 723 spray tips • (1) 40 cm spray extension (25T282) |
| Modular repair | ✓ | ✓ | - |

Parts and accessories



| Part number | SANISPRAY HP 20 SPRAYERS |
|--|--|
| PROPACK | |
| 25T781 | SaniSpray ProPack |
| 20A379 | 1.8 m ProPack hose assembly |
| 20A378 | SaniSpray HP ProPack filter |
| FLEXLINER BAGS & KITS | |
| 17F005 | 1.25 L FlexLiner bags, 3-pack - bags that can be reused or recycled for fast clean-up |
| 17P549 | 1.25 L FlexLiner bags, 25-pack |
| 17P553 | Extra 1.25 L FlexLiner cup system - includes cup support, liner, lid, plug |
| BATTERIES & CHARGERS | |
| 17P557 | DEWALT® 18V MAX lithium-ion battery |
| 17P560 | DEWALT® 18V MAX lithium-ion charger |
| SPRAY TIPS, GUARDS, SEALS & EXTENSIONS | |
| 25R871 | SaniSpray HP 20 RAC X guard |
| 25R872 | SaniSpray HP TipSeals™ 5-pack – essential seal between gun and tip that eliminates leaking |
| 246215 | RAC X guard – for use on end of SaniSpray HP extension |
| FILTERS & AIR CAPS | |
| 17P554 | 60-mesh filter, 3-pack |
| 17P712 | VacuValve™ air caps, 3-pack |
| PUMP REPLACEMENT KITS | |
| 19Y962 | SaniSpray HP 20 corded Triax complete pump replacement |
| 19Y967 | SaniSpray HP 20 corded Triax complete pump replacement |
| 25T784 | SaniSpray HP 20 electrostatic Triax complete pump replacement |
| EARTHING STRAPS (SANISPRAY HP 20 ELECTROSTATIC SPRAYERS ONLY) | |
| 20A381 | Wrist earthing strap |
| 20A453 | Boot earthing strap |



| Part Number | SANISPRAY HP 65, 130 & 750 SPRAYERS |
|---|---|
| SPRAY GUNS, TIPS, GUARDS & SEALS | |
| 25R874 | SaniSpray HP spray gun - allows products to be applied faster to speed up disinfection process |
| 246215 | RAC X guard - for use on a SaniSpray HP spray gun and SaniSpray HP tip extension |
| 25R872 | SaniSpray HP TipSeals 5-pack – essential seal between gun and tip that eliminates leaking |
| 273226 | SaniSpray HP 750 – 4 gun upgrade kit |
| HOSE, EXTENSIONS & FITTINGS | |
| 240794 | Blue Max II airless 6.4 mm x 15 m (1/4 in x 50 ft) Airless hose – 227 bar (3300 psi) |
| 223771 | Blue Max II airless 6.4 mm x 30 m (1/4 in x 100 ft) Airless hose – 227 bar (3300 psi) |
| 25T282 | SaniSpray HP tip extension 38 cm (15 in) – provides additional reach and reduces operator chemical exposure |
| 16A005 | SaniSpray HP 1/4 in x 1/4 in (6.4 mm x 6.4mm) stainless steel hose fitting |
| FILTERS & STRAINERS | |
| 112133 | SaniSpray HP 65 hopper inlet strainer |
| 235004 | SaniSpray HP 130 inlet strainer |
| PUMP LOWERS | |
| 25R920 | SaniSpray HP 65 complete pump replacement – corded and cordless |
| 25R916 | SaniSpray HP 130 complete pump replacement |

* SaniSpray HP 20 corded handheld sprayers and SaniSpray HP20 electrostatic handheld sprayers cannot spray alcohol based (flammable products).
 ** DEWALT® and the DEWALT logo are trademarks of DEWALT Industrial Tool Co. and are used under licence.



RAC X LOW PRESSURE SPRAY TIPS

| | | FINE MIST ← ATOMISATION → COARSE SPRAY | | | | | | | | | |
|---|-----|--|----------|--------|----------|--------|--------|--------|--------|--------|--------|
| | IN | .010 | .012 | .013 | .014 | .015 | .017 | .019 | .021 | .023 | .025 |
| Narrow ↑ SPRAY PATTERN WIDTH ↓ Wide | 2 | FFLP 110 | FFLP 112 | | | | | | | | |
| | 4 | FFLP 210 | FFLP 212 | | FFLP 214 | | | | | | |
| | 6 | FFLP 310 | FFLP 312 | LP 313 | FFLP 314 | LP 315 | | | | | |
| | 8 | FFLP 410 | FFLP 412 | | FFLP 414 | LP 415 | LP 417 | LP 419 | LP 421 | LP 423 | LP 425 |
| | #10 | FFLP 510 | FFLP 512 | | FFLP 514 | LP 515 | LP 517 | LP 519 | LP 521 | LP 523 | LP 525 |
| | 12 | | | | | | LP 617 | LP 619 | LP 621 | LP 623 | LP 625 |
| | 14 | | | | | | | | | LP 723 | LP 725 |

DISINFECTING SOLUTIONS GUIDE

**CHOOSE THE RIGHT SPRAYERS
FOR YOUR JOBS**



| SPRAYER | SaniSpray HP 20 Corded & cordless handheld sprayer | SaniSpray HP 20 ELECTROSTATIC Corded handheld sprayer | SaniSpray HP Corded Portable hopper sprayer | SaniSpray HP 130 2-gun cart airless sprayer | SaniSpray HP 750 4-8 gun cart airless sprayer |
|-------------------------------------|---|---|---|--|---|
| AIRLESS TECHNOLOGY | ✓ | ✓ | ✓ | ✓ | |
| ELECTROSTATIC TECHNOLOGY | | ✓ | | | |
| PRODUCTION NEEDS | LOW Up to 60 l per week | LOW Up to 60 l per week | MEDIUM Up to 200 l per week | HIGH Up to 400 l per week | HIGHEST Up to 2000 l per week |
| | LOW Up to .019 in tip / up to 0.6 l/min | LOW Up to .019 in tip / up to 0.6 l/min | MEDIUM Up to .023 in tip / up to 1.9 l/min | HIGH Up to .031 in tip / up to 3.8 l/min | HIGHEST Up to .031 in tip / up to 22 l/min |
| | 1 gun | 1 gun | 1 gun | Up to 2 guns | Up to 8 guns |
| | — | — | Up to 90 m of hose per gun | Up to 90 m of hose per gun | Up to 150 m of hose per gun |
| MATERIAL CAPACITY | 1.25 l FlexLiner™ 11.5 l ProPack™ | 1.25 l FlexLiner™ 11.5 l ProPack™ | 5.7 l hopper | Spray from any container | Spray from any container or from included 38 l hopper |
| POWER SOURCE | CORDED – 230V CORDLESS – 18V DeWALT® lithium-ion battery | 18V DeWALT lithium-ion battery | 230V | 230V (CEE) 110V (UK) | 230V corded |
| MATERIAL COMPATIBILITY | <p>Approved alcohol-based (flammable) active ingredients: Ethanol, isopropanol (except for SaniSpray HP20 corded and SaniSpray HP20 electrostatic models)</p> <p>Approved non-alcohol based active ingredients - aldehydes, phenols, quaternary ammonium compounds, Sodium hypochlorite (bleach), peroxyacetic acid, hydrogen peroxide, hypochlorous acid</p> <p>Consult with your material manufacturer to confirm spray application and equipment compatibility</p> | | | | |
| JOB SIZE | Any small jobs – tables, door handles, cars, desks, etc | Any small jobs – tables, door handles, cars, desks, etc | Any small to mid-sized jobs – restaurants, schools, hotels, etc | Any mid to large-sized jobs – bus fleets, dealerships, arenas, hotels, schools, etc | Any large-sized jobs – sport venues, amusement parks, zoos, etc |



ABOUT GRACO

Founded in 1926, Graco is a world leader in fluid handling systems and components. Graco products move, measure, control, dispense and apply a wide range of fluids and viscous materials used in vehicle lubrication, commercial and industrial settings.

The company's success is based on its unwavering commitment to technical excellence, world-class manufacturing and unparalleled customer service. Working closely with qualified distributors, Graco offers systems, products and technology that set the quality standard in a wide range of fluid handling solutions. Graco provides equipment for spray finishing, protective coating, paint circulation, lubrication, and dispensing sealants and adhesives, along with power application equipment for the contractor industry. Graco's ongoing investment in fluid management and control will continue to provide innovative solutions to a diverse global market.

GRACO LOCATIONS

MAILING ADDRESS

P.O. Box 1441
Minneapolis, MN 55440-1441
Tel: 612-623-6000
Fax: 612-623-6777

AMERICAS

MINNESOTA

Worldwide Headquarters
Graco Inc.
88-11th Avenue N.E.
Minneapolis, MN 55413

EUROPE

BELGIUM

European Distribution Center
Graco Distribution BV
Industrieterrein-Oude Bunders
Slakweidestraat 31
3630 Maasmechelen,
Belgium
Tel: 32 89 770 700
Fax: 32 89 770 777

ASIA PACIFIC

AUSTRALIA

Graco Australia Pty Ltd.
Suite 17, 2 Enterprise Drive
Bundoora, Victoria 3083
Australia
Tel: 61 3 9468 8500
Fax: 61 3 9468 8599

CHINA

Graco Fluid Equipment
(Shanghai) Co., Ltd
Building 7, No. 1-2,
Wenshui Road 299
Jing'an District
Shanghai 200436
P.R. China
Tel: 86 512 6260 5711
Fax: 86 21 6495 0077

INDIA

Graco Hong Kong Ltd.
India Liaison Office
Room 432, Augusta Point
Regus Business Centre 53
Golf Course Road
Gurgaon, Haryana
India 122001
Tel: 91 124 435 4208
Fax: 91 124 435 4001

JAPAN

Graco K.K.
1-27-12 Hayabuchi
Tsuzuki-ku
Yokohama City, Japan 2240025
Tel: 81 45 593 7300
Fax: 81 45 593 7301

KOREA

Graco Korea Inc.
38, Samsung 1-ro 1-gil
Hwaseong-si, Gyeonggi-do, 18449
Republic of Korea
Tel: 82 31 8015 0961
Fax: 82 31 613 9801

All written and visual data contained in this document are based on the latest product information available at the time of publication.
Graco reserves the right to make changes at any time without notice.

Graco is certified ISO 9001.

Europe
+32 89 770 700
FAX +32 89 770 777
WWW.GRACO.COM

©2020 Graco Distribution BV 300788ENEU Rev. D 06/21 Printed in Europe.
All other brand names or marks are used for identification purposes and are trademarks of their respective owners.
For more information on Graco's intellectual property, see www.graco.com/patent or www.graco.com/trademarks.