



POWERFILL™

Battery-powered Drywall Loading Pump



**POWERFILL™
3.5**

ALL DAY COMFORT:

Keep your focus/energy on the Drywall without the daily fatigue and long-term injury of a manual pump

EVERYDAY PRODUCTIVITY:

Save time by filling all your finishing tools with the push of a button and consistently all day, every day

VERSATILITY:

Compatible with all brands of finishing tools and containers

Texture Drywall Applications

POWERFILL 3.5 STANDARD - POWERFILL 3.5 PRO - POWERFILL 3.5 PRO XL



FIRST BATTERY-POWERED DRYWALL LOADING PUMP

Discover the industry's first cordless, battery-powered loading pump. It is designed to fill all manual, automatic taping and finishing tools easily. While the pump fills your tools automatically, you can focus on finishing while getting less fatigued. This will enable you to get more finishing done at the same time. The next step is upscaling your business to more and larger jobs!

POWERFILL | MAKES YOUR JOB SO MUCH EASIER!



Mud pan




Hawk



Banjo



Flat box



Automatic taper

Fills all your taping and finishing tools in no time

- Durable PowerStroke™ pump inside
- High quality components
- Toolless design



Raise your profits, upscale your business!

Better output & finishing quality

Deliver smoother finishing and take on more and larger jobs

CONSISTENT FLOW ALL DAY, EVERY DAY

- Balanced, double-acting output for the smoothest material delivery and maximum efficiency
- Easy programmable to refill tools automatically with precision
- Inlet filter has 25% more filter area than manual pumps

FILLS ANY TOOL, ANY BRAND

- Compatible with all brands of ATF tools (Automatic Taping and Finishing) and containers
- Perfect to transfer materials to mud pans, hawks, banjo's, hopper guns, ...



Never hand pump again!

Reduce fatigue, back & muscle injuries



Forget endless bending and strenuous hand pumping

- PowerFill's ergonomic design allows you to pump and fill while standing up
- The gooseneck accessory makes filling your tools a piece of cake
- Fully rotatable. Position above the bucket to avoid dripping
- Left or right-hand side operation
- Adjustable to any bucket height



Take a break, PowerFill does the job!

Save heaps of time, easy does it

Use a battery-powered pump that makes you work faster & easier.

FASTER

- Work faster and reduce loading times
- Pumps up to 13 liter per minute consistently
- Battery charges in 35 minutes, lasts up to 200 liters per charge

EASIER

- Use easy cleaning mode for smooth cleaning
- One button pumping: activate the pump at the press of a button
- Enjoy hands-free bulk transfer

PORTABLE

- Lightweight, compact design
- Removable powerhead, no tools needed

CHANGING THE WAY YOU WORK FOREVER

1 ERGONOMIC HI-RISE FILL TUBE

- Allows you to stand upright while filling tools, protecting your back while eliminating fatigue
- Tube rotates to position the outlet where you want, including above bucket to save space and contain drips
- Includes filler attachments for angle and flat boxes

2 PORTABLE WITH REMOVABLE POWERHEAD

- Within seconds and without tools you can remove powerhead from pump for storage or easy cleaning thanks to ProConnect™ fitting
- PowerFill is suitable for right- or left-handed operation

3 EASY TO OPERATE AND PRECISE FILLING

- One button pumping totally eliminates fatigue and injury
- SmartControl™ Pro has Precision Fill technology for automatic refill of tools to your preset level
- Choose hands-free Continuous run mode for bulk material transfer or self-cleaning

PRO CONNECT



4 BRUSHLESS DC MOTOR WITH VARIABLE SPEED

- ProControl flow adjustment lets you work at any speed with total control of output material

5 ADJUSTABLE STABILIZER LEG

- No tools needed to adjust to fit most buckets and containers
- Oversized foot bracket and stabilizer arm keeps pump in place on bucket

6 BATTERY-POWERED BY DEWALT

- Compatible with any 18V MAX Lithium-ion DEWALT® battery
- Pumps up to 200 liters per charge for all-day use


7 DURABLE POWERSTROKE PUMP

- Pumps up to 13 lpm at a consistent speed every day
- Toolless pump cylinder, inlet and filter removal for quick access and cleaning
- The PowerStroke pump is made of anodized aluminum and stainless steel and is virtually maintenance-free

AUTOMATICALLY FILL WITH PRECISION FILL

- Fill your tools, pans or hawks to your preset level - with the push of a button
- Accuracy to within 7 gr for each fill - regardless of battery condition or pump speed
- Hands-free, continuous pumping mode is perfect to load or unload bulk containers and for easiest cleaning - just let it run!
- Increases overall job productivity so you can get more done!

PROGRAM IN 3 EASY STEPS



Press and hold **Program button** until light flashes



Press **Pump button** and fill to desired level



Press **Program button** to save setting

CHOOSE THE RIGHT SERIES FOR YOUR BUSINESS

PowerFill 3.5 is designed to make your work easier, faster and more productive. Whether you are looking for the everyday reliability of our Standard Series, or the more ergonomic and productive Pro Series, Graco offers the ideal pump to meet your specific needs.

EVERYDAY RELIABILITY

STANDARD Series



STANDARD
SERIES

RESIDENTIAL AND REMODEL CONTRACTOR

- Finishing periodically
- Jobs are often smaller
- Don't need extra features

STANDARD SERIES FEATURES:

- SmartControl with variable speed motor control
- PowerStroke pump with 4x life
- ProConnect
- Standard horizontal box filler
- DeWalt® 18V Lithium-ion battery
- DeWalt® charger
- Adjustable stabilizer leg

WORK SMARTER, FINISH FASTER

PRO Series



PRO
SERIES

LARGE RESIDENTIAL AND COMMERCIAL CONTRACTOR

- Everyday finishing
- Medium to large jobs
- Need features and to increase productivity

INCLUDES ALL THE STANDARD FEATURES **PLUS** - EXCLUSIVE PRO SERIES FEATURES:

- SmartControl Pro with programmable Precision Fill
 - Automatically fills tools to your preset level for increased productivity
 - Continuous run mode for bulk transfer and easier hands-free cleaning
- Hi-Rise fill tube with box filler
 - Eliminates fatigue and injury associated with bending
 - Rotates to position where you need it. It's perfect for tight areas such as scissor lifts and positioning outlet over the bucket
- The Pro XL unit has a longer PowerStroke pump allowing 115L buckets to be used

OUR DRYWALL FINISHING PRODUCT RANGE

Drywall finishing

Your skills

Our solutions

Smooth job

YOUR SKILLS, OUR SOLUTIONS, SMOOTH JOB

Check out our range of solutions to complete your drywall finishing toolset with robust and durable products. They are designed to make your drywall finishing work easier and more profitable.


The 4 quality levels of drywall finishing

- | | | | |
|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------------------------------------------------------------|
| <p>Q1 For finishing without decorative requirements</p> <ul style="list-style-type: none"> → Fill joints and visible fixings with joint compound → Embed tape on joints → Remove excess joint compound | <p>Q2 For minimal smooth surface</p> <ul style="list-style-type: none"> → Apply joint compound on top of Q1 → Make seamless transition between joint and surface area → Sand | <p>Q3 When high visual surface requirements apply</p> <ul style="list-style-type: none"> → Apply a thin layer of compound to the gypsum board on top of Q2 → Apply full surface pore filling → Sand | <p>Q4 For the highest decorative standards</p> <ul style="list-style-type: none"> → Apply ±1mm full surface skim coat |
|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------------------------------------------------------------|

Our manual to (semi-)automatic solutions

Finishing drywall can be done manually or automatically. When thinking about increasing speed, boosting your business or suffering less fatigue, check out our robust solutions. Graco has the right tools for all quality levels (Q-levels).









- Prosurface smoothing blades for manual finishing
- PowerFill industry's first battery-powered loading pump
- Level up with a Continuous Flow System
- Perfect skim coating with HD 3-in-1 Airless sprayers

	Manual	(Semi-) Automatic	Automatic
<p>Q1 Jointed drywall surface</p> 	 <p>PROSURFACE™</p> 	 <p>POWERFILL 3.5</p>	 <p>HD 3in1 SPRAYER™</p> 
<p>Q2 Drywall surface with minimal smoothness</p> 			
<p>Q3 Extra smooth drywall surface</p> 			
<p>Q4 Skim coated drywall</p> 			

For more information visit graco.com/drywall

GET THE MOST OUT OF OUR EQUIPMENT

Accessories

Part Number	Description
 18D159	35 cm Hi-Rise fill tube complete kit (Pro outlet and box filler included)
 18D160	58 cm Hi-Rise fill tube complete kit (Pro outlet and box filler included)
 18D164	35 cm Hi-Rise fill tube and box filler kit (No Pro outlet included)
 18D165	58 cm Hi-Rise fill tube and box filler kit (No Pro outlet included)
 18D161	Taper gooseneck fill tube complete kit (19L, Pro outlet included)
 18D162	XL Taper gooseneck fill tube complete kit (115L, Pro outlet included, Pro XL version only)
 18D086	Taper gooseneck fill tube only kit (19L, no Pro outlet included)
 18D103	XL Taper gooseneck fill tube only kit (115L, no Pro outlet included, Pro XL version only)
 18D168	Standard horizontal outlet with box filler
 18D169	Box filler kit
 18D163	Pro outlet elbow kit (Required to mount Hi-Rise tube and gooseneck)
 18D166	XL Pump conversion kit (XL Adjustable foot, XL pump cylinder body and pump rod with upper piston included)
 18D167	Cleaning hose flush kit (Outlet fitting, hose, 2 cleaning balls included)
 248515	Sponge ball clean out kit (qty. 5, 30 mm)
 18D170	Inlet filter kit, 10 mesh
 17P560	DeWalt 18V Max Lithium-ion charger
 17P557	DeWalt 18V Max Lithium-ion battery

WHAT CONTRACTORS ARE SAYING



"Filling the taper can be impossible and troublesome. The PowerFill makes this process a lot easier!"

PIOTR (POL)

"It's a perfect addition to Graco's CFS system as it fills up all my tools from different brands quickly and easy with the precision fill technology which saves me a lot of time!"

AURILIO (DE)



Technical Specifications



Model Name:	POWERFILL 3.5 STANDARD	POWERFILL 3.5 PRO	POWERFILL 3.5 PRO XL
SPECIFICATIONS			
Part Numbers: EU - 230V	26B435	26B436	26B437
Part Numbers: UK - 230V	26B536	26B537	26B538
Max. Flow - l/min (gpm)	13.2 (3.5)	13.2 (3.5)	13.2 (3.5)
Motor	DC Brushless	DC Brushless	DC Brushless
Weight - kg (lbs)	6.8 (15)	7.7 (17)	9.1 (20)
FEATURES			
SmartControl	✓	Pro	Pro
Precision Fill technology		✓	✓
Continuous run		✓	✓
Speed Selector	ProControl™	ProControl™	ProControl™
PowerStroke pump	✓	✓	✓
ProConnect	✓	✓	✓
Toolless design	✓	✓	✓
Adjustable stabilizer leg	✓	✓	✓
Bucket support	Adjustable up to 20L (18-38 cm range)	Adjustable up to 20L (18-38 cm range)	Adjustable up to 20L through 115L (18-71 cm range)
COMPOSITION			
Filler*	Standard horizontal	Hi-Rise fill tube (35 cm)	Hi-Rise fill tube (35 cm)
Connections	Flat box, Corner/Angle box, Nail spotter, compound tube	Flat box, Corner/Angle box, Nail spotter, compound tube	Flat box, Corner/Angle box, Nail spotter, compound tube
Inlet filter (mesh)	Toolless 10 mesh	Toolless 10 mesh	Toolless 10 mesh
Power supply	18V DEWALT® battery**	18V DEWALT® battery**	18V DEWALT® battery**
Battery charger	✓	✓	✓

* The gooseneck connection is an optional accessory.

** DEWALT® and the DEWALT Logo are trademarks of DEWALT Industrial Tool Co. and are used under licence.

All written and visual data contained in this document are based on the latest product information available at the time of publication. Graco reserves the right to make changes at any time without notice.

Graco is certified ISO 9001.

GRACO DISTRIBUTION BV Industrieterrein Oude Bunders Slakweidestraat 31 B-3630 Maasmechelen
Tel: +32 (89) 770 700 Fax: +32 (89) 770 777 <http://www.graco.com>



Every Graco purchase comes with A+ Customer Service.

