

# **Mechanical Meters**

Rugged and Dependable Fluid Dispensing Meters



# Accurate dispensing for a wide range of vehicle or machine service applications

- Balanced, lightweight and rugged construction, comfortable grip
- · Non-resettable totalizing register helps control material usage
- Handles a variety of petroleum and synthetic-based oils and anti-freeze
- · Ideal for indoor and outdoor use

# **Mechanical Meters**

Accurate dispensing for a wide variety of vehicle or machine service applications

Rugged yet lightweight mechanical meters which handle a variety of petroleum- and synthetic-based oils and anti-freeze. Ideal for indoor or outdoor use.

### Impact-Resistant Shroud

Resists scratches and protects knob and dial from damage.

### Simple, Easy Design

Dial and face design is easy to read and set.

### **Common Connection Points**

Makes installation quick and easy with NPT, BSPT and BSPP swivels.



and lightweight.

## **Typical Applications**

- Automotive dealerships
- · Heavy-duty dealerships
- Fast lube centres
- Lube trucks
- · Fleet service facilities
- In-plant
- Mining

## **Typical Fluids Handled**

- Petroleum- and synthetic-based oils
- Gear lube
- Anti-freeze

## **Technical Specifications**

Maximum Flow*	30.2 lpm (8 gpm)
Minimum Flow*	1.0 lpm (0.28 gpm)
Maximum Operating Pressure	103 bar (1500 psi)
Operating Temperature Range	45-70°C (-50-160° F)
Accuracy*	± 1%
Weight	1.6 kg (3.5 lb)
Inlet	1/2 NPT, 1/2 BSPP, 1/2 BSPT

<sup>\*</sup>Tested with 10W motor oil. Minimum/maximum flow rates will vary with fluid viscosity.







# **Ordering Information**

# PRESET MECHANICAL METERS (SDMP8)











			PACKAGES			
	Model	Bare Meter	Oil Rigid – Short Bare Meter / Nozzle Kit 24W641	Oil Rigid – Long Bare Meter / Nozzle Kit 255852	Oil Flexible Bare Meter / Nozzle Kit 255853	Gear Lube Bare Meter / Nozzle Kit 255854
	60 Gallon	24U950	24V055	24Z128	24Z129	24Z130
NPT	60 Litre	24U953	24V058	24Z131	24Z132	24Z133
	60 Quart	24U947	24V052	24Z125	24Z126	24Z127
BSPT	60 Gallon	24U951	24V056	_	-	_
	60 Litre	24U954	24V059	-	-	_
	60 Quart	24U948	24V053	_	_	_
BSPP	60 Gallon	24U952	24V057	_	-	_
	60 Litre	24U955	24V060	-	_	_
	60 Quart	24U949	24V054	_	_	_

# MANUAL MECHANICAL METERS (SDMM8)









			PACKAGES		
	Model	Bare Meter	Oil Rigid – Long Bare Meter / Nozzle Kit 255852	Oil Flexible Bare Meter / Nozzle Kit 255853	Gear Lube Bare Meter / Nozzle Kit 255854
NPT	4/16 Litre	24U956	24V046	24V043	24V049
INFI	4/16 Quart	24U959	24V037	24V034	24V040
BSPT	4/16 Litre	24U957	24V047	24V044	24V050
DOF	4/16 Quart	24U960	24V038	24V035	24V041
BSPP	4/16 Litre	24U958	24V048	24V045	24V051
	4/16 Quart	24U961	24V039	24V036	24V042

## NOZZLE/EXTENSION KITS AND ACCESSORIES

	PART NUMBER	DESCRIPTION
	24W641	Automatic with short rigid extension for oil
and the same of th	255852	Automatic with long rigid extension for oil
	255853	Automatic with flexible extension for oil
	255854	Rigid extension for gear lube
a this way	255855	Rigid extension for anti-freeze
	24W306	Flexible extension for anti-freeze
10	256164	Strainer filter kit



#### **ABOUT GRACO**

Founded in 1926, Graco is a world leader in fluid handling systems and components. Graco products move, measure, control, dispense and apply a wide range of fluids and viscous materials used in vehicle lubrication, commercial and industrial settings.

The company's success is based on its unwavering commitment to technical excellence, world-class manufacturing and unparalleled customer service. Working closely with qualified distributors, Graco offers systems, products and technology that set the quality standard in a wide range of fluid handling solutions. Graco provides equipment for spray finishing, protective coating, paint circulation, lubrication, and dispensing sealants and adhesives, along with power application equipment for the contractor industry. Graco's ongoing investment in fluid management and control will continue to provide innovative solutions to a diverse global market.

### **GRACO LOCATIONS**

MAILING ADDRESS P.O. Box 1441 Minneapolis, MN 55440-1441

Tel: 612-623-6000 Fax: 612-623-6777

#### **AMERICAS**

**MINNESOTA** 

Worldwide Headquarters Graco Inc. 88-11th Avenue N.E. Minneapolis, MN 55413

### **EUROPE**

**BELGIUM** 

European Headquarters Graco BVBA Industrieterrein-Oude Bunders Slakweidestraat 31 3630 Maasmechelen, Belgium

Tel: 32 89 770 700 Fax: 32 89 770 777

### **ASIA PACIFIC**

**AUSTRALIA** 

Graco Australia Pty Ltd. Suite 17, 2 Enterprise Drive Bundoora, Victoria 3083 Australia Tel: 61 3 9468 8500 Fax: 61 3 9468 8599

**CHINA** 

Graco Hong Kong Ltd.
Shanghai Representative Office
Building 7
1029 Zhongshan Road South
Huangpu District
Shanghai 200011
The People's Republic of China
Tel: 86 21 649 50088
Fax: 86 21 649 50077

INDIA

Graco Hong Kong Ltd.
India Liaison Office
Room 432, Augusta Point
Regus Business Centre 53
Golf Course Road
Gurgaon, Haryana
India 122001
Tel: 91 124 435 4208
Fax: 91 124 435 4001

JAPAN

Graco K.K. 1-27-12 Hayabuchi Tsuzuki-ku Yokohama City, Japan 2240025 Tel: 81 45 593 7300 Fax: 81 45 593 7301

**KOREA** 

Graco Korea Inc.
Shinhan Bank Building
4th Floor #1599
Gwanyang-Dong, Dongan-Ku,
Anyang-si, Korea 431-060
Tel: 82 31 476 9400
Fax: 82 31 476 9801

All written and visual data contained in this document is based on the latest product information available at the time of publication. Graco reserves the right to make changes at any time without notice.

Graco is certified ISO 9001.

Europe +32 89 770 700 FAX +32 89 770 777 WWW.GRACO.COM