



# Radial Piston Air Motor Driven Agitators

Cost-effective, simple and reliable productivity that saves you hundreds of pounds every year.



PROVEN QUALITY. LEADING TECHNOLOGY.


# Cost-effective, simple and reliable productivity that saves you hundreds of pounds every year.

- Uses less compressed air than most rotary vane air motors
  - Tested extensively in factories, Graco's radial piston air motor uses 50 to 85 percent less compressed air than comparable rotary vane motors.\*
- Quickly installed with quiet operation
- Easy to maintain – air line lubrication not required



## Advanced control options boost efficiency

- Connect with Graco's Intelligent Paint Kitchen (IPK) to monitor and control agitator speed.
- Add DataTrak for speed monitoring and over-speed alert.



**Find out more** about cost savings at [graco.com/agitatorROI](http://graco.com/agitatorROI)

\*Limitations may apply. Actual savings depend on many variables, such as paint system configuration and environmental factors. Ask Graco or your distributor about savings specific to your operation.

## Ordering information

Part number	Description	Recommended agitator rotation	Max. recommended air pressure bar (psi)	Max. recommended material viscosity (cP)	Manual	
25C528	Stainless steel direct drive, 113.5/208 litres (30/55 gallons), one stainless steel 140 mm propeller	Clockwise	4.8 bar (70 psi)	1,000	3A4792	
25C533	Carbon steel direct drive, 113.5/208 litres (30/55 gallons), two aluminium 140 mm propellers	Clockwise	4.8 bar (70 psi)	1,000		
25M481	Stainless steel direct drive, 113.5/208 litres (30/55 gallons), one stainless steel 203 mm impeller	Clockwise	4.8 bar (70 psi)	500		
25C529	Carbon steel direct drive, 208 litres (55 gallons), side mount, two aluminium 140 mm propellers	Clockwise	4.8 bar (70 psi)	1,000		
25C530	Stainless steel direct drive, 208 litres (55 gallons), bung mount, expanding blade	Counter clockwise	4.8 bar (70 psi)	1,000		
25C534	Stainless steel direct drive, helix, bung mount	Clockwise	4.8 bar (70 psi)	1,000		
25C535	Carbon steel direct drive, helix, bung mount	Clockwise	4.8 bar (70 psi)	1,000		
25N881	In-drum, 51 mm (2") bung mount	Clockwise	4.8 bar (70 psi)	500		
25N882	In-drum, 51 mm (2") bung mount	Clockwise	4.8 bar (70 psi)	500		
25C539	Agitator for a 19 L (5 gallon) pressure tank (pressure tank not included)	Clockwise	4.8 bar (70 psi)	1,000		3A4797
25C540	Agitator for a 38 L (10 gallon) pressure tank (pressure tank not included)	Clockwise	4.8 bar (70 psi)	1,000		
25C541	Agitator for a 57 L (15 gallon) pressure tank (pressure tank not included)	Clockwise	4.8 bar (70 psi)	1,000		
25C536	Agitator with pressure tank, 19 L (5 gallons)	Clockwise	4.8 bar (70 psi)	1,000		
25C537	Agitator with pressure tank, 38 L (10 gallons)	Clockwise	4.8 bar (70 psi)	1,000		
25C538	Agitator with pressure tank, 57 L (15 gallons)	Clockwise	4.8 bar (70 psi)	1,000		
25C532	Stainless steel, belt drive Twistork Helix, bung mount	Clockwise/counter clockwise	4.8 bar (70 psi)	1,000	3A4800	
26B618	Back-geared radial piston agitator, in-drum, heavy duty, 50 mm (2 inch) bung mount	Clockwise	4.8 bar (70 psi)	3,000	3A4792	
26B619	Back-geared radial piston agitator, in-drum, heavy duty, 38 mm (1.5 inch) bung mount	Clockwise	4.8 bar (70 psi)	3,000		
26B630	Back-geared radial piston agitator, heavy duty	Clockwise	4.8 bar (70 psi)	3,000		
26B631	Back-geared radial piston agitator, heavy duty, with siphon kit	Clockwise	4.8 bar (70 psi)	3,000		
26B632	Back-geared radial piston agitator, heavy duty, with elevator and drum cover	Clockwise	4.8 bar (70 psi)	3,000		
26B633	Back-geared radial piston agitator, heavy duty, with elevator, drum cover and siphon kit	Clockwise	4.8 bar (70 psi)	3,000		

## Accessories

Part number	Description	Part number	Description	Part number	Description
25C765	Radial piston air motor kit	19Y592	Rotary vane to radial piston air motor conversion kit, for 19 L/5 gallon or 38 L/10 gallon pail agitator	25C373	REED switch, air motor speed sensor kit
19A844	Rotary vane to radial piston air motor conversion kit, for pressure tank 19 L/5 gallon, 38 L/10 gallon, 57 L/15 gallon	25P708	Radial piston air motor mounting adapter, for 19 L/5 gallon or 38 L/10 gallon pail agitator	25M535	Radial piston air motor repair kit
26B168	Rotary vane to radial piston air motor conversion kit, for 3rd party pressure tank 7.5 L/2 gallon, 19 L/5 gallon, 38 L/10 gallon, 57 L/15 gallon	25P709	Radial piston air motor shaft coupler, for 19 L/5 gallon or 38 L/10 gallon pail agitator	25P720	Radial piston air motor rebuild kit
25T862	Radial piston air motor retrofit kit for back-geared agitators	25P394	Air motor speed monitoring kit, DataTrak	25P721	Radial piston air motor rebuild kit
				25P860	Radial piston air motor rebuild kit
				19Y509	Radial piston air motor muffler kit, set of 3



## ABOUT GRACO

Founded in 1926, Graco is a world leader in fluid handling systems and components. Graco products move, measure, control, dispense and apply a wide range of fluids and viscous materials used in vehicle lubrication, commercial and industrial settings.

The company's success is based on its unwavering commitment to technical excellence, world-class manufacturing and unparalleled customer service. Working closely with qualified distributors, Graco offers systems, products and technology that set the quality standard in a wide range of fluid handling solutions. Graco provides equipment for spray finishing, protective coating, paint circulation, lubrication and for dispensing sealants and adhesives, together with power application equipment for the contractor industry. Graco's ongoing investment in fluid management and control will continue to provide innovative solutions to a diverse global market.

## GRACO LOCATIONS

### MAILING ADDRESS

P.O. Box 1441  
Minneapolis, MN 55440-1441  
Tel: 612-623-6000  
Fax: 612-623-6777

### AMERICAS

**MINNESOTA**  
Worldwide Headquarters  
Graco Inc.  
88-11th Avenue N.E.  
Minneapolis, MN 55413

### EUROPE

**BELGIUM**  
European headquarters  
Graco Distribution BVBA  
Industrieterrein-Oude Bunders  
Slakweidestraat 31  
3630 Maasmechelen, Belgium  
Tel: 32 89 770 700  
Fax: 32 89 770 777

### ASIA PACIFIC

**AUSTRALIA**  
Graco Australia Pty Ltd.  
Suite 17, 2 Enterprise Drive  
Bundoora, Victoria 3083  
Australia  
Tel: 61 3 9468 8500  
Fax: 61 3 9468 8599

**CHINA**  
Graco Fluid Equipment  
(Shanghai) Co. Ltd.  
Building 7, No. 1-2, Wenshui  
Road 299  
Jing'an District  
Shanghai 200436  
P.R. China  
Tel: 86 512 6260 5711  
Fax: 86 21 6495 0077

### INDIA

Graco Hong Kong Ltd. India Liaison  
Office  
Room 432, Augusta Point Regus  
Business Centre 53 Golf Course Road  
Gurgaon, Haryana India 122001 Tel:  
91 124 435 4208  
Fax: 91 124 435 4001

**JAPAN**  
Graco K.K.  
1-27-12 Hayabuchi  
Tsuzuki-ku  
Yokohama City, Japan 2240025  
Tel: 81 45 593 7300  
Fax: 81 45 593 7301

**KOREA**  
Graco Korea Inc.  
Shinhan Bank Building  
4th Floor #1599  
Gwanyang-Dong, Dongan-Ku,  
Anyang-si, Korea 431-060  
Tel: 82 31 476 9400  
Fax: 82 31 476 9801

All written and visual data contained in this document are based on the latest product information available at the time of publication. Graco reserves the right to make changes at any time without notice.

Graco is certified according to ISO 9001.



**Europe**  
+32 89 770 700  
FAX +32 89 770 777  
WWW.GRACO.COM

©2021 Graco Distribution BV 345130ENEU Rev D 04/21 Electronic version only  
All other brand names or marks are used for identification purposes and are trademarks of their respective owners. For more information on Graco's intellectual property, see [www.graco.com/patent](http://www.graco.com/patent) or [www.graco.com/trademarks](http://www.graco.com/trademarks).