



GT 750™

36:1 Grease Transfer Pump

Superior Pump Performance



PROVEN QUALITY. LEADING TECHNOLOGY.

GT 750™ 36:1 Grease Transfer Pump

SUPERIOR PUMP PERFORMANCE

FEWER STROKES AND LONGER PUMP LIFE

Graco's GT 750 pump was engineered to perform in challenging applications and changing environments. The large 7.5-inch air motor and pump lower combination allows the GT 750 pump to move the same amount of grease with up to three to four times fewer pump strokes.



NXT Air Motor Technology

Reliable and efficient operation.

Adjustable 2-in NPT Bung Adapter

Drum-mountable solution.

High Flow Rates

Up to 32 lb/min (14.5 kg/min) of NLGI #2 grease.

Proven Pump Technology

Based on Fire-Ball 425 pump technology.

Multiple Tank Options

Available in 35-, 120- and 400-lb down tube lengths.

High Volume Per Stroke

Less wear on seals.

HIGHER FLOW RATES

Graco's GT 750 pump brings the efficiency and high output of Graco's NXT pumps to a drum-mountable solution with an adjustable two-inch NPT bung adapter


TYPICAL APPLICATIONS

- Lube trucks
- Mines or mining operations
- Heavy-duty dealerships
- Fleet service facilities
- In-plant
- Marine


TYPICAL FLUIDS HANDLED

- Grease up to NLGI #2

PUMP PERFORMANCE



MOUNTING ORIENTATIONS



TECHNICAL SPECIFICATIONS

FLUID PRESSURE RATIO	36:1
AIR PRESSURE OPERATING RANGE	40-100 psi (3-7 bar)
MAXIMUM WORKING PRESSURE	3,600 psi (248 bar)
MAXIMUM RECOMMENDED CONTINUOUS DUTY PUMP SPEED	60 cycles per minute
AIR MOTOR EFFECTIVE DIAMETER	7.5 in (190 mm)
STROKE	4.75 in (121 mm)
AIR INLET	1/2 in NPT
FLUID OUTLET	1 in NPT
MAXIMUM DELIVERY	32 lb/min (14.5 kg/min)
PUMP WEIGHT	59 lb (26.8 kg)
WETTED PARTS	Steel, brass, Buna-N, urethane, ductile iron, aluminum
SOUND POWER (MEASURED AT 70 PSI [4.8 BAR], 20 CPM PER ISO-9414-2)	77.2 dBa
SOUND PRESSURE (TESTED AT 3.28 FT [1 M] FROM EQUIPMENT)	70.5 dBa
PUMP CYCLES PER POUND	3 cycles
PUMP CYCLES PER KG	6 cycles
WARRANTY	Five years overall and one year wear parts
INSTRUCTION MANUAL	3A5363

ORDERING INFORMATION

GT 750 36:1 Grease Pumps

- 24W498 GT 750 Series 36:1 – Universal Grease Transfer Pump
- 25D116 GT 750 Series 36:1 – 120 lb Grease Transfer Pump
- 24W337 GT 750 Series 36:1 – 400 lb Grease Transfer Pump

Accessoires

- 131380 Male Cam Lock Adapter – 3 in
- 131394 Female Cam Lock Adapter – 3 in
- 200326 Drum Cover – 400 lb Drum
- 223701 Follower Plate – 400 lb Drum
- 204574 Drum Cover – 120 lb Drum
- 223700 Follower Plate – 120 lb Drum
- 160754 Bung Adapter Plate (used to mount pump to drum cover) – 2 in



25P544



SCAN FOR MORE INFORMATION
GRACO.COM

GT 750 36:1 grease transfer topper inductor package for 400 lb (180 kg) drums



OUR BRAND PROMISE TO YOU

Since 1926, **innovation**, **quality** and **A+ Service** have been at the centre of Graco.

Experience Innovation

Our focus on innovation results in products and equipment that lead the industry with technologically-advanced features, pioneering design, high performance and unparalleled reliability. In short, innovation is how you get better products!

Building Quality

You're investing in high-quality products built to last for years of reliable service. Moreover, we partner with our customers to better understand how you're deploying our products in the field, then use your experiences to improve performance and durability.



A+ service, every time

You'll see A+ Service in action when you contact any of our support services options no matter where you are in the world. We'll listen to your situation and work methodically to resolve it as quickly as we can. We are guided by a mindset of integrity and a customer service view centred on collaboration and relationships, not transactions.



We're here to answer questions and help address your needs:

www.graco.com/contact

Graco is certified ISO 9001.

©2023 Graco Distribution BV 352680ENEU-C 09/23. Printed in Europe.

All written and visual data contained in this document are based on the latest product information available at the time of publication. Graco reserves the right to make changes at any time without notice.

All other brand names or marks are used for identification purposes and are trademarks of their respective owners. For more information on Graco's intellectual property, see www.graco.com/patent or www.graco.com/trademarks.