



G3[®] MAX GEN 2

Extend Machinery Life, Reduce Operating Costs, Increase Productivity

Peace Of Mind

- Intuitive LCD screen for easy programming
- Bright LED status lights on the keypad communicate the pump state from a distance
- Alarm screen includes troubleshooting tip
- QR code on alarm screen provides access to Training-On-Demand via Graco's online Education Center

Cellular Connectivity

- Allows user to see real-time feedback of pump fleet using intuitive Graco Trace™ website*

Alert Notifications

- Optional SMS and email messages when alerts or alarms occur*

Versatile

- Compatible with Single Line Parallel and Series Progressive applications

*Cellular models only



TYPICAL APPLICATIONS

- ▶ Manufacturing equipment
- ▶ Pump jacks
- ▶ Construction and mining equipment
- ▶ Wind turbines
- ▶ Difficult to access areas
 - Overhead cranes
 - Mezzanines
 - Lock-out tag-out



G3[®] MAX GEN 2



G3 Max Features

- New CPC-7 power connection**
 - Connections for tri-color remote manual run and LED push-button in CPC
 - Two alarm output signal wires: low level and system alarm
- M12 connectors for:
 - Pressure sensor input can connect to analog pressure transducer
 - Inputs for machine count and cycle count
 - Vent valve, designed for normally open state to ensure complete venting
 - Output for normally open vent valves can be repurposed to control an air solenoid for spray applications



G3 Max with Cellular Connectivity

- LTE-m mobile data connects to Graco Trace™ cloud website for remote access to pump
 - Cloud site offers visibility of pump status, reservoir levels, remote programming and historical operational data of your entire fleet of pumps
 - Optional SMS and email messaging available to notify in case of alerts or alarms
 - Access anywhere you can connect to the internet using a phone, tablet or PC

**Access to I/O features are dependent on power cord selection

G3 MAX GEN 2 SELECTION GUIDE

RESERVOIR OPTIONS		PUMP	2L	4L	8L	12L	16L	
GREASE	Grease Reservoir with Low Level Paddle	12 VDC CPC-7	96G543	96G547	96G551	96G555		
		24 VDC CPC-7	96G544	96G548	96G552	96G556	96G560	
		24 VDC DIN	96G545	96G549	96G553	96G557		
	With Spin-Off Lid	90-240 VAC DIN	96G546	96G550	96G554	96G558	96G562	
		Grease Reservoir with Follower Plate and LL Paddle	24 VDC CPC-7	96G564	96G568	96G572		
			24 VDC DIN	96G565	96G569	96G573		
	90-240 VAC DIN		96G566	96G570	96G574			
	Grease Reservoir with Follower Plate, AFSO, and LL paddle	24 VDC CPC-7			96G580			
		24 VDC DIN			96G581			
		90-240 VAC DIN			96G582			
	OIL	Oil Reservoir with Low Level Switch	24 VDC DIN	96G591	96G593	96G595		96G599
			90-240 VAC DIN	96G592	96G594	96G596		96G600

PUMPS WITH CELLULAR CONNECTIVITY

RESERVOIR OPTIONS		PUMP	4L	8L
GREASE	Grease Reservoir with Follower Plate and Analog Level Sensor	12 VDC CPC-7	96G601	96G605
		24 VDC CPC-7	96G602	96G606
		24 VDC DIN	96G603	96G607
		90-240 VAC DIN	96G604	96G608
GREASE	Grease Reservoir with Follower Plate, AfsO Valve, and Analog Level Sensor	12 VDC CPC-7		96G609
		24 VDC CPC-7		96G610
		24 VDC DIN		96G611
		90-240 VAC DIN		96G612
OIL	Oil Reservoir with Low Level Switch	24 VDC DIN	96G613	96G615
		90-240 VAC DIN	96G614	96G616

Scan to watch a demo of Graco Trace



For more information, visit graco.com.