



Harrier® + Smart Controller & Chemical Management System

Remote monitoring solutions with tank level capabilities for chemical injection systems



Graco's Harrier+ controller with remote pump control and tank level monitoring helps you reduce expenses and closely monitor your chemical injection systems! Remotely monitor and control key chemical injection system parameters like pressures, flow rates, voltage and tank levels to ensure your chemical injection system is operating efficiently.

PROVEN QUALITY. LEADING TECHNOLOGY.

Automation is Key!

Chemical treatment for wells and pipelines changes as oil and gas production shifts. Whether your chemical injection equipment is being used in upstream, midstream or downstream applications, chemicals are becoming one of the top operating expenses for field Operators and End-Users.

In order to minimize downtime, increase your production efficiency, maintain operational safety and improve data collection, **you need to automate.**



Graco has you covered!

Automation alone won't deliver process reliability. You need automation that is reliable, provides diagnostics for remote monitoring and delivers the data needed to drive better decisions.

Graco's Harrier+ controller with chemical management solutions allows you to collect critical well site data. This data can then be used to improve both operational visibility and asset utilization. Armed with detailed insight into everyday operations, producers can make more informed decisions — allowing them to optimize chemical usage for the greatest yield.

Reducing Operating Expenses with Harrier+

How well are you managing your chemical usage?

Inadequate chemical management can often times lead to premature well and pipeline issues or failures. This may result in increased chemical usage or higher service and repair costs.

Graco's Harrier+ smart controller minimizes interrupted operation. It gives End-Users and Operators the ability to collect well site data, remotely control their chemical injection system, and analyze the data necessary to manage chemical usage, increase efficiency, reduce their operating expenses, and prevent revenue losses.



Product Features

- Time, Cycle and Flow run modes
- Cellular and Modbus communications
- Data management via the Harrier+ portal for cellular units
- Tank level monitoring
- Flow verification for leak detection
- Operates with DC and AC pumps
- Classified for hazardous location Class 1, Division 2, Groups A, B, C, D, T4
- CE marked for use outside of North America

Remote Monitoring



Collect, monitor, and analyze critical data either through Cellular via a web-based portal or connect to an existing SCADA system.

Chemical Management



Adjust chemical inventory based on data collected from well sites using the tank level sensor with the Harrier+ controller.

Flow Verification



Ensure chemical injection assets are properly and efficiently operating to help reduce downtime.

Saves Money



Reduce operating expenses by minimizing downtime, optimising chemical usage and increasing efficiency.

Tank Level Monitoring Solution

The Graco tank level monitor and Harrier+ combination puts tank and chemical injection information at the user's fingertip, whether on-site or 1000 miles away. Not only can you monitor your chemical usage but you can also ensure proper pump operation and verification.

How does Graco's tank level monitoring work?

The tank level sensor is a pressure transducer that connects directly into the chemical tank. The pressure is then converted to an analog signal which the Harrier+ controller correlates to a tank level. The data collected by the controller can then be tracked and manipulated via its controller portal or a connected SCADA system.

Chemical Monitoring

Ensure your chemical tank has an adequate chemical supply with real-time monitoring of your chemical tank level.



Flow Verification


If your chemical tank level and total pump volumes do not match up within a given threshold, the Harrier+ controller will trigger an alarm.

Accurate

Once your chemical injection system is setup and properly calibrated, the accuracy between chemical volume in your tank and chemical pump output is within +/- 1%.

Tank Selection Methods

Whether you have a uniform or a custom chemical tank, the Harrier+ controller can be setup to handle any shape tank.



Harrier+ Web Portal

The Harrier+ Web Portal provides 24/7 critical well site data such as local chemical inventory information for connected chemical tanks.



Fast Payback of Cost!

Graco's Harrier + Chemical Management System Automation has quick financial payback by:

- Avoiding unnecessary trips to the well or pipeline site to check on chemical injection equipment and chemical tank levels.
- Ensuring adequate chemical volume and usage to avoid well or pipelines from freezing and plugging.
- Preventing cost of production downtime.

Justifying the cost on average to upgrade to the Graco well site automation solution is straight forward.

Average cost to
upgrade to Harrier+
Automation Solution

\$1500

**A COST OF
ONLY 6 TRIPS
TO THE FIELD!**

Based on an average \$250
per trip to one well site



Reliable. Remote. Reduce.

Built for reliable 24/7 service in tough remote areas while reducing the cost of operations by eliminating the need for on-site monitoring.

Example of a System Configuration

NEMA Rated Harrier+ Control Box

The Harrier+ controller includes remote connectivity, allowing you to monitor, control and optimize your system away from your injection site.

Solar Panels

Class 1, Division 2 panels for Hazardous Location and panels for General Purpose applications.

Wolverine

Chemical Injection Electric Pump
UL recognized,
Class 1, Div. 1 and
Class 1, Div. 2 options

Pressure Sensor


Output pressure changes will be read by the Harrier+ controller and will trigger notification alarms.

Tank Level Sensor

Pressure transducer that sends an analog signal to the Harrier+ controller.

NEMA Rated Battery Boxes


Separate two-battery NEMA boxes for solar applications.



Technical Specifications

Harrier+ Chemical Injection Controllers

Operating Mode	Inputs
Time (ON/OFF)	Pump cycle counter for FLOW mode
Cycle (ON cycles & OFF time)	Battery voltage monitor
Flow (Adaptive Flow Control)	Auxiliary RUN enable/disable
Analog Flow (based on 4-20 mA input)	Alarm input switch #1 (configurable: normally open or closed)
	Alarm input switch #2 (configurable: normally open or closed)
	Pressure transducer (6,000 psi)
	Analog in 4-20 mA to control injection rate
	Temperature
	Tank level monitor
Tank Level Monitor	Outputs
Real time monitor	Analog out (configuration: 4-20 mA or 0-10 VDC)
Any tank shape	Pump control (AC or DC)
Customizable alarms and notifications	
Multiple tanks	Communications
Flow accuracy and verification	Cellular
Displays	Modem types: GSM USA, CDMA, GSM Global
Current volume	Remote operation and rate adjustment
Maximum volume	Historical charts (pumping rate/day, battery voltage, fluid pressure, monthly report, tank level)
Membrane Material	Configurable email notifications, alarms and maintenance reminders
Electric Ratings	SCADA
Durable solid state switching	Modbus communication
Voltage input	
9 to 26 VDC	
100 to 240 VAC (50/60 Hz)	
Pump output	
25 amps DC	
5 amps @ 120 VAC	
3 amps @ 240 VAC	



Ordering Information

DC Operated Harrier+ Controller

Kit No.	Description
B32627	Harrier+ Controller, DC Power, Cellular – USA only
B32629	Harrier+ Controller, DC Power, Cellular – Global (<i>limited use in USA</i>)
B32631	Harrier+ Controller, DC Power, SCADA via Modbus
B32643	Harrier+ Controller, DC Power, CDMA

AC Operated Harrier+ Controller

Kit No.	Description
B32628	Harrier+ Controller, AC Power, Cellular – USA only
B32630	Harrier+ Controller, AC Power, Cellular – Global (<i>limited use in USA</i>)
B32632	Harrier+ Controller, AC Power, SCADA via Modbus
B32644	Harrier+ Controller, AC Power, CDMA

Tank Level Monitor Parts and Kits

Kit No.	Description
B32771	Tank Level Kit (includes 14 ft. wire harness and sensor)
B32773	Tank Level Wire Harness Kit (14 ft. long)
B32868	Tank Level Wire Harness Kit (28 ft. long)
B32849	Tank Level Sensor Only Kit

Accessories

Kit No.	Description
B32699	Harrier+ High Gain Antenna



ABOUT GRACO

PROVEN QUALITY. LEADING TECHNOLOGY.

Founded in 1926, Graco is a world leader in fluid handling systems and components. Graco products move, measure, control, dispense and apply a wide range of fluids and viscous materials used in vehicle lubrication, commercial and industrial settings.

The company's success is based on its unwavering commitment to technical excellence, world-class manufacturing and unparalleled customer service. Working closely with qualified distributors, Graco offers systems, products and technology that set the quality standard in a wide range of fluid handling solutions. Graco provides equipment for spray finishing, protective coating, paint circulation, lubrication, and dispensing sealants and adhesives, along with power application equipment for the contractor industry. Graco's ongoing investment in fluid management and control will continue to provide innovative solutions to a diverse global market.

GRACO LOCATIONS

MAILING ADDRESS

P.O. Box 1441
Minneapolis, MN 55440-1441
Tel: 612-623-6000
Fax: 612-623-6777

AMERICAS

MINNESOTA

Worldwide Headquarters
Graco Inc.
88 -11th Avenue N.E.
Minneapolis, MN 55413

EUROPE

BELGIUM

European Headquarters
Graco N.V.
Industrieterrein-Oude Bunders
Slakweidestraat 31
3630 Maasmechelen,
Belgium
Tel: 32 89 770 700
Fax: 32 89 770 777

ASIA PACIFIC

AUSTRALIA

Graco Australia Pty Ltd.
Suite 17, 2 Enterprise Drive
Bundoora, Victoria 3083
Australia
Tel: 61 3 9467 8558
Fax: 61 3 9467 8559

CHINA

Graco Hong Kong Ltd.
Shanghai Representative Office
Building 7
1029 Zhongshan Road South
Huangpu District
Shanghai, 200011
The People's Republic of China
Tel: 86 21 649 50088
Fax: 86 21 649 50077

INDIA

Graco India Pvt Ltd
Plot No 295, Udyog Vihar Phase-IV
Gurugram - 122015 (Haryana)
India
Tel: 91 124 661 0200
Fax: 91 124 661 0201

JAPAN

Graco K.K.
1-27-12 Hayabuchi
Tsuzuki-ku
Yokohama City, Japan 2240025
Tel: 81 45 593 7300
Fax: 81 45 593 7301

KOREA

Graco Korea Inc.
4th Floor, Shinhan Bank Building
278 Simin-Daero, Dongan-gu
Anyang-si, Gyeonggi-do 14066
South Korea
Phone: +82 31-476-9400
Fax: +82 31-476-9801

SALES/ DISTRIBUTION/ SERVICE

Call today for product information or to request a demonstration.

866.552.1868, email oilandgas@graco.com or visit us at www.graco.com/ong.

Graco Inc. is registered to I.S. EN ISO 9001

North America
Customer Service
866-552-1868