

Hydraulic-Operated Bulk Oil Transfer Packages

309352B

EN

For dispensing non-corrosive and non-abrasive oils and lubricants only. For professional use only.

Not approved for use in European explosive atmosphere locations.

Model Number 244632

1:1 Dyna-Star® Wall Mount

*1500 psi (1.2 MPa, 12 bar) Maximum Air Inlet Pressure
1500 psi (3.7 MPa, 37 bar) Maximum Fluid Working Pressure*

Model Number 244633

1/4:1 Dyna-Star Wall Mount

*1500 psi (1.2 MPa, 12 bar) Maximum Air Inlet Pressure
375 psi (3.7 MPa, 37 bar) Maximum Fluid Working Pressure*

Model Number 244634


1:1 Power-star™ Wall Mount

*1500 psi (1.2 MPa, 12 bar) Maximum Air Inlet Pressure
1500 psi (3.7 MPa, 37 bar) Maximum Fluid Working Pressure*

Model Number 244678

1:1 Dyna-Star 55 Gal. Bung Mount

*1500 psi (1.2 MPa, 12 bar) Maximum Air Inlet Pressure
1500 psi (3.7 MPa, 37 bar) Maximum Fluid Working Pressure*




Important Safety Instructions

For complete warnings refer to the Operating and/or Repair manual Dyna-Star Hydraulic Reciprocator and Pump, Dyna-Star 1/4:1 Ratio Universal Pump and Reciprocator, and Power-Star.

Related Manuals

Manual in English	Description
308155	Dyna-Star Hydraulic Reciprocator and Pump
308390	Dyna-Star 1/4:1 Ratio Universal Pump and Reciprocator
308391	Power-Star

Parts



1 Model 244678 installs onto a 55 gallon drum using bung adapter (6)

- Model No. 244632 (includes 1 - 5, 7)**
- Model No. 244633 (includes items 1 - 5, 7)**
- Model No. 244634 (includes items 1 - 5, 7)**
- Model No. 244678 (includes items 1 - 4, 6 - 7)**

Ref. Part	Description	Qty.	Ref. Part	Description	Qty.
1	224741 PUMP, 1:1 Dyna-Star (used on model 244632; see manual 308155)	1	220591	HOSE, fluid; 1/2: ID; 1/2 in. npt(mbe) 1 x 6 ft. (used on model 244678)	1
	236753 PUMP, 1/4:1 Dyna-Star (used on model 244633; see manual 308390)	1	3	108458 VALVE, fluid shutoff; 1/2 in, npt(fbe)	1
	236754 PUMP, 1:1 Powerstar (used on model 244634; see manual 308391)	1	4	236864 CONTROLS, hydraulic fluid, (used on models 244632, 244633, and 244678; see manual 308395)	1
	224742 PUMP, 1:1 Dyna-Star (used on model 2446678; see manual 308155)	1	5	203987 BRACKET, wall mounting (used on model 244632)	1
2	220598 HOSE, fluid; 1/2: ID; 1/2 in. npt(mbe) 1 x 18 in. (used on models 244632, 244633, and 244634)	1		236778 BRACKET, wall mounting (used on models 244633 and 244634; see manual 308394)	1
			6	222308 ADAPTER, bung (used on model 244678)	1
			7	156684 ADAPTER, swivel, straight; 1/2 in. npt(m) x 1/2 in. npsm(f)	1

Recycling and Disposal

End of Product Life

At the end of the product's useful life, dismantle and recycle it in a responsible manner.

- Perform the Pressure Relief Procedure in your pump manual.
- Drain and dispose of fluids according to applicable regulations. Refer to the material manufacturer's Safety Data Sheet.
- Deliver remaining product to a recycling facility.

Technical Specifications

The system maximum air and fluid working pressure ratings are on the cover. See the separate Technical Data/Technical Specifications section in the pump and motor instruction manuals that came with your pump/motor.

Wetted Parts	
Pump	See separate pump instruction manuals
Output fitting, hose, valve	Steel, brass, rubber

California Proposition 65

CALIFORNIA RESIDENTS

 **WARNING:** Cancer and reproductive harm – www.P65warnings.ca.gov.

Graco Standard Warranty

Graco warrants all equipment referenced in this document which is manufactured by Graco and bearing its name to be free from defects in material and workmanship on the date of sale to the original purchaser for use. With the exception of any special, extended, or limited warranty published by Graco, Graco will, for a period of twelve months from the date of sale, repair or replace any part of the equipment determined by Graco to be defective. This warranty applies only when the equipment is installed, operated and maintained in accordance with Graco's written recommendations.

This warranty does not cover, and Graco shall not be liable for general wear and tear, or any malfunction, damage or wear caused by faulty installation, misapplication, abrasion, corrosion, inadequate or improper maintenance, negligence, accident, tampering, or substitution of non-Graco component parts. Nor shall Graco be liable for malfunction, damage or wear caused by the incompatibility of Graco equipment with structures, accessories, equipment or materials not supplied by Graco, or the improper design, manufacture, installation, operation or maintenance of structures, accessories, equipment or materials not supplied by Graco.

This warranty is conditioned upon the prepaid return of the equipment claimed to be defective to an authorized Graco distributor for verification of the claimed defect. If the claimed defect is verified, Graco will repair or replace free of charge any defective parts. The equipment will be returned to the original purchaser transportation prepaid. If inspection of the equipment does not disclose any defect in material or workmanship, repairs will be made at a reasonable charge, which charges may include the costs of parts, labor, and transportation.

THIS WARRANTY IS EXCLUSIVE, AND IS IN LIEU OF ANY OTHER WARRANTIES, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO WARRANTY OF MERCHANTABILITY OR WARRANTY OF FITNESS FOR A PARTICULAR PURPOSE.

Graco's sole obligation and buyer's sole remedy for any breach of warranty shall be as set forth above. The buyer agrees that no other remedy (including, but not limited to, incidental or consequential damages for lost profits, lost sales, injury to person or property, or any other incidental or consequential loss) shall be available. Any action for breach of warranty must be brought within two (2) years of the date of sale.

GRACO MAKES NO WARRANTY, AND DISCLAIMS ALL IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE, IN CONNECTION WITH ACCESSORIES, EQUIPMENT, MATERIALS OR COMPONENTS SOLD BUT NOT MANUFACTURED BY GRACO. These items sold, but not manufactured by Graco (such as electric motors, switches, hose, etc.), are subject to the warranty, if any, of their manufacturer. Graco will provide purchaser with reasonable assistance in making any claim for breach of these warranties.

In no event will Graco be liable for indirect, incidental, special or consequential damages resulting from Graco supplying equipment hereunder, or the furnishing, performance, or use of any products or other goods sold hereto, whether due to a breach of contract, breach of warranty, the negligence of Graco, or otherwise.

FOR GRACO CANADA CUSTOMERS

The Parties acknowledge that they have required that the present document, as well as all documents, notices and legal proceedings entered into, given or instituted pursuant hereto or relating directly or indirectly hereto, be drawn up in English. Les parties reconnaissent avoir convenu que la rédaction du présente document sera en Anglais, ainsi que tous documents, avis et procédures judiciaires exécutés, donnés ou intentés, à la suite de ou en rapport, directement ou indirectement, avec les procédures concernées.

Graco Information

For the latest information about Graco products, visit www.graco.com.

For patent information, see www.graco.com/patents.

TO PLACE AN ORDER, contact your Graco distributor or call to identify the nearest distributor.

Phone: 612-623-6928 **or Toll Free:** 1-800-533-9655, **Fax:** 612-378-3590

*All written and visual data contained in this document reflects the latest product information available at the time of publication.
Graco reserves the right to make changes at any time without notice.*

Original instructions. This manual contains English. MM 309352

Graco Headquarters: Minneapolis

International Offices: Belgium, China, Japan, Korea

GRACO INC. AND SUBSIDIARIES • P.O. BOX 1441 • MINNEAPOLIS MN 55440-1441 • USA
Copyright 2001, Graco Inc. All Graco manufacturing locations are registered to ISO 9001.

www.graco.com
Revision B, December 2021