Safety Data Sheet



This Data Sheet contains important information. READ AND KEEP FOR REFERENCE.



For Chemical Emergency

Spill, Leak, Fire, Exposure, or Accident

Call CHEMTREC Day or Night

Within USA and Canada: 1-800-424-9300

Outside USA and Canada: 1-703-741-5970

308207 Rev. D Date: 2016-Aug

1.0 PRODUCT AND COMPANY IDENTIFICATION

Supplier:

Graco Inc. P.O. Box 1441 88 11th Ave. NE Minneapolis, MN 55440–1441

Contact: www.graco.com

Product Name: Antisieze, Fel-Pro N-5000

Part Number(s): 073028

Use: 109502

2. HAZARDS IDENTIFICATION

EMERGENCY OVERVIEW		
WARNING:	CAUSES SKIN IRRITATION.	
	MAY CAUSE AN ALLERGIC SKIN REACTION.	
	CAUSES SERIOUS EYE IRRITATION.	
	MAY CAUSE RESPIRATORY IRRITATION.	
	SUSPECTED OF CAUSING CANCER.	

HAZARD CLASS	HAZARD CATEGORY
SKIN IRRITATION	2
EYE IRRITATION	2A
SKIN SENSITIZATION	1
CARCINOGENICITY	2
SPECIFIC TARGET ORGAN TOXICITY - SINGLE EXPOSURE	3

GRACO INC. P.O. BOX 1441 MINNEAPOLIS, MN 55440–1441 ©COPYRIGHT 1997, GRACO INC .Graco Inc. is registered to I.S. ISO 9001 308207 Page 1 of 8

PICTOGRAM(S	5)
-------------	----



Precautionary Statements

Prevention: Response:	Obtain special instructions before use. Do not handle until all safety precautions have been read and understood. Avoid breathing vapors, mist, or spray. Wash thoroughly after handling. Use only outdoors or in a well-ventilated area. Contaminated work clothing should not be allowed out of the workplace. Wear eye and face protection. Wear protective gloves. Use personal protective equipment as required. IF ON SKIN: Wash with plenty of soap and water. IF INHALED: Remove person to fresh air and keep comfortable for breathing
Character	air and keep comfortable for breathing. IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to remove. Continue rinsing. IF exposed or concerned: Get medical attention. If skin irritation or rash occurs: Get medical attention. If eye irritation persists: Get medical attention. Take off contaminated clothing.
Storage:	Store in a well-ventilated place. Keep container tightly closed. Store locked up.
Disposal:	Dispose of contents and/or container according to Federal, State/Provincial and local governmental regulations.
IDH number: 234284	Product name: LOCTITE LB N-5000 HIGH PERFORMANCE ANTI-SIEZE known as N-5000 High Purity Anti-Seize

Classification complies with OSHA Hazard Communication Standard (29 CFR 1910.1200) and is consistent with the provisions of the United Nations Globally Harmonized System of Classification and Labeling of Chemicals (GHS).

See Section 11 for additional toxicological information.

3. COMPOSITION / INFORMATION ON INGREDIENTS

Hazardous Component(s)	CAS Number	Percentage*	
White Mineral Oil	Unknown	30 - 60	
Graphite	7782-42-5	10 - 30	
Nickel	7440-02-0	10 - 30	
Rheological additive	Unknown	1 - 5	
Butyl hydroxytoluene	128-37-0	0.1 - 1	
Octadecanoic acid	57-11-4	0.1 - 1	

* Exact percentage is a trade secret. Concentration range is provided to assist users in providing appropriate protections.

GRACO INC. P.O. BOX 1441 MINNEAPOLIS, MN 55440-1441

©COPYRIGHT 1997, GRACO INC. Graco Inc. is registered to I.S. EN ISO 9001

308207 Page 2 of 8

4. FIRST AID MEASURES

Inhalation	Move to fresh air. If symptoms develop and persist, get medical attention.
Skin contact:	Remove contaminated clothing and footwear. Immediately flush skin with plenty of water (using soap, if available). If symptoms develop and persist, get medical attention. Wash clothing before reuse.
Eye contact:	Immediately flush eyes with plenty of water for at least 15 minutes. Get medical attention.
Ingestion:	Aspiration may cause pulmonary edema and pneumonitis. Get medical attention. Do not induce vomiting.
Symptoms:	See Section 11.
Notes to physician:	Aspiration may cause pulmonary edema or aspiration pneumonia.

5. FIRE FIGHTING MEASURES

Extinguishing media:	Foam, extinguishing powder, carbon dioxide.
Special firefighting procedures:	Wear self-contained breathing apparatus and full protective clothing, such as turn-out gear. In case of fire, keep containers cool with water spray.
Unusual fire or explosion hazards:	None
Hazardous combustion products:	Oxides of carbon. Oxides of nickel. Oxides of aluminum. Metal vapors.

6. ACCIDENTAL RELEASE MEASURES

Use personal protection recommended in Section 8, isolate the hazard area and deny entry to unnecessary and unprotected personnel.

Environmental precautions: Do not allow product to enter sewer or waterways.

Clean-up methods: Scrape up as much material as possible. Store in a partly filled, closed container until disposal. Refer to Section 8 "Exposure Controls / Personal Protection" prior to clean up

IDH number: 234284 Product name: LOCTITE LB N-5000 HIGH PERFORMANCE ANTI-SIEZE known as N-5000 High Purity Anti-Seize

GRACO INC. P.O. BOX 1441 MINNEAPOLIS, MN 55440-1441

©COPYRIGHT 1997, GRACO INC. Graco Inc. is registered to I.S. EN ISO 9001 **308207** Page 3 of 8

7. HANDLING AND STORAGE

Handling:Use only with adequate ventilation. Prevent contact with eyes, skin and clothing. Do
not breathe vapor and mist. Wash thoroughly after handling. Keep container closed.Storage:Keep in a cool, well ventilated area away from heat, sparks and open flame. Keep

container tightly closed until ready for use.

8. EXPOSURE CONTROLS / PERSONAL PROTECTION

Employers should complete an assessment of all workplaces to determine the need for, and selection of, proper exposure controls and protective equipment for each task performed.

Hazardous Component(s)	ACGIH TLV	OSHA PEL	AIHA WEEL	OTHER
White Mineral Oil	5 mg/m3 TWA mist 10 mg/m3 STEL mist	5 mg/m3 TVVA mist	None	None
Graphite	2 mg/m3 TWA Respirable frac- tion.	5 mg/m3 PEL Respirable frac- tion. 15 mg/m3 PEL To- tal dust. 15 MPPCF TWA	None	None
Nickel	1.5 mg/m3 TWA Inhalable fraction.	1 mg/m3 PEL (as Ni)	None	None
Rheological additive	None	None	None	None
Butyl hydroxytoluene	2 mg/m3 TWA In- halable fraction and vapor.	None	None	None
Octadecanoic acid	10 mg/m3 TWA	None	None	None

Engineering controls:	Use positive down-draft exhaust ventilation if general ventilation is insufficient to maintain vapor concentration below established exposure limits.
Respiratory protection:	Use NIOSH approved respirator if there is potential to exceed exposure limit(s). Observe OSHA regulations for respirator use (29 CFR 1910.134).
Eye/face protection:	Safety goggles or safety glasses with side shields. Safety showers and eye wash stations should be available.
Skin protection:	Neoprene or oil resistant gloves.

GRACO INC. P.O. BOX 1441 MINNEAPOLIS, MN 55440-1441

©COPYRIGHT 1997, GRACO INC.

Graco Inc. is registered to I.S. EN ISO 9001

308207 Page 4 of 8

9. PHYSICAL AND CHEMICAL PROPERTIES

- Physical state: Color: Odor: Odor threshold: pH: Vapor pressure: Boiling point/range: Melting point/ range: Specific gravity: Vapor density: Flash point: Flammable/Exposive limits - lower: Flammable/Exposive limits – upper: Autoignition temperature: Evaporation rate: Solubility in water: Partition coefficient (n-octanol/water): VOC content: Viscosity: Decomposition temperature:
- Paste Gray Petroleum Not available. Not available. < 5 mm hg (80°F (26.7°C)) Not available. Not available. 1.2 () GRP 1 Heavier than air. 218°C (424.4°F) Not available. Not available. Not available. Slower than butyl acetate. Negligibe Not available. Essentially Zero (Exempt Compounds) Not available Not available

10. STABILITY AND REACTIVITY

Stability:

Hazardous reactions:

Hazardous decomposition products :

Incompatible material:

Reactivity:

Conditions to avoid:

Stable under normal conditions of storage and use

Will not occur.

Oxides of carbon. Oxides of nickel. Oxides of aluminum. Metal oxide fumes.

Strong oxidizing agents.

Not available

Keep away from heat, ignition sources and incompatible materials.

GRACO INC. P.O. BOX 1441 MINNEAPOLIS, MN 55440–1441 ©COPYRIGHT 1997, GRACO IN. Graco Inc. is registered to I.S. EN ISO 9001 308207 Page 5 of 8

11. TOXICOLOGICAL INFORMATION

Relevant routes of exposure: Skin, Inhalation, Eyes, Ingestion

Potential Health Effects/Symptoms

Inhalation: Skin contact: Eye contact: Ingestion: May cause respiratory tract irritation. Causes skin irritation. May cause allergic skin reaction. Causes serious eye irritation. Ingestion may cause gastrointestinal irritation, nausea, vomiting and diarrhea.

Hazardous Component(s)	LD50s and LC50s	d LC50s Immediate and Delayed Health Effects	
White Mineral Oil	None	Irritant	
Graphite	None	Lung	
Nickel	None	Allergen, Carcinogen, Irritant, Kidney, Mutagen, Reproductive, Respiratory	
Rheological additive	None	No Data	
Butyl hydroxytoluene	Oral LD50 (RAT) = 890 mg/kg	Irritant, Mutagen	
Octadecanoic acid	Oral LD50 (RAT) = 4.6 g/kg	Irritant	

GRACO INC. P.O. BOX 1441 MINNEAPOLIS, MN 55440–1441 ©COPYRIGHT 1997, GRACO IN. Graco Inc. is registered to I.S. EN ISO 9001 308207 Page 6 of 8

Hazardous Component(s)	NTP Carcinogen	IARC Carcinogen	OSHA Carcinogen (Specifically Regulated)
White Mineral Oil	No	No	No
Graphite	No	No	No
Nickel	No	No	No
Rheological additive	No	No	No
Butyl hydroxytoluene	No	No	No
Octadecanoic acid	No	No	No

12. ECOLOGICAL INFORMATION

Ecological information:

Not available.

13. DISOPSAL CONSIDERATIONS

Information provided is for unused product only.

Recommended method of disposal: Follow all local, state, federal and provincial regulations for disposal.

Hazardous waste number:

Not a RCRA hazardous waste.

14. TRANSPORT INFORMATION

The transport information provided in this section only applies to the material/formulation itself, and is not specific to any package/configuration.

U.S. Department of Transportation Ground (Proper shipping name: Hazard class or division: Identification number: Packing group:	49 CFR) Not regulated None None None
International Air Transportation (ICAO/IATA) Proper shipping name: Hazard class or division: Identification number: Packing group:	Environmentally hazardous substance, liquid, n.o.s. 9 UN 3082 III
Water Transportation (IMO/IMDG) Proper shipping name: Hazard class or division: Identification number: Packing group:	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. 9 UN 3082 III

GRACO INC. P.O. BOX 1441 MINNEAPOLIS, MN 55440–1441 ©COPYRIGHT 1997, GRACO IN. Graco Inc. is registered to I.S. EN ISO 9001 308207 Page 7 of 8

15. REGULATORY INFORMATION

United States Regulatory Information

TSCA 8 (b) Inventory Status:	All components are listed or are exempt from listing on the Toxic Substances Control Act Inventory.
TSCA 12 (b) Export Notification:	None above reporting de minimis
CERCLA/SARA Section 302 EHS:	None above reporting de minimis
CERCLA/SARA Section 311/312:	Immediate Health, Delayed Health
CERCLA/SARA Section 313:	This product contains the following toxic chemicals subject to the reporting requirements of section 313 of the Emergency Planning and Community Right-To-Know Act of 1986 (40 CFR 372). Nickel (CAS# 7440-02-0).
CERCLA Reportable quantity:	Nickel (CAS# 7440-02-0) 100 lbs. (45.4 kg)
California Proposition 65:	This product contains a chemical known in the State of California to cause cancer.
Canada Regulatory Information	
CEPA DSL/NDSL Status:	All components are listed on or are exempt from listing on the Canadian Domestic Substances List

16. OTHER INFORMATION

Prepared By	Graco, Inc.

This Material Safety Data Sheet and the information it contains is offered to you in good faith as accurate. We have reviewed any information contained in this data sheet which we have received from sources outside our company. We believe that information to be correct, but cannot guarantee its accuracy or completeness. Health and safety precautions in this Data Sheet may not be adequate for all individuals and/or situations. It is the users' obligation to evaluate and use this product safely and to comply with all applicable laws and regulations. No statement made in this data sheet shall be construed as a permission or recommendation for the use of any product in a manner that might infringe existing patents. No warranty is made, either express or implied.

All written and visual data contained in this document reflects the latest product information available at the time of publication. Graco reserves the right to make changes at any time without notice.

Headquarters: Minneapolis International Offices: Belgium, Korea, Hong Kong, Japan GRACO INC. P.O. BOX 1441 MINNEAPOLIS, MN 55440–1441

www.graco.com