

Graco TSL

Graco (Graco Australia)

Chernwatch: 5196-69 Version No: 4.1.1.1 Safety Data Sheet according to WHS and ADG requirements

Issue Date: 27/01/2017 Print Date: 27/01/2017 S.GHS.AUS.EN

SECTION 1 IDENTIFICATION OF THE SUBSTANCE / MIXTURE AND OF THE COMPANY / UNDERTAKING

Product Identifier

Product name	Graco TSL
Synonyms	Part Number: 238049, 206994, 206995, 206996, 206997, 206998, 24C822, 24C823, CAN994, 17C436
Other means of identification	Not Available

Relevant identified uses of the substance or mixture and uses advised against

Relevant identified	Specialty lubricant.
uses	Specially lubicant.

Details of the supplier of the safety data sheet

Registered company name	Graco (Graco Australia)		
Address	Suite 17, 2 Enterprise Drive Bundoora VIC 3083 Australia		
Telephone	+61 3 9468 8500		
Fax	+61 3 9468 8599		
Website	Not Available		
Email	Not Available		

Emergency telephone number

Association / Organisation	Not Available
Emergency telephone numbers	+61 3 9468 8500 (Mon-Fri 8am-18pm),+61 467 836 080 (After Hours)
Other emergency telephone numbers	Not Available

SECTION 2 HAZARDS IDENTIFICATION

Classification of the substance or mixture

NON-HAZARDOUS CHEMICAL. NON-DANGEROUS GOODS. According to the WHS Regulations and the ADG Code.

Poisons Schedule	Not Applicable
Classification	Not Applicable
Label elements	
GHS label elements	Not Applicable
SIGNAL WORD	NOT APPLICABLE

Hazard statement(s)

Not Applicable

Precautionary statement(s) Prevention

Not Applicable

Precautionary statement(s) Response

Not Applicable

Precautionary statement(s) Storage

Not Applicable

Precautionary statement(s) Disposal

Not Applicable

SECTION 3 COMPOSITION / INFORMATION ON INGREDIENTS

Substances

See section below for composition of Mixtures

Mixtures

CAS No	%[weight]	Name
53306-54-0	80-100	bis(2-propylheptyl)phthalate
Not Available	<20	Ingredients determined not to be hazardous

SECTION 4 FIRST AID MEASURES

Description of first aid measures

Eye Contact	 If this product comes in contact with the eyes: Wash out immediately with fresh running water. Ensure complete irrigation of the eye by keeping eyelids apart and away from eye and moving the eyelids by occasionally lifting the upper and lower lids. Seek medical attention without delay; if pain persists or recurs seek medical attention. Removal of contact lenses after an eye injury should only be undertaken by skilled personnel.
Skin Contact	If skin or hair contact occurs: ► Flush skin and hair with running water (and soap if available). ► Seek medical attention in event of irritation.
Inhalation	 If fumes, aerosols or combustion products are inhaled remove from contaminated area. Other measures are usually unnecessary.
Ingestion	 If swallowed do NOT induce vomiting. If vomiting occurs, lean patient forward or place on left side (head-down position, if possible) to maintain open airway and prevent aspiration. Observe the patient carefully. Never give liquid to a person showing signs of being sleepy or with reduced awareness; i.e. becoming unconscious. Give water to rinse out mouth, then provide liquid slowly and as much as casualty can comfortably drink. Seek medical advice.

Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

SECTION 5 FIREFIGHTING MEASURES

Extinguishing media

- ▸ Foam.
- Dry chemical powder.
- BCF (where regulations permit).
- Carbon dioxide.
- Water spray or fog Large fires only.

Special hazards arising from the substrate or mixture

Fire Incompatibility

 Avoid contamination with oxidising agents i.e. nitrates, oxidising acids, chlorine bleaches, pool chlorine etc. as ignition may result

Chemwatch: 5196-69	Page 3 of 8	Issue Date: 27/01/2017
Version No: 4.1.1.1	Graco TSL	Print Date: 27/01/2017

	 Alert Fire Brigade and tell them location and nature of hazard. 			
Fire Fighting	 Wear breathing apparatus plus protective gloves. 			
	Prevent, by any means available, spillage from entering drains or water course.			
	Use water delivered as a fine spray to control fire and cool adjacent area.			
	Avoid spraying water onto liquid pools.			
	Do not approach containers suspected to be hot.			
	 Cool fire exposed containers with water spray from a protected location. 			
	► Combustible.			
	 Slight fire hazard when exposed to heat or flame. 			
	Heating may cause expansion or decomposition leading to violent rupture of containers.			
	On combustion, may emit toxic fumes of carbon monoxide (CO).			
	► May emit acrid smoke.			
	 Mists containing combustible materials may be explosive. 			
	Combustion products include:			
Fire/Explosion Hazard				
	carbon dioxide (CO2)			
	nitrogen oxides (NOx)			
	,			
	sulfur oxides (SOx)			
	other pyrolysis products typical of burning organic material.			

SECTION 6 ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures

See section 8

Environmental precautions

HAZCHEM

See section 12

Methods and material for containment and cleaning up

Not Applicable

Minor Spills	 Remove all ignition sources. Clean up all spills immediately. Avoid breathing vapours and contact with skin and eyes. Control personal contact with the substance, by using protective equipment. Contain and absorb spill with sand, earth, inert material or vermiculite. Wipe up. Place in a suitable, labelled container for waste disposal.
Major Spills	 Moderate hazard. Clear area of personnel and move upwind. Alert Fire Brigade and tell them location and nature of hazard. Wear breathing apparatus plus protective gloves. Prevent, by any means available, spillage from entering drains or water course. No smoking, naked lights or ignition sources. Increase ventilation.

Personal Protective Equipment advice is contained in Section 8 of the SDS.

SECTION 7 HANDLING AND STORAGE

Precautions for safe handling

Safe handling	 Remove all ignition sources. Limit all unnecessary personal contact. Wear protective clothing when risk of exposure occurs. Use in a well-ventilated area. When handling DO NOT eat, drink or smoke. Always wash hands with soap and water after handling. Avoid physical damage to containers. Use good occupational work practice.
Other information	 Store in original containers. Keep containers securely sealed. No smoking, naked lights or ignition sources. Store in a cool, dry, well-ventilated area. Store away from incompatible materials and foodstuff containers.

Chemwatch: 5196-69		Page 4 of 8		Issue Date: 27/01/2017
Version No: 4.1.1.1		Graco TSL		Print Date: 27/01/2017
	Protect containers against physical damage and check regularly for leaks.			
	 Observe manufacturer's storage and handling recommendations contained within this SDS. 			

Conditions for safe storage, including any incompatibilities

Suitable container	 Metal can or drum Packaging as recommended by manufacturer. Check all containers are clearly labelled and free from leaks.
Storage incompatibility	 Avoid storage with oxidisers Avoid strong acids, acid chlorides, acid anhydrides and chloroformates.

SECTION 8 EXPOSURE CONTROLS / PERSONAL PROTECTION

Control parameters

OCCUPATIONAL EXPOSURE LIMITS (OEL)

INGREDIENT DATA

Not Available

EMERGENCY LIMITS

Ingredient	Material name	TEEL-1	TEEL-2	TEEL-3
Graco TSL	Not Available	Not Available	Not Available	Not Available
Ingredient	Original IDLH		Revised IDLH	
bis(2- propylheptyl)phthalate	Not Available		Not Available	
Ingredients determined not to be hazardous	Not Available		Not Available	

Exposure controls

Appropriate engineering controls	General exhaust is adequate under normal operating conditions.
Personal protection	
Eye and face protection	 Safety glasses with side shields; or as required, Chemical goggles. Contact lenses may pose a special hazard; soft contact lenses may absorb and concentrate irritants. A written policy document, describing the wearing of lenses or restrictions on use, should be created for each workplace or task. This should include a review of lens absorption and adsorption for the class of chemicals in use and an account of injury experience. Medical and first-aid personnel should be trained in their removal and suitable equipment should be readily available. In the event of chemical exposure, begin eye irrigation immediately and remove contact lens as soon as practicable. Lens should be removed at the first signs of eye redness or irritation - lens should be removed in a clean environment only after workers have washed hands thoroughly.
Skin protection	See Hand protection below
Hands/feet protection	 Wear chemical protective gloves, e.g. PVC. Wear safety footwear or safety gumboots, e.g. Rubber
Body protection	See Other protection below
Other protection	 Overalls. P.V.C. apron. Barrier cream. Skin cleansing cream. Eye wash unit.
Thermal hazards	Not Available

Respiratory protection

Type A-P Filter of sufficient capacity. (AS/NZS 1716 & 1715, EN 143:2000 & 149:2001, ANSI Z88 or national equivalent)

SECTION 9 PHYSICAL AND CHEMICAL PROPERTIES

Appearance	Clear, colourless liquid with mild, sweet odour; do	es not mix well with water.	
Physical state	Liquid	Relative density (Water = 1)	1.166
Odour	Not Available	Partition coefficient n-octanol / water	Not Available
Odour threshold	Not Available	Auto-ignition temperature (°C)	345
pH (as supplied)	Not Applicable	Decomposition temperature	Not Available
Melting point / freezing point (°C)	Not Available	Viscosity (cSt)	32 @ 40 C
Initial boiling point and boiling range (°C)	260	Molecular weight (g/mol)	Not Applicable
Flash point (°C)	240 (COC)	Taste	Not Available
Evaporation rate	Not Available	Explosive properties	Not Available
Flammability	Not Applicable	Oxidising properties	Not Available
Upper Explosive Limit (%)	Not Available	Surface Tension (dyn/cm or mN/m)	Not Available
Lower Explosive Limit (%)	Not Available	Volatile Component (%vol)	Negligible
Vapour pressure (kPa)	Negligible	Gas group	Not Available
Solubility in water (g/L)	Partly miscible	pH as a solution (1%)	Not Available
Vapour density (Air = 1)	Not Available	VOC g/L	Not Available

SECTION 10 STABILITY AND REACTIVITY

Reactivity	See section 7
Chemical stability	 Unstable in the presence of incompatible materials. Product is considered stable. Hazardous polymerisation will not occur.
Possibility of hazardous reactions	See section 7
Conditions to avoid	See section 7
Incompatible materials	See section 7
Hazardous decomposition products	See section 5

SECTION 11 TOXICOLOGICAL INFORMATION

Information on toxicological effects

Inhaled	The material is not thought to produce either adverse health effects or irritation of the respiratory tract following inhalation (as classified by EC Directives using animal models). Nevertheless, adverse systemic effects have been produced following exposure of animals by at least one other route and good hygiene practice requires that exposure be kept to a minimum and that suitable control measures be used in an occupational setting.
Ingestion	Accidental ingestion of the material may be damaging to the health of the individual. The toxicity of phthalates is not excessive due to slow oral absorption and metabolism. Absorption is affected by fat in the diet. Repeated doses can cause cumulative toxic effects, and symptoms include an enlarged liver which often reverses if exposure is maintained. Carbohydrate metabolism is disrupted, and cholesterol and triglyceride levels in the blood falls. In rats, there is also strong evidence of withering of the testicles. Some phthalates can increase the effects of antibiotics, thiamine (vitamin B1) and sulfonamides.
Skin Contact	The liquid may be miscible with fats or oils and may degrease the skin, producing a skin reaction described as non-allergic contact dermatitis. The material is unlikely to produce an irritant dermatitis as described in EC Directives . Open cuts, abraded or irritated skin should not be exposed to this material Entry into the blood-stream, through, for example, cuts, abrasions or lesions, may produce systemic injury with harmful effects. Examine the skin prior to the use of the material and ensure that any external damage is suitably protected.

Eye	Although the liquid is not thought to be an irritant (as classified by EC Directives), direct contact with the eye may produce transient discomfort characterised by tearing or conjunctival redness (as with windburn).
Chronic	Substance accumulation, in the human body, may occur and may cause some concern following repeated or long-term occupational exposure. There has been some concern that this material can cause cancer or mutations but there is not enough data to make an assessment. Based on experience with similar materials, there is a possibility that exposure to the material may reduce fertility in humans at levels which do not cause other toxic effects. Exposure to phthalates over years leads to pain, numbness and spasms in the hands and feet. Many people have developed multiple disorders in the nervous system and the balancing system.

	тохісіту	IRRITATION	
	Dermal (Rabbit) LD50: >5000 mg/kg ^[2]	Not Available	
Graco TSL	Inhalation (Rat) LC50: >20000 mg/m3/h ^[2]		
	Oral (Rat) LD50: >5000 mg/kg ^[2]		
	ΤΟΧΙΟΙΤΥ	IRRITATION	
bis(2- propylheptyl)phthalate	Dermal (rabbit) LD50: >2000 mg/kg ^[2]	Eye (rabbit): non-irritant *	
	Inhalation (rat) LC50: >20.5 mg/L/h ** ^[2]	Skin (rabbit): non-irritant *	
	Oral (rat) LD50: >2000 mg/kg ^[2]		
Legend:	 Value obtained from Europe ECHA Registered Substances - Acute toxicity 2.* Value obtained from manufacturer's SDS. Unless otherwise specified data extracted from RTECS - Register of Toxic Effect of chemical Substances 		

	for bis(2-propylheptyl)phthalate
	A substance thought to be comparable to bis(2-propylheptyl)phthalate is diisodecyl phthalate (syn: DIDP)
	Acute toxicity: Bis(2-propylheptyl)phthalate is of low acute oral, dermal and inhalation toxicity and is slightly irritating to
	eyes and skin. The result of the non-adjuvant skin sensitisation test provided for assessment was negative and
	additional information available in the EU report for DIDP indicates that the material has low sensitising potential.
	Repeat dose toxicity : Based on repeated dose studies using DIDP, the more complex analogue of the substance, the
	target organ in subacute and subchronic studies in rats is the liver, the effects observed being increased liver weight
	and changes in liver peroxisome proliferator enzyme activities. As the NOAELs derived are due to the latter, which is
	considered to be species-specific and of little relevance to humans, the NOAEL of 15 mg/kg/day from a 90-day dog
	study was used in the EU risk assessment. However, this study was considered to be of poor reliability. In the DIDP
BIS(2-	dietary study provided to NICNAS for assessment, the NOAEL was 39 mg/kg/day, based on liver effects and
PROPYLHEPTYL)PHTHALATE	hypertrophy of the follicular epithelium of the thyroid glands. The effects observed in the repeated dose toxicity tests
	do not justify classification with R48 according to the Approved criteria.
	High Molecular Weight Phthalate Esters (HMWPEs) Category
	The HMWPE group includes chemically similar substances produced from alcohols. These substances have been
	demonstrated to have few biological effects. They demonstrate minimal acute toxicity, with effect on the liver and
	kidney at high doses. They also cause reproductive and developmental toxicity, also, liver cancer. They are readily
	metabolised and excreted primarily via the urine. Repeated doses may cause liver and kidney damage, although the
	relevance to human health is questionable
	The material may produce peroxisome proliferation. Peroxisomes are single, membrane limited organelles in the
	cytoplasm that are found in the cells of animals, plants, fungi, and protozoa.
	* Orica Chemicals MSDS ** NICNAS Public Report

Acute Toxicity	×	Carcinogenicity	\odot
Skin Irritation/Corrosion	0	Reproductivity	0
Serious Eye Damage/Irritation	0	STOT - Single Exposure	0
Respiratory or Skin sensitisation	0	STOT - Repeated Exposure	0
Mutagenicity	0	Aspiration Hazard	0

Legend:

 \mathbf{X} – Data available but does not fill the criteria for classification

 \checkmark – Data required to make classification available

🛇 – Data Not Available to make classification

SECTION 12 ECOLOGICAL INFORMATION

Ingredient	Endpoint	Test Duration (hr)	Species	Value	Source
bis(2- propylheptyl)phthalate	LC50	96	Fish	0.002mg/L	3
bis(2- propylheptyl)phthalate	EC50	96	Algae or other aquatic plants	0.000247mg/L	3
Legend:	Extracted from 1. IUCLID Toxicity Data 2. Europe ECHA Registered Substances - Ecotoxicological Information - Aquatic Toxicity 3. EPIWIN Suite V3.12 - Aquatic Toxicity Data (Estimated) 4. US EPA, Ecotox database - Aquatic Toxicity Data 5. ECETOC Aquatic Hazard Assessment Data 6. NITE (Japan) - Bioconcentration Data 7. METI (Japan) - Bioconcentration Data 8. Vendor Data				

May cause long-term adverse effects in the environment.

On the basis of available evidence concerning either toxicity, persistence, potential to accumulate and or observed environmental fate and behaviour, the material may present a danger, immediate or long-term and /or delayed, to the structure and/ or functioning of natural ecosystems. **DO NOT** discharge into sewer or waterways.

|Fish: gt;100 mg/l|Invertebrates: gt;100 mg/l|Aquatic plants: gt;100 mg/l|Microorganism: gt;100 mg/l|This product is not expected to be readily biodegradable.

Persistence and degradability

Ingredient	Persistence: Water/Soil	Persistence: Air
bis(2- propylheptyl)phthalate	LOW	LOW

Bioaccumulative potential

Ingredient	Bioaccumulation
bis(2- propylheptyl)phthalate	LOW (LogKOW = 10.3562)

Mobility in soil

Ingredient	Mobility
bis(2- propylheptyl)phthalate	LOW (KOC = 1914000)

SECTION 13 DISPOSAL CONSIDERATIONS

Waste treatment methods

Product / Packaging	 Recycle wherever possible or consult manufacturer for recycling options. Consult State Land Waste Authority for disposal.
disposal	Bury or incinerate residue at an approved site.
	Recycle containers if possible, or dispose of in an authorised landfill.

SECTION 14 TRANSPORT INFORMATION

Labels Required

Marine Pollutant	NO
HAZCHEM	Not Applicable

Land transport (ADG): NOT REGULATED FOR TRANSPORT OF DANGEROUS GOODS

Air transport (ICAO-IATA / DGR): NOT REGULATED FOR TRANSPORT OF DANGEROUS GOODS

Sea transport (IMDG-Code / GGVSee): NOT REGULATED FOR TRANSPORT OF DANGEROUS GOODS

Transport in bulk according to Annex II of MARPOL and the IBC code

Not Applicable

SECTION 15 REGULATORY INFORMATION

Safety, health and environmental regulations / legislation specific for the substance or mixture

BIS(2-PROPYLHEPTYL)PHTHALATE(53306-54-0) IS FOUND ON THE FOLLOWING REGULATORY LISTS

Australia Inventory of Chemical Substances (AICS)

National Inventory	Status
Australia - AICS	Y
Canada - DSL	Y
Canada - NDSL	N (bis(2-propylheptyl)phthalate)
China - IECSC	Y
Europe - EINEC / ELINCS / NLP	Y
Japan - ENCS	N (bis(2-propylheptyl)phthalate)
Korea - KECI	Y
New Zealand - NZIoC	Y
Philippines - PICCS	Y
USA - TSCA	Y
Legend:	Y = All ingredients are on the inventory N = Not determined or one or more ingredients are not on the inventory and are not exempt from listing(see specific ingredients in brackets)

SECTION 16 OTHER INFORMATION

Other information

Classification of the preparation and its individual components has drawn on official and authoritative sources as well as independent review by the Chemwatch Classification committee using available literature references.

A list of reference resources used to assist the committee may be found at:

www.chemwatch.net

The SDS is a Hazard Communication tool and should be used to assist in the Risk Assessment. Many factors determine whether the reported Hazards are Risks in the workplace or other settings. Risks may be determined by reference to Exposures Scenarios. Scale of use, frequency of use and current or available engineering controls must be considered.

This document is copyright.

Apart from any fair dealing for the purposes of private study, research, review or criticism, as permitted under the Copyright Act, no part may be reproduced by any process without written permission from CHEMWATCH. TEL (+61 3) 9572 4700.