



Prepared according to Global Harmonized System (GHS) standards

SECTION 1 CHEMICAL PRODUCT IDENTIFICATION

Graco Inc.
88 11th Avenue Northeast
Minneapolis, Minnesota 55413

Product Trade Name: **Graco Fusion Quick Grease**

CAS Number: Mixture
Synonyms/Other: N/A
Part Number(s): 117773, 245913, 248280
Recommended Use: Grease
Restrictions on Use: Not Determined
Created Date: 15-MAY-2015
Preparation/Revision Date: 04-JUNE-2020
Emergency Phone Number: 1-800-424-9300 (CHEMTREC)

SECTION 2 HAZARD IDENTIFICATION

Appearance: Off-White, Smooth
Odor: None
Classification: This material is not considered to be hazardous according to the Globally Harmonized System of Classification and Labelling Chemicals (GHS), Third Revised Edition.
Target Organs: Not applicable.
Pictogram(s): None required.
Signal Word: None required.
Hazard Statement: Not required.
Other Hazards: Not determined.
Prevention: None required.
Response: None required.
Storage Procedures: None required.
Disposal: None required.
Other: See section 11 for complete health hazard information.

SECTION 3 COMPOSITION OF INGREDIENTS

| Component | CAS Number | Percentage (by weight) |
|-------------------------------|------------|------------------------|
| White Mineral Oil (petroleum) | 8042-47-5 | e 75 - < 90 |
| zinc oxide | 1314-13-2 | e 5 - < 10 |

The balance of components do not contribute to the overall classification of the fluid, according to the GHS Standard.

SECTION 4 FIRST AID MEASURES

Eye Contact: If irritation occurs, cautiously rinse eyes with lukewarm, gently flowing water for 5 minutes, while holding the eyelids open. If eye irritation persists: Get medical
Skin Contact: Call a doctor if you feel unwell.



Inhalation: Get medical advice or attention if you feel unwell or are concerned.
Ingestion: If you feel unwell or concerned: Get medical advice/attention. Rinse mouth. Do NOT induce vomiting. If vomiting occurs naturally, lie on your side, in the recovery position.
Other: No additional information

SECTION 5

FIREFIGHTING MEASURES

Flash Point: 245°C by Cleveland Open Cup Tester.
Flammable limits: Not determined.
Extinguishing media: Use dry chemical, alcohol foam, all purpose AFFF or carbon dioxide to extinguish fire.
Special firefighting procedures: DO NOT direct a solid stream of water or foam into hot, burning pools of liquid since this may cause frothing and increase fire intensity. Frothing can be violent and possibly endanger any firefighter standing too close to the burning liquid. Use water spray to cool fire exposed containers and structures until fire is out if it can be done with minimal risk. Avoid spreading burning material with water used for cooling purposes. Wear full firefighting turn-out gear (full Bunker gear), and respiratory protection (SCBA).
Unusual fire & explosion hazards: Dense smoke may be generated while burning. Toxic fumes, gases or vapors may evolve on burning. High temperatures may create heavy flammable vapors that may settle along ground level and low spots to create an invisible fire hazard.
Byproducts of combustion: Fires involving this product may release oxides of carbon, phosphorus, nitrogen and sulfur; reactive hydrocarbons and irritating vapors.
Autoignition temperature: Not determined.
Explosion data: Not determined. Care should always be exercised in dust/mist areas.
Other: Dispose of fire debris and contaminated extinguishing water in accordance with official regulations.

SECTION 6

ACCIDENTAL RELEASE MEASURES

Spill control procedures (land): Immediately turn off or isolate any source of ignition (pilot lights, electrical equipment, flames, heaters, etc.). Evacuate area and ventilate. Personnel wearing proper protective equipment should contain spill immediately with inert materials (sand, earth, chemical spill pads of cotton) by forming dikes. Dikes should be placed to contain spill in a manner that will prevent material from entering sewers and waterways. Large spill, once contained, may be picked up using explosion proof, non-sparking vacuum pumps, shovels, or buckets, and disposed of in suitable containers for disposal. If a large spill occurs notify appropriate authorities. In case of road spill or accident contact Chem-Trec (800-424-9300).
Spill control procedures (water): Try to contain large spills with floating booms to prevent spill from spreading. Remove from surface by skimming or with suitable adsorbents. If a large spill occurs notify appropriate authorities (normally the National Response Center or Coast Guard at 800-424-8802).
Waste disposal method: Do not empty into drains. All disposals must comply with federal, state, and local regulations. The material, if spilled or discarded may be a regulated waste. Refer to state and local regulations. Department of Transportation (DOT) regulations may apply for transporting this material when spilled. See Section 14.
Other: CAUTION - If spilled material is cleaned up using a regulated solvent, the resulting waste mixture will be regulated.



SECTION 7

HANDLING AND STORAGE

| | |
|--------------------------------|---|
| Handling procedures: | Keep containers closed when not in use. Do not transfer to unmarked containers. Empty containers retain product residue which may exhibit hazards of material, therefore do not pressurize, cut, glaze, weld, or use for any other purposes. Return drums to reclamation centers for proper cleaning and reuse. Handling temperatures should not exceed 60°C (140°F) to minimize danger of burns. Open containers carefully in a well ventilated area or use appropriate respiratory protection. Wash thoroughly after handling. |
| Storage procedures: | Store containers away from heat, sparks, open flame, or oxidizing materials. Extended storage at excessive temperatures may produce odorous and toxic fumes from product decomposition. |
| Additional information: | No additional information. |

SECTION 8

EXPOSURE CONTROLS/PERSONAL PROTECTION

| | |
|--------------------------------|--|
| Personal protection: | Applicable mainly to persons in repeated contact situations such as packaging of product, service/maintenance, and cleanup/spill control personnel. |
| Respiratory protection: | None required if ventilation is adequate. Otherwise a respiratory protection program meeting OSHA 1910.134 and ANSI Z88.2 requirements must be followed. Where misting may occur, wear an MSHA/NIOSH approved (or equivalent) half-mask form dust/mist air purifying respirator. |
| Eye protection: | Eye protection is strongly recommended. Wear safety glasses with side shields or vented/splash proof goggles (ANSI Z87.1 or approved equivalent). |
| Hand protection: | Impervious, chemically resistant gloves such as neoprene or nitrile rubber to avoid skin sensitization and absorption. |
| Other protection: | Use of an apron and overboots of chemically impervious materials such as neoprene or nitrile rubber is recommended based on level of activity and exposure. If handling hot material use insulated protective equipment. Launder soiled clothes. Properly dispose of contaminated leather articles and other materials which cannot be decontaminated. |
| Local control measures: | Use adequate ventilation when working with material in an enclosed area. Mechanical methods such as fume hoods or area fans may be used to reduce localized vapor/mist areas. If vapor or mist is generated when the material handled, adequate ventilation in accordance with good engineering practice must be provided to maintain concentrations below the specified exposure. Eyewash stations and showers should be available in areas where this material is used and stored. |
| Other: | Consumption of food and drink should be avoided in work areas where product is present. Always wash hands and face with soap and water before eating, drinking or smoking. |

SECTION 9

PHYSICAL AND CHEMICAL PROPERTIES

| | |
|--------------------------------|-------------------|
| Appearance: | Off-White, Smooth |
| Odor: | None |
| Odor threshold: | Not determined. |
| pH: | Not applicable. |
| Melting/Freezing point: | Not determined. |
| Initial boiling point: | Not determined. |
| Boiling range: | Not determined. |
| Flash point: | 245°C. |
| Evaporation rate: | Not determined. |
| Flammability: | Not determined. |
| Upper flammable limit: | Not determined. |



| | |
|-----------------------------------|---|
| Lower flammable limit: | Not determined. |
| Vapor pressure: | Not determined. |
| Vapor density: | Not determined. |
| Relative density: | 0.97 @ 15.6°C |
| Solubility: | Negligible in water, miscible in most petroleum solvents. |
| Partition Coefficient: | Not determined. |
| Auto-ignition temperature: | Not determined. |
| Decomposition temperature: | Not determined. |
| Viscosity: | Not determined. |
| Other | Not applicable. |

SECTION 10

STABILITY AND REACTIVITY

| | |
|--|--|
| Reactivity Chemical stability: | Material is chemically stable at room temperatures and pressure. |
| Hazardous polymerization: | Will not occur. |
| Conditions to avoid: | Avoid high temperatures and product contamination. |
| Incompatibility with other materials: | Avoid contact with acids and strong oxidizing materials. |
| Decomposition products: | Smoke, carbon monoxide, carbon dioxide, and other aldehydes of incomplete combustion. Oxides of carbon, nitrogen, and sulfur; reactive hydrocarbons and irritating vapors. |
| Other: | Not applicable. |

SECTION 11

TOXICOLOGICAL INFORMATION

Acute toxicity (LD50) *See note at the bottom of the section

| | |
|-----------------------------------|---|
| Oral: | >5000 mg/kg |
| Dermal: | >5000 mg/kg |
| Inhalation: | >20.0 mg/l |
| Skin irritation: | Non-irritant |
| Eye irritation: | Non-irritant |
| Dermal sensitization: | Not expected to have a sensitizing effect. |
| Respiratory sensitization: | Not expected to have a sensitizing effect. |
| Aspiration Hazard: | Not applicable |
| Chronic Toxicity | |
| Mutagenicity: | Not suspected of causing genetic defects |
| Carcinogenicity: | Not suspected of causing cancer. |
| Reproductive toxicity: | Not expected to have adverse effects on reproduction. |
| STOT-single exposure: | Not expected to have adverse effects. |
| STOT-repeated exposure: | Not expected to have long term adverse effects. |
| Other: | *All data in this section is based off calculations from Part 3 of the Globally Harmonized System of Classification and Labelling of Chemicals (GHS) utilizing information from the constituent components. |

SECTION 12

ECOLOGICAL INFORMATION

| | |
|-------------------------------|-------------|
| Environmental toxicity | |
| Fish: | > 100 mg/l. |
| Invertebrates: | > 100 mg/l. |
| Aquatic plants: | > 100 mg/l. |
| Microorganism: | > 100 mg/l. |



Persistence/Degradability: This product is not expected to be readily biodegradable.
Bioaccumulation: Not determined.
Mobility in soil: Not determined.
Other: All classifications are based on calculations in Part 4 of the Globally Harmonized System of Classification and Labelling of Chemicals (GHS) utilizing information from the constituent components.

SECTION 13

DISPOSAL CONSIDERATIONS

Waste disposal: This product unadulterated by other materials can be classified as a non-hazardous waste. Depending on use, used product may be regulated. Dispose of in a licensed facility. Do not discharge product in to sewer system. Dispose of containers by crushing or puncturing, so as to prevent unauthorized use of used containers. Waste management should be in full compliance with federal, state, and local laws.

Other The transportation, storage, treatment and disposal of RCRA waste material must be conducted in compliance with 40 CFR 262, 263, 264, 268 and 270. Chemical additions, processing or otherwise altering this material may make the waste management information presented in this SDS incomplete, inaccurate or otherwise inappropriate.

SECTION 14

TRANSPORT INFORMATION

Land Transport (DOT): Not Regulated.
Proper Shipping Name: Not Applicable.
Land Transport (TDG): Not Regulated.
Proper Shipping Name: Not Applicable.
Sea Transport (IMDG): UN 3077
Proper Shipping Name: ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S. (zinc oxide).
Air Transport (IATA): UN 3077
Proper Shipping Name: ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S. (zinc oxide)
Other: The marine pollutant mark is not required when transported in sizes of d5 L or d5 kg.

SECTION 15

REGULATORY INFORMATION

WHMIS: Not Controlled.
This product has been classified in accordance with hazard criteria of the Controlled Products Regulations and the (M)SDS contains all the information required by the Controlled Products Regulations.

Federal Regulation

Clean water act/oil: Not Determined.
TSCA: All components of this material are listed in the U.S. TSCA Inventory.
Other TSCA: Not applicable.
SARA title III: Section 302/304 extremely hazardous substances:
None.
Section 311, 312 hazard categorization:
Acute (immediate health effects): NO
Chronic (delayed health effects): NO
Fire (hazard): NO
Reactivity (hazard): NO
Pressure (sudden release hazard): NO



Section 313 toxic chemicals:
 zinc oxide - CAS # 1314-13-2 - 1.0-5.0%.

CERCLA:

For stationary/moving sources – reportable quantity (due to): Not hazardous due to the petroleum exclusion.

State Regulations

Right-to-know

Not determined.

Other:

A release of this product, as supplied, is exempt from reporting under the Comprehensive Environmental Response Compensation and Liability Act (CERCLA). However, releases may be reportable to the Nation Response Center under the Clean Water Act, 33 U.S.C. 1321(b)(3) and (5) - see head of Section 15. Failure to report may result in substantial civil and criminal penalties.

Recommend contacting the local authorities in the event of any type of spill to determine local reporting requirements and also to aid in the cleanup.

SECTION 16 OTHER INFORMATION

| | NFPA 704 | NPCA-HMIS | Key |
|--------------------------|-----------------|------------------|--------------|
| HEALTH: | 1 | 1 | 0 = Minimal |
| FIRE: | 1 | 1 | 1 = Slight |
| REACTIVITY: | 0 | 0 | 2 = Moderate |
| SPECIFIC HAZARD: | None | N/D | 3 = Serious |
| PROTECTION INDEX: | N/A | B | 4 = Severe |

This Safety Data Sheet and the information it contains is offered to you in good faith as accurate. We have reviewed any information contained in this Data Sheet which we have received from sources outside our company. We believe that information to be correct, but cannot guarantee its accuracy or completeness. Health and safety precautions in this Data Sheet may not be adequate for all individuals and/or situations. It is the users' obligation to evaluate and use this product safely and to comply with all applicable laws and regulations. No statement made in this Data Sheet shall be construed as a permission or recommendation for the use of any product in a manner that might infringe existing patents. No warranty is made, either express or implied.

NOTES: NA = Not Applicable; NE = Not Established; UN = Unavailable

*All written and visual data contained in this document reflects the latest product information available at the time of publication.
 Graco reserves the right to make changes at any time without notice.*

Headquarters: Minneapolis
International Offices: Belgium, Korea, Hong Kong, Japan
GRACO INC. P.O. BOX 1441 MINNEAPOLIS, MN 55440-1441
www.graco.com
 PRINTED IN U.S.A.