

# Axial<sup>®</sup> Rotating Dispense Valve




Dispense Solution for High Viscosity Window Urethane

PROVEN QUALITY. LEADING TECHNOLOGY.

# **Axial Dispense Valve for Urethanes**

The Graco Axial Dispense Valve is a lightweight, high flow, high pressure applicator designed for precision robotic application of window urethane. The applicator is equipped with swivel functionality, meaning the valve can rotate independently of the cables and hoses to prevent stress on the robot and the hoses.



# **Technical Specifications and Ordering Information**

Axial Dispense Valve	
Maximum Fluid Working Pressure	4000 psi (28 MPa, 276 bar)
Maximum Cylinder Air Pressure	120 psi (0.83 MPa, 8.3 Bar)
Inlet and Exhaust Port Size	1/8 in. NPT (female)
Air Inlet Size	1/8 in. NPT (female)
Air Exhaust Port Size	1/8 in. NPT (female)
Fluid Inlet Size	7/8-14 SAE (#10) and 16 JIC
Weight	
26B450	10.6 lb (4.8 kg)
26B451	11.0 lb (4.9 kg)
26B452	10.3 lb (4.6 kg)
26B453	10.6 lb (4.8 kg)

### Axial Dispense Valves

Part Number	Ambient/Heat	Solenoid
26B450	Ambient	Direct Mount
26B451	Heated	Direct Mount
26B452	Ambient	Remote Mount
26B453	Heated	Remote Mount

### Nozzles

Part Number	Bead Width in. (mm)	Bead Height in. (mm)
26B477	0.63 (16)	0.63 (16)
26B663	0.31 (8)	0.47 (12)
26B664	0.23 (6)	0.32 (8)

All valves come with a 0.23 in x 0.32 in (6 mm x 8 mm) nozzle.

## Mounting Brackets and Anti-Rotation Brackets

Graco offers mounting brackets and anti-rotation brackets to accommodate various robot models. Refer to the manual for models.



Robot mount and anti-rotation bracket





#### **ABOUT GRACO**

Founded in 1926, Graco is a world leader in fluid handling systems and components. Graco products move, measure, control, dispense and apply a wide range of fluids and viscous materials used in vehicle lubrication, commercial and industrial settings.

The company's success is based on its unwavering commitment to technical excellence, world-class manufacturing and unparalleled customer service. Working closely with qualified distributors, Graco offers systems, products and technology that set the quality standard in a wide range of fluid handling solutions. Graco provides equipment for spray finishing, protective coating, paint circulation, lubrication, and dispensing sealants and adhesives, along with power application equipment for the contractor industry. Graco's ongoing investment in fluid management and control will continue to provide innovative solutions to a diverse global market.

#### **GRACO LOCATIONS**

#### MAILING ADDRESS P.O. Box 1441

Minneapolis, MN 55440-1441 Tel: 612-623-6000 Fax: 612-623-6777

#### AMERICAS

*MINNESOTA* Worldwide Headquarters Graco Inc. 88-11th Avenue N.E. Minneapolis, MN 55413

#### **EUROPE**

#### BELGIUM

European Distribution Center Graco Distribution BV Industrieterrein-Oude Bunders Slakweidestraat 31 3630 Maasmechelen, Belgium Tel: 32 89 770 700 Fax: 32 89 770 777

#### ASIA PACIFIC

#### AUSTRALIA

Graco Australia Pty Ltd. Suite 17, 2 Enterprise Drive Bundoora, Victoria 3083 Australia Tel: 61 3 9468 8500 Fax: 61 3 9468 8599

#### CHINA

Graco Fluid Equipment (Shanghai) CO., LTD Building 7, No. 1-2, Wenshui Road 299, Jing'an District, Shanghai 200436 The People's Republic of China Tel: 86 21 6495 0088 Fax: 86 21 6495 0077

#### INDIA

Graco India Pvt Ltd. Plot No 295, Udyog Vihar Phase-IV Guragram, Haryana India 122015 Tel: 91 124 6610200 Fax: 91 124 6610201

#### JAPAN

Graco K.K. 1-27-12 Hayabuchi Tsuzuki-ku Yokohama City, Japan 2240025 Tel: 81 45 593 7300 Fax: 81 45 593 7301

#### KOREA

Graco Korea Inc. 38, Samsung 1-ro 1-gil Hwaseong-si, Gyeonggi-do, 18449 Republic of Korea Tel: 82 31 8015 0961 Fax: 82 31 613 9801

SALES/ DISTRIBUTION/ SERVICE Call today for product information or to request a demonstration. 800-746-1334 or visit us at www.graco.com.